

施設区分		補償区分	集団割引	補強割引
10	ガラス室 I 類(木造)	特定附帯	無	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.279	-	0.265	-	0.154	-	0.112	-	0.057	-	0.009	-
20	0.435	-	0.413	-	0.240	-	0.175	-	0.089	-	0.014	-
19	0.428	-	0.406	-	0.236	-	0.172	-	0.087	-	0.014	-
18	0.420	-	0.399	-	0.232	-	0.169	-	0.086	-	0.014	-
17	0.413	-	0.392	-	0.228	-	0.166	-	0.084	-	0.013	-
16	0.405	-	0.385	-	0.224	-	0.163	-	0.083	-	0.013	-
15	0.398	-	0.378	-	0.220	-	0.160	-	0.081	-	0.013	-
14	0.391	-	0.371	-	0.216	-	0.157	-	0.080	-	0.013	-
13	0.383	-	0.364	-	0.211	-	0.154	-	0.078	-	0.012	-
12	0.376	-	0.357	-	0.207	-	0.151	-	0.077	-	0.012	-
11	0.368	-	0.350	-	0.203	-	0.148	-	0.075	-	0.012	-
10	0.361	-	0.343	-	0.199	-	0.145	-	0.074	-	0.012	-
9	0.353	-	0.336	-	0.195	-	0.142	-	0.072	-	0.011	-
8	0.346	-	0.329	-	0.191	-	0.139	-	0.071	-	0.011	-
7	0.339	-	0.322	-	0.187	-	0.136	-	0.069	-	0.011	-
6	0.331	-	0.314	-	0.183	-	0.133	-	0.068	-	0.011	-
5	0.324	-	0.307	-	0.179	-	0.130	-	0.066	-	0.010	-
4	0.316	-	0.300	-	0.175	-	0.127	-	0.065	-	0.010	-
3	0.309	-	0.293	-	0.170	-	0.124	-	0.063	-	0.010	-
2	0.301	-	0.286	-	0.166	-	0.121	-	0.062	-	0.010	-
1	0.294	-	0.279	-	0.162	-	0.118	-	0.060	-	0.009	-
0	0.286	-	0.272	-	0.158	-	0.115	-	0.059	-	0.009	-
-1	0.279	-	0.265	-	0.154	-	0.112	-	0.057	-	0.009	-
-2	0.272	-	0.258	-	0.150	-	0.109	-	0.055	-	0.009	-
-3	0.264	-	0.251	-	0.146	-	0.106	-	0.054	-	0.009	-
-4	0.257	-	0.244	-	0.142	-	0.103	-	0.052	-	0.008	-
-5	0.249	-	0.237	-	0.138	-	0.100	-	0.051	-	0.008	-
-6	0.242	-	0.230	-	0.133	-	0.097	-	0.049	-	0.008	-
-7	0.234	-	0.223	-	0.129	-	0.094	-	0.048	-	0.008	-
-8	0.227	-	0.216	-	0.125	-	0.091	-	0.046	-	0.007	-
-9	0.219	-	0.208	-	0.121	-	0.088	-	0.045	-	0.007	-
-10	0.212	-	0.201	-	0.117	-	0.085	-	0.043	-	0.007	-
-11	0.205	-	0.194	-	0.113	-	0.082	-	0.042	-	0.007	-
-12	0.197	-	0.187	-	0.109	-	0.079	-	0.040	-	0.006	-
-13	0.190	-	0.180	-	0.105	-	0.076	-	0.039	-	0.006	-
-14	0.182	-	0.173	-	0.101	-	0.073	-	0.037	-	0.006	-
-15	0.175	-	0.166	-	0.097	-	0.070	-	0.036	-	0.006	-
-16	0.167	-	0.159	-	0.092	-	0.067	-	0.034	-	0.005	-
-17	0.160	-	0.152	-	0.088	-	0.064	-	0.033	-	0.005	-
-18	0.153	-	0.145	-	0.084	-	0.061	-	0.031	-	0.005	-
-19	0.145	-	0.138	-	0.080	-	0.058	-	0.030	-	0.005	-
-20	0.139	-	0.132	-	0.077	-	0.056	-	0.028	-	0.004	-

施設区分		補償区分	集団割引	補強割引
10	ガラス室 I 類(木造)	特定附帯	有	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.265	-	0.252	-	0.146	-	0.106	-	0.054	-	0.009	-
20	0.413	-	0.393	-	0.228	-	0.165	-	0.084	-	0.014	-
19	0.406	-	0.386	-	0.224	-	0.163	-	0.083	-	0.014	-
18	0.399	-	0.380	-	0.220	-	0.160	-	0.081	-	0.014	-
17	0.392	-	0.373	-	0.216	-	0.157	-	0.080	-	0.013	-
16	0.385	-	0.366	-	0.212	-	0.154	-	0.078	-	0.013	-
15	0.378	-	0.360	-	0.208	-	0.151	-	0.077	-	0.013	-
14	0.371	-	0.353	-	0.204	-	0.148	-	0.076	-	0.013	-
13	0.364	-	0.346	-	0.201	-	0.146	-	0.074	-	0.012	-
12	0.357	-	0.339	-	0.197	-	0.143	-	0.073	-	0.012	-
11	0.350	-	0.333	-	0.193	-	0.140	-	0.071	-	0.012	-
10	0.343	-	0.326	-	0.189	-	0.137	-	0.070	-	0.012	-
9	0.336	-	0.319	-	0.185	-	0.134	-	0.068	-	0.011	-
8	0.329	-	0.312	-	0.181	-	0.131	-	0.067	-	0.011	-
7	0.322	-	0.306	-	0.177	-	0.129	-	0.066	-	0.011	-
6	0.314	-	0.299	-	0.173	-	0.126	-	0.064	-	0.011	-
5	0.307	-	0.292	-	0.169	-	0.123	-	0.063	-	0.010	-
4	0.300	-	0.286	-	0.165	-	0.120	-	0.061	-	0.010	-
3	0.293	-	0.279	-	0.162	-	0.117	-	0.060	-	0.010	-
2	0.286	-	0.272	-	0.158	-	0.114	-	0.058	-	0.010	-
1	0.279	-	0.265	-	0.154	-	0.112	-	0.057	-	0.009	-
0	0.272	-	0.259	-	0.150	-	0.109	-	0.055	-	0.009	-
-1	0.265	-	0.252	-	0.146	-	0.106	-	0.054	-	0.009	-
-2	0.258	-	0.245	-	0.142	-	0.103	-	0.053	-	0.009	-
-3	0.251	-	0.239	-	0.138	-	0.100	-	0.051	-	0.009	-
-4	0.244	-	0.232	-	0.134	-	0.098	-	0.050	-	0.008	-
-5	0.237	-	0.225	-	0.130	-	0.095	-	0.048	-	0.008	-
-6	0.230	-	0.218	-	0.127	-	0.092	-	0.047	-	0.008	-
-7	0.223	-	0.212	-	0.123	-	0.089	-	0.045	-	0.008	-
-8	0.216	-	0.205	-	0.119	-	0.086	-	0.044	-	0.007	-
-9	0.208	-	0.198	-	0.115	-	0.083	-	0.042	-	0.007	-
-10	0.201	-	0.192	-	0.111	-	0.081	-	0.041	-	0.007	-
-11	0.194	-	0.185	-	0.107	-	0.078	-	0.040	-	0.007	-
-12	0.187	-	0.178	-	0.103	-	0.075	-	0.038	-	0.006	-
-13	0.180	-	0.171	-	0.099	-	0.072	-	0.037	-	0.006	-
-14	0.173	-	0.165	-	0.095	-	0.069	-	0.035	-	0.006	-
-15	0.166	-	0.158	-	0.091	-	0.066	-	0.034	-	0.006	-
-16	0.159	-	0.151	-	0.088	-	0.064	-	0.032	-	0.005	-
-17	0.152	-	0.144	-	0.084	-	0.061	-	0.031	-	0.005	-
-18	0.145	-	0.138	-	0.080	-	0.058	-	0.030	-	0.005	-
-19	0.138	-	0.131	-	0.076	-	0.055	-	0.028	-	0.005	-
-20	0.132	-	0.126	-	0.073	-	0.053	-	0.027	-	0.004	-

施設区分		補償区分	集団割引	補強割引
10	ガラス室 I 類(木造)	内作一般	無	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.737	-	0.736	-	0.547	-	0.364	-	0.019	-	0.005	-
20	1.150	-	1.148	-	0.853	-	0.568	-	0.030	-	0.008	-
19	1.130	-	1.129	-	0.839	-	0.558	-	0.029	-	0.008	-
18	1.110	-	1.109	-	0.824	-	0.548	-	0.029	-	0.008	-
17	1.091	-	1.089	-	0.810	-	0.539	-	0.028	-	0.007	-
16	1.071	-	1.070	-	0.795	-	0.529	-	0.028	-	0.007	-
15	1.051	-	1.050	-	0.780	-	0.519	-	0.027	-	0.007	-
14	1.032	-	1.030	-	0.766	-	0.510	-	0.027	-	0.007	-
13	1.012	-	1.011	-	0.751	-	0.500	-	0.026	-	0.007	-
12	0.992	-	0.991	-	0.737	-	0.490	-	0.026	-	0.007	-
11	0.973	-	0.972	-	0.722	-	0.480	-	0.025	-	0.007	-
10	0.953	-	0.952	-	0.707	-	0.471	-	0.025	-	0.006	-
9	0.934	-	0.932	-	0.693	-	0.461	-	0.024	-	0.006	-
8	0.914	-	0.913	-	0.678	-	0.451	-	0.024	-	0.006	-
7	0.894	-	0.893	-	0.664	-	0.442	-	0.023	-	0.006	-
6	0.875	-	0.873	-	0.649	-	0.432	-	0.023	-	0.006	-
5	0.855	-	0.854	-	0.635	-	0.422	-	0.022	-	0.006	-
4	0.835	-	0.834	-	0.620	-	0.413	-	0.022	-	0.006	-
3	0.816	-	0.815	-	0.605	-	0.403	-	0.021	-	0.006	-
2	0.796	-	0.795	-	0.591	-	0.393	-	0.021	-	0.005	-
1	0.776	-	0.775	-	0.576	-	0.383	-	0.020	-	0.005	-
0	0.757	-	0.756	-	0.562	-	0.374	-	0.020	-	0.005	-
-1	0.737	-	0.736	-	0.547	-	0.364	-	0.019	-	0.005	-
-2	0.717	-	0.716	-	0.532	-	0.354	-	0.018	-	0.005	-
-3	0.698	-	0.697	-	0.518	-	0.345	-	0.018	-	0.005	-
-4	0.678	-	0.677	-	0.503	-	0.335	-	0.017	-	0.005	-
-5	0.658	-	0.657	-	0.489	-	0.325	-	0.017	-	0.004	-
-6	0.639	-	0.638	-	0.474	-	0.315	-	0.016	-	0.004	-
-7	0.619	-	0.618	-	0.459	-	0.306	-	0.016	-	0.004	-
-8	0.599	-	0.599	-	0.445	-	0.296	-	0.015	-	0.004	-
-9	0.580	-	0.579	-	0.430	-	0.286	-	0.015	-	0.004	-
-10	0.560	-	0.559	-	0.416	-	0.277	-	0.014	-	0.004	-
-11	0.540	-	0.540	-	0.401	-	0.267	-	0.014	-	0.004	-
-12	0.521	-	0.520	-	0.387	-	0.257	-	0.013	-	0.004	-
-13	0.501	-	0.500	-	0.372	-	0.248	-	0.013	-	0.003	-
-14	0.482	-	0.481	-	0.357	-	0.238	-	0.012	-	0.003	-
-15	0.462	-	0.461	-	0.343	-	0.228	-	0.012	-	0.003	-
-16	0.442	-	0.442	-	0.328	-	0.218	-	0.011	-	0.003	-
-17	0.423	-	0.422	-	0.314	-	0.209	-	0.011	-	0.003	-
-18	0.403	-	0.402	-	0.299	-	0.199	-	0.010	-	0.003	-
-19	0.383	-	0.383	-	0.284	-	0.189	-	0.010	-	0.003	-
-20	0.368	-	0.368	-	0.273	-	0.182	-	0.009	-	0.002	-

施設区分		補償区分	集団割引	補強割引
10	ガラス室 I 類(木造)	内作一般	有	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.700	-	0.699	-	0.520	-	0.346	-	0.018	-	0.005	-
20	1.092	-	1.090	-	0.811	-	0.540	-	0.028	-	0.008	-
19	1.073	-	1.072	-	0.797	-	0.531	-	0.028	-	0.008	-
18	1.055	-	1.053	-	0.783	-	0.521	-	0.027	-	0.008	-
17	1.036	-	1.035	-	0.770	-	0.512	-	0.027	-	0.007	-
16	1.017	-	1.016	-	0.756	-	0.503	-	0.026	-	0.007	-
15	0.999	-	0.997	-	0.742	-	0.494	-	0.026	-	0.007	-
14	0.980	-	0.979	-	0.728	-	0.484	-	0.025	-	0.007	-
13	0.961	-	0.960	-	0.714	-	0.475	-	0.025	-	0.007	-
12	0.943	-	0.941	-	0.700	-	0.466	-	0.024	-	0.007	-
11	0.924	-	0.923	-	0.686	-	0.457	-	0.024	-	0.007	-
10	0.905	-	0.904	-	0.673	-	0.447	-	0.023	-	0.006	-
9	0.887	-	0.885	-	0.659	-	0.438	-	0.023	-	0.006	-
8	0.868	-	0.867	-	0.645	-	0.429	-	0.022	-	0.006	-
7	0.849	-	0.848	-	0.631	-	0.420	-	0.022	-	0.006	-
6	0.831	-	0.829	-	0.617	-	0.411	-	0.021	-	0.006	-
5	0.812	-	0.811	-	0.603	-	0.401	-	0.021	-	0.006	-
4	0.793	-	0.792	-	0.589	-	0.392	-	0.020	-	0.006	-
3	0.775	-	0.774	-	0.575	-	0.383	-	0.020	-	0.006	-
2	0.756	-	0.755	-	0.562	-	0.374	-	0.019	-	0.005	-
1	0.737	-	0.736	-	0.548	-	0.364	-	0.019	-	0.005	-
0	0.719	-	0.718	-	0.534	-	0.355	-	0.018	-	0.005	-
-1	0.700	-	0.699	-	0.520	-	0.346	-	0.018	-	0.005	-
-2	0.681	-	0.680	-	0.506	-	0.337	-	0.018	-	0.005	-
-3	0.663	-	0.662	-	0.492	-	0.328	-	0.017	-	0.005	-
-4	0.644	-	0.643	-	0.478	-	0.318	-	0.017	-	0.005	-
-5	0.625	-	0.624	-	0.465	-	0.309	-	0.016	-	0.004	-
-6	0.607	-	0.606	-	0.451	-	0.300	-	0.016	-	0.004	-
-7	0.588	-	0.587	-	0.437	-	0.291	-	0.015	-	0.004	-
-8	0.569	-	0.569	-	0.423	-	0.281	-	0.015	-	0.004	-
-9	0.551	-	0.550	-	0.409	-	0.272	-	0.014	-	0.004	-
-10	0.532	-	0.531	-	0.395	-	0.263	-	0.014	-	0.004	-
-11	0.513	-	0.513	-	0.381	-	0.254	-	0.013	-	0.004	-
-12	0.495	-	0.494	-	0.367	-	0.245	-	0.013	-	0.004	-
-13	0.476	-	0.475	-	0.354	-	0.235	-	0.012	-	0.003	-
-14	0.457	-	0.457	-	0.340	-	0.226	-	0.012	-	0.003	-
-15	0.439	-	0.438	-	0.326	-	0.217	-	0.011	-	0.003	-
-16	0.420	-	0.419	-	0.312	-	0.208	-	0.011	-	0.003	-
-17	0.401	-	0.401	-	0.298	-	0.198	-	0.010	-	0.003	-
-18	0.383	-	0.382	-	0.284	-	0.189	-	0.010	-	0.003	-
-19	0.364	-	0.363	-	0.270	-	0.180	-	0.009	-	0.003	-
-20	0.350	-	0.349	-	0.260	-	0.173	-	0.009	-	0.002	-

施設区分		補償区分	集団割引	補強割引
10	ガラス室 I 類(木造)	内作事故除外	無	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.260	-	0.259	-	0.203	-	0.137	-	0.018	-	0.004	-
20	0.406	-	0.404	-	0.317	-	0.214	-	0.028	-	0.006	-
19	0.399	-	0.397	-	0.311	-	0.210	-	0.028	-	0.006	-
18	0.392	-	0.390	-	0.306	-	0.206	-	0.027	-	0.006	-
17	0.385	-	0.383	-	0.300	-	0.203	-	0.027	-	0.006	-
16	0.378	-	0.376	-	0.295	-	0.199	-	0.026	-	0.006	-
15	0.371	-	0.370	-	0.290	-	0.195	-	0.026	-	0.006	-
14	0.364	-	0.363	-	0.284	-	0.192	-	0.025	-	0.006	-
13	0.357	-	0.356	-	0.279	-	0.188	-	0.025	-	0.005	-
12	0.350	-	0.349	-	0.273	-	0.184	-	0.024	-	0.005	-
11	0.343	-	0.342	-	0.268	-	0.181	-	0.024	-	0.005	-
10	0.336	-	0.335	-	0.263	-	0.177	-	0.023	-	0.005	-
9	0.329	-	0.328	-	0.257	-	0.174	-	0.023	-	0.005	-
8	0.322	-	0.321	-	0.252	-	0.170	-	0.022	-	0.005	-
7	0.315	-	0.314	-	0.246	-	0.166	-	0.022	-	0.005	-
6	0.309	-	0.307	-	0.241	-	0.163	-	0.021	-	0.005	-
5	0.302	-	0.300	-	0.235	-	0.159	-	0.021	-	0.005	-
4	0.295	-	0.294	-	0.230	-	0.155	-	0.020	-	0.005	-
3	0.288	-	0.287	-	0.225	-	0.152	-	0.020	-	0.004	-
2	0.281	-	0.280	-	0.219	-	0.148	-	0.019	-	0.004	-
1	0.274	-	0.273	-	0.214	-	0.144	-	0.019	-	0.004	-
0	0.267	-	0.266	-	0.208	-	0.141	-	0.018	-	0.004	-
-1	0.260	-	0.259	-	0.203	-	0.137	-	0.018	-	0.004	-
-2	0.253	-	0.252	-	0.198	-	0.133	-	0.018	-	0.004	-
-3	0.246	-	0.245	-	0.192	-	0.130	-	0.017	-	0.004	-
-4	0.239	-	0.238	-	0.187	-	0.126	-	0.017	-	0.004	-
-5	0.232	-	0.231	-	0.181	-	0.122	-	0.016	-	0.004	-
-6	0.225	-	0.224	-	0.176	-	0.119	-	0.016	-	0.003	-
-7	0.218	-	0.218	-	0.171	-	0.115	-	0.015	-	0.003	-
-8	0.211	-	0.211	-	0.165	-	0.111	-	0.015	-	0.003	-
-9	0.205	-	0.204	-	0.160	-	0.108	-	0.014	-	0.003	-
-10	0.198	-	0.197	-	0.154	-	0.104	-	0.014	-	0.003	-
-11	0.191	-	0.190	-	0.149	-	0.100	-	0.013	-	0.003	-
-12	0.184	-	0.183	-	0.143	-	0.097	-	0.013	-	0.003	-
-13	0.177	-	0.176	-	0.138	-	0.093	-	0.012	-	0.003	-
-14	0.170	-	0.169	-	0.133	-	0.090	-	0.012	-	0.003	-
-15	0.163	-	0.162	-	0.127	-	0.086	-	0.011	-	0.003	-
-16	0.156	-	0.155	-	0.122	-	0.082	-	0.011	-	0.002	-
-17	0.149	-	0.148	-	0.116	-	0.079	-	0.010	-	0.002	-
-18	0.142	-	0.142	-	0.111	-	0.075	-	0.010	-	0.002	-
-19	0.135	-	0.135	-	0.106	-	0.071	-	0.009	-	0.002	-
-20	0.130	-	0.129	-	0.101	-	0.068	-	0.009	-	0.002	-

施設区分		補償区分	集団割引	補強割引
10	ガラス室 I 類(木造)	内作事故除外	有	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.247	-	0.246	-	0.193	-	0.130	-	0.017	-	0.004	-
20	0.385	-	0.384	-	0.301	-	0.203	-	0.027	-	0.006	-
19	0.379	-	0.377	-	0.296	-	0.199	-	0.026	-	0.006	-
18	0.372	-	0.371	-	0.291	-	0.196	-	0.026	-	0.006	-
17	0.366	-	0.364	-	0.286	-	0.192	-	0.025	-	0.006	-
16	0.359	-	0.358	-	0.280	-	0.189	-	0.025	-	0.006	-
15	0.352	-	0.351	-	0.275	-	0.185	-	0.024	-	0.006	-
14	0.346	-	0.344	-	0.270	-	0.182	-	0.024	-	0.006	-
13	0.339	-	0.338	-	0.265	-	0.179	-	0.023	-	0.005	-
12	0.333	-	0.331	-	0.260	-	0.175	-	0.023	-	0.005	-
11	0.326	-	0.325	-	0.255	-	0.172	-	0.022	-	0.005	-
10	0.319	-	0.318	-	0.250	-	0.168	-	0.022	-	0.005	-
9	0.313	-	0.312	-	0.244	-	0.165	-	0.022	-	0.005	-
8	0.306	-	0.305	-	0.239	-	0.161	-	0.021	-	0.005	-
7	0.300	-	0.298	-	0.234	-	0.158	-	0.021	-	0.005	-
6	0.293	-	0.292	-	0.229	-	0.154	-	0.020	-	0.005	-
5	0.287	-	0.285	-	0.224	-	0.151	-	0.020	-	0.005	-
4	0.280	-	0.279	-	0.219	-	0.147	-	0.019	-	0.005	-
3	0.273	-	0.272	-	0.214	-	0.144	-	0.019	-	0.004	-
2	0.267	-	0.266	-	0.208	-	0.140	-	0.018	-	0.004	-
1	0.260	-	0.259	-	0.203	-	0.137	-	0.018	-	0.004	-
0	0.254	-	0.253	-	0.198	-	0.133	-	0.017	-	0.004	-
-1	0.247	-	0.246	-	0.193	-	0.130	-	0.017	-	0.004	-
-2	0.240	-	0.239	-	0.188	-	0.127	-	0.017	-	0.004	-
-3	0.234	-	0.233	-	0.183	-	0.123	-	0.016	-	0.004	-
-4	0.227	-	0.226	-	0.178	-	0.120	-	0.016	-	0.004	-
-5	0.221	-	0.220	-	0.172	-	0.116	-	0.015	-	0.004	-
-6	0.214	-	0.213	-	0.167	-	0.113	-	0.015	-	0.003	-
-7	0.207	-	0.207	-	0.162	-	0.109	-	0.014	-	0.003	-
-8	0.201	-	0.200	-	0.157	-	0.106	-	0.014	-	0.003	-
-9	0.194	-	0.194	-	0.152	-	0.102	-	0.013	-	0.003	-
-10	0.188	-	0.187	-	0.147	-	0.099	-	0.013	-	0.003	-
-11	0.181	-	0.180	-	0.142	-	0.095	-	0.012	-	0.003	-
-12	0.175	-	0.174	-	0.136	-	0.092	-	0.012	-	0.003	-
-13	0.168	-	0.167	-	0.131	-	0.088	-	0.012	-	0.003	-
-14	0.161	-	0.161	-	0.126	-	0.085	-	0.011	-	0.003	-
-15	0.155	-	0.154	-	0.121	-	0.081	-	0.011	-	0.003	-
-16	0.148	-	0.148	-	0.116	-	0.078	-	0.010	-	0.002	-
-17	0.142	-	0.141	-	0.111	-	0.075	-	0.010	-	0.002	-
-18	0.135	-	0.134	-	0.106	-	0.071	-	0.009	-	0.002	-
-19	0.128	-	0.128	-	0.100	-	0.068	-	0.009	-	0.002	-
-20	0.123	-	0.123	-	0.096	-	0.065	-	0.008	-	0.002	-

施設区分		補償区分	集団割引	補強割引
10	ガラス室 I 類(木造)	撤去費用	無	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.171	-	0.170	-	0.169	-	0.162	-	0.139	-	0.031	-
20	0.267	-	0.265	-	0.264	-	0.253	-	0.217	-	0.048	-
19	0.262	-	0.261	-	0.259	-	0.248	-	0.213	-	0.048	-
18	0.258	-	0.256	-	0.255	-	0.244	-	0.209	-	0.047	-
17	0.253	-	0.252	-	0.250	-	0.240	-	0.206	-	0.046	-
16	0.249	-	0.247	-	0.246	-	0.235	-	0.202	-	0.045	-
15	0.244	-	0.243	-	0.241	-	0.231	-	0.198	-	0.044	-
14	0.239	-	0.238	-	0.237	-	0.227	-	0.195	-	0.043	-
13	0.235	-	0.233	-	0.232	-	0.222	-	0.191	-	0.043	-
12	0.230	-	0.229	-	0.228	-	0.218	-	0.187	-	0.042	-
11	0.226	-	0.224	-	0.223	-	0.214	-	0.183	-	0.041	-
10	0.221	-	0.220	-	0.219	-	0.210	-	0.180	-	0.040	-
9	0.217	-	0.215	-	0.214	-	0.205	-	0.176	-	0.039	-
8	0.212	-	0.211	-	0.210	-	0.201	-	0.172	-	0.038	-
7	0.207	-	0.206	-	0.205	-	0.197	-	0.169	-	0.038	-
6	0.203	-	0.202	-	0.201	-	0.192	-	0.165	-	0.037	-
5	0.198	-	0.197	-	0.196	-	0.188	-	0.161	-	0.036	-
4	0.194	-	0.193	-	0.192	-	0.184	-	0.158	-	0.035	-
3	0.189	-	0.188	-	0.187	-	0.179	-	0.154	-	0.034	-
2	0.185	-	0.184	-	0.183	-	0.175	-	0.150	-	0.033	-
1	0.180	-	0.179	-	0.178	-	0.171	-	0.146	-	0.033	-
0	0.176	-	0.175	-	0.174	-	0.166	-	0.143	-	0.032	-
-1	0.171	-	0.170	-	0.169	-	0.162	-	0.139	-	0.031	-
-2	0.166	-	0.165	-	0.164	-	0.158	-	0.135	-	0.030	-
-3	0.162	-	0.161	-	0.160	-	0.153	-	0.132	-	0.029	-
-4	0.157	-	0.156	-	0.155	-	0.149	-	0.128	-	0.029	-
-5	0.153	-	0.152	-	0.151	-	0.145	-	0.124	-	0.028	-
-6	0.148	-	0.147	-	0.146	-	0.140	-	0.120	-	0.027	-
-7	0.144	-	0.143	-	0.142	-	0.136	-	0.117	-	0.026	-
-8	0.139	-	0.138	-	0.137	-	0.132	-	0.113	-	0.025	-
-9	0.135	-	0.134	-	0.133	-	0.127	-	0.109	-	0.024	-
-10	0.130	-	0.129	-	0.128	-	0.123	-	0.106	-	0.024	-
-11	0.125	-	0.125	-	0.124	-	0.119	-	0.102	-	0.023	-
-12	0.121	-	0.120	-	0.119	-	0.114	-	0.098	-	0.022	-
-13	0.116	-	0.116	-	0.115	-	0.110	-	0.095	-	0.021	-
-14	0.112	-	0.111	-	0.110	-	0.106	-	0.091	-	0.020	-
-15	0.107	-	0.107	-	0.106	-	0.102	-	0.087	-	0.019	-
-16	0.103	-	0.102	-	0.101	-	0.097	-	0.083	-	0.019	-
-17	0.098	-	0.097	-	0.097	-	0.093	-	0.080	-	0.018	-
-18	0.093	-	0.093	-	0.092	-	0.089	-	0.076	-	0.017	-
-19	0.089	-	0.088	-	0.088	-	0.084	-	0.072	-	0.016	-
-20	0.085	-	0.085	-	0.084	-	0.081	-	0.069	-	0.015	-

施設区分		補償区分	集団割引	補強割引
10	ガラス室 I 類(木造)	撤去費用	有	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.162	-	0.162	-	0.161	-	0.154	-	0.132	-	0.029	-
20	0.253	-	0.253	-	0.251	-	0.240	-	0.206	-	0.045	-
19	0.248	-	0.248	-	0.247	-	0.236	-	0.202	-	0.044	-
18	0.244	-	0.244	-	0.243	-	0.232	-	0.199	-	0.044	-
17	0.240	-	0.240	-	0.238	-	0.228	-	0.195	-	0.043	-
16	0.235	-	0.235	-	0.234	-	0.224	-	0.192	-	0.042	-
15	0.231	-	0.231	-	0.230	-	0.220	-	0.188	-	0.041	-
14	0.227	-	0.227	-	0.225	-	0.216	-	0.185	-	0.041	-
13	0.222	-	0.222	-	0.221	-	0.211	-	0.181	-	0.040	-
12	0.218	-	0.218	-	0.217	-	0.207	-	0.178	-	0.039	-
11	0.214	-	0.214	-	0.213	-	0.203	-	0.174	-	0.038	-
10	0.210	-	0.210	-	0.208	-	0.199	-	0.171	-	0.038	-
9	0.205	-	0.205	-	0.204	-	0.195	-	0.167	-	0.037	-
8	0.201	-	0.201	-	0.200	-	0.191	-	0.164	-	0.036	-
7	0.197	-	0.197	-	0.195	-	0.187	-	0.160	-	0.035	-
6	0.192	-	0.192	-	0.191	-	0.183	-	0.157	-	0.034	-
5	0.188	-	0.188	-	0.187	-	0.179	-	0.153	-	0.034	-
4	0.184	-	0.184	-	0.182	-	0.175	-	0.150	-	0.033	-
3	0.179	-	0.179	-	0.178	-	0.170	-	0.146	-	0.032	-
2	0.175	-	0.175	-	0.174	-	0.166	-	0.143	-	0.031	-
1	0.171	-	0.171	-	0.170	-	0.162	-	0.139	-	0.031	-
0	0.166	-	0.166	-	0.165	-	0.158	-	0.136	-	0.030	-
-1	0.162	-	0.162	-	0.161	-	0.154	-	0.132	-	0.029	-
-2	0.158	-	0.158	-	0.157	-	0.150	-	0.128	-	0.028	-
-3	0.153	-	0.153	-	0.152	-	0.146	-	0.125	-	0.027	-
-4	0.149	-	0.149	-	0.148	-	0.142	-	0.121	-	0.027	-
-5	0.145	-	0.145	-	0.144	-	0.138	-	0.118	-	0.026	-
-6	0.140	-	0.140	-	0.140	-	0.133	-	0.114	-	0.025	-
-7	0.136	-	0.136	-	0.135	-	0.129	-	0.111	-	0.024	-
-8	0.132	-	0.132	-	0.131	-	0.125	-	0.107	-	0.024	-
-9	0.127	-	0.127	-	0.127	-	0.121	-	0.104	-	0.023	-
-10	0.123	-	0.123	-	0.122	-	0.117	-	0.100	-	0.022	-
-11	0.119	-	0.119	-	0.118	-	0.113	-	0.097	-	0.021	-
-12	0.114	-	0.114	-	0.114	-	0.109	-	0.093	-	0.020	-
-13	0.110	-	0.110	-	0.109	-	0.105	-	0.090	-	0.020	-
-14	0.106	-	0.106	-	0.105	-	0.101	-	0.086	-	0.019	-
-15	0.102	-	0.102	-	0.101	-	0.097	-	0.083	-	0.018	-
-16	0.097	-	0.097	-	0.097	-	0.092	-	0.079	-	0.017	-
-17	0.093	-	0.093	-	0.092	-	0.088	-	0.076	-	0.017	-
-18	0.089	-	0.089	-	0.088	-	0.084	-	0.072	-	0.016	-
-19	0.084	-	0.084	-	0.084	-	0.080	-	0.069	-	0.015	-
-20	0.081	-	0.081	-	0.080	-	0.077	-	0.066	-	0.014	-

施設区分		補償区分	集団割引	補強割引
10	ガラス室 I 類(木造)	復旧費用	無	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.167	-	0.160	-	0.097	-	0.070	-	0.036	-	0.007	-
20	0.261	-	0.250	-	0.151	-	0.109	-	0.056	-	0.011	-
19	0.256	-	0.245	-	0.149	-	0.107	-	0.055	-	0.011	-
18	0.252	-	0.241	-	0.146	-	0.105	-	0.054	-	0.011	-
17	0.247	-	0.237	-	0.144	-	0.104	-	0.053	-	0.010	-
16	0.243	-	0.233	-	0.141	-	0.102	-	0.052	-	0.010	-
15	0.238	-	0.228	-	0.138	-	0.100	-	0.051	-	0.010	-
14	0.234	-	0.224	-	0.136	-	0.098	-	0.050	-	0.010	-
13	0.229	-	0.220	-	0.133	-	0.096	-	0.049	-	0.010	-
12	0.225	-	0.215	-	0.131	-	0.094	-	0.048	-	0.009	-
11	0.220	-	0.211	-	0.128	-	0.092	-	0.048	-	0.009	-
10	0.216	-	0.207	-	0.125	-	0.091	-	0.047	-	0.009	-
9	0.212	-	0.203	-	0.123	-	0.089	-	0.046	-	0.009	-
8	0.207	-	0.198	-	0.120	-	0.087	-	0.045	-	0.009	-
7	0.203	-	0.194	-	0.118	-	0.085	-	0.044	-	0.008	-
6	0.198	-	0.190	-	0.115	-	0.083	-	0.043	-	0.008	-
5	0.194	-	0.186	-	0.113	-	0.081	-	0.042	-	0.008	-
4	0.189	-	0.181	-	0.110	-	0.079	-	0.041	-	0.008	-
3	0.185	-	0.177	-	0.107	-	0.077	-	0.040	-	0.008	-
2	0.180	-	0.173	-	0.105	-	0.076	-	0.039	-	0.008	-
1	0.176	-	0.169	-	0.102	-	0.074	-	0.038	-	0.007	-
0	0.171	-	0.164	-	0.100	-	0.072	-	0.037	-	0.007	-
-1	0.167	-	0.160	-	0.097	-	0.070	-	0.036	-	0.007	-
-2	0.163	-	0.156	-	0.094	-	0.068	-	0.035	-	0.007	-
-3	0.158	-	0.151	-	0.092	-	0.066	-	0.034	-	0.007	-
-4	0.154	-	0.147	-	0.089	-	0.064	-	0.033	-	0.006	-
-5	0.149	-	0.143	-	0.087	-	0.063	-	0.032	-	0.006	-
-6	0.145	-	0.139	-	0.084	-	0.061	-	0.031	-	0.006	-
-7	0.140	-	0.134	-	0.081	-	0.059	-	0.030	-	0.006	-
-8	0.136	-	0.130	-	0.079	-	0.057	-	0.029	-	0.006	-
-9	0.131	-	0.126	-	0.076	-	0.055	-	0.028	-	0.006	-
-10	0.127	-	0.122	-	0.074	-	0.053	-	0.027	-	0.005	-
-11	0.122	-	0.117	-	0.071	-	0.051	-	0.026	-	0.005	-
-12	0.118	-	0.113	-	0.069	-	0.049	-	0.025	-	0.005	-
-13	0.114	-	0.109	-	0.066	-	0.048	-	0.024	-	0.005	-
-14	0.109	-	0.105	-	0.063	-	0.046	-	0.024	-	0.005	-
-15	0.105	-	0.100	-	0.061	-	0.044	-	0.023	-	0.004	-
-16	0.100	-	0.096	-	0.058	-	0.042	-	0.022	-	0.004	-
-17	0.096	-	0.092	-	0.056	-	0.040	-	0.021	-	0.004	-
-18	0.091	-	0.087	-	0.053	-	0.038	-	0.020	-	0.004	-
-19	0.087	-	0.083	-	0.050	-	0.036	-	0.019	-	0.004	-
-20	0.083	-	0.080	-	0.048	-	0.035	-	0.018	-	0.003	-

施設区分		補償区分	集団割引	補強割引
10	ガラス室 I 類(木造)	復旧費用	有	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.159	-	0.152	-	0.092	-	0.067	-	0.034	-	0.007	-
20	0.248	-	0.237	-	0.144	-	0.105	-	0.053	-	0.011	-
19	0.244	-	0.233	-	0.141	-	0.103	-	0.052	-	0.011	-
18	0.240	-	0.229	-	0.139	-	0.101	-	0.051	-	0.011	-
17	0.235	-	0.225	-	0.136	-	0.099	-	0.050	-	0.010	-
16	0.231	-	0.221	-	0.134	-	0.097	-	0.049	-	0.010	-
15	0.227	-	0.217	-	0.131	-	0.096	-	0.049	-	0.010	-
14	0.223	-	0.213	-	0.129	-	0.094	-	0.048	-	0.010	-
13	0.218	-	0.209	-	0.126	-	0.092	-	0.047	-	0.010	-
12	0.214	-	0.205	-	0.124	-	0.090	-	0.046	-	0.009	-
11	0.210	-	0.201	-	0.121	-	0.088	-	0.045	-	0.009	-
10	0.206	-	0.197	-	0.119	-	0.087	-	0.044	-	0.009	-
9	0.201	-	0.193	-	0.117	-	0.085	-	0.043	-	0.009	-
8	0.197	-	0.188	-	0.114	-	0.083	-	0.042	-	0.009	-
7	0.193	-	0.184	-	0.112	-	0.081	-	0.041	-	0.008	-
6	0.189	-	0.180	-	0.109	-	0.080	-	0.040	-	0.008	-
5	0.184	-	0.176	-	0.107	-	0.078	-	0.039	-	0.008	-
4	0.180	-	0.172	-	0.104	-	0.076	-	0.039	-	0.008	-
3	0.176	-	0.168	-	0.102	-	0.074	-	0.038	-	0.008	-
2	0.172	-	0.164	-	0.099	-	0.072	-	0.037	-	0.008	-
1	0.167	-	0.160	-	0.097	-	0.071	-	0.036	-	0.007	-
0	0.163	-	0.156	-	0.094	-	0.069	-	0.035	-	0.007	-
-1	0.159	-	0.152	-	0.092	-	0.067	-	0.034	-	0.007	-
-2	0.155	-	0.148	-	0.090	-	0.065	-	0.033	-	0.007	-
-3	0.151	-	0.144	-	0.087	-	0.063	-	0.032	-	0.007	-
-4	0.146	-	0.140	-	0.085	-	0.062	-	0.031	-	0.006	-
-5	0.142	-	0.136	-	0.082	-	0.060	-	0.030	-	0.006	-
-6	0.138	-	0.132	-	0.080	-	0.058	-	0.029	-	0.006	-
-7	0.134	-	0.128	-	0.077	-	0.056	-	0.029	-	0.006	-
-8	0.129	-	0.124	-	0.075	-	0.054	-	0.028	-	0.006	-
-9	0.125	-	0.120	-	0.072	-	0.053	-	0.027	-	0.006	-
-10	0.121	-	0.116	-	0.070	-	0.051	-	0.026	-	0.005	-
-11	0.117	-	0.111	-	0.067	-	0.049	-	0.025	-	0.005	-
-12	0.112	-	0.107	-	0.065	-	0.047	-	0.024	-	0.005	-
-13	0.108	-	0.103	-	0.063	-	0.046	-	0.023	-	0.005	-
-14	0.104	-	0.099	-	0.060	-	0.044	-	0.022	-	0.005	-
-15	0.100	-	0.095	-	0.058	-	0.042	-	0.021	-	0.004	-
-16	0.095	-	0.091	-	0.055	-	0.040	-	0.020	-	0.004	-
-17	0.091	-	0.087	-	0.053	-	0.038	-	0.019	-	0.004	-
-18	0.087	-	0.083	-	0.050	-	0.037	-	0.019	-	0.004	-
-19	0.083	-	0.079	-	0.048	-	0.035	-	0.018	-	0.004	-
-20	0.079	-	0.076	-	0.046	-	0.033	-	0.017	-	0.003	-

施設区分		補償区分	集団割引	補強割引
20	ガラス室Ⅱ類(鉄骨)	特定附帯	無	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.074	-	0.072	-	0.062	-	0.057	-	0.030	-	0.007	-
20	0.309	-	0.300	-	0.259	-	0.238	-	0.125	-	0.029	-
19	0.140	-	0.136	-	0.117	-	0.108	-	0.057	-	0.013	-
18	0.137	-	0.134	-	0.115	-	0.106	-	0.056	-	0.013	-
17	0.135	-	0.131	-	0.113	-	0.104	-	0.055	-	0.013	-
16	0.132	-	0.129	-	0.111	-	0.102	-	0.054	-	0.012	-
15	0.129	-	0.126	-	0.108	-	0.100	-	0.052	-	0.012	-
14	0.127	-	0.123	-	0.106	-	0.098	-	0.051	-	0.012	-
13	0.124	-	0.121	-	0.104	-	0.096	-	0.050	-	0.012	-
12	0.121	-	0.118	-	0.102	-	0.094	-	0.049	-	0.011	-
11	0.119	-	0.116	-	0.100	-	0.092	-	0.048	-	0.011	-
10	0.116	-	0.113	-	0.097	-	0.089	-	0.047	-	0.011	-
9	0.114	-	0.110	-	0.095	-	0.087	-	0.046	-	0.011	-
8	0.111	-	0.108	-	0.093	-	0.085	-	0.045	-	0.010	-
7	0.108	-	0.105	-	0.091	-	0.083	-	0.044	-	0.010	-
6	0.106	-	0.103	-	0.088	-	0.081	-	0.043	-	0.010	-
5	0.103	-	0.100	-	0.086	-	0.079	-	0.042	-	0.010	-
4	0.100	-	0.097	-	0.084	-	0.077	-	0.041	-	0.009	-
3	0.098	-	0.095	-	0.082	-	0.075	-	0.040	-	0.009	-
2	0.095	-	0.092	-	0.079	-	0.073	-	0.038	-	0.009	-
1	0.092	-	0.090	-	0.077	-	0.071	-	0.037	-	0.009	-
0	0.090	-	0.087	-	0.075	-	0.069	-	0.036	-	0.008	-
-1	0.087	-	0.085	-	0.073	-	0.067	-	0.035	-	0.008	-
-2	0.084	-	0.082	-	0.071	-	0.065	-	0.034	-	0.008	-
-3	0.082	-	0.079	-	0.068	-	0.063	-	0.033	-	0.008	-
-4	0.079	-	0.077	-	0.066	-	0.061	-	0.032	-	0.007	-
-5	0.076	-	0.074	-	0.064	-	0.059	-	0.031	-	0.007	-
-6	0.074	-	0.072	-	0.062	-	0.057	-	0.030	-	0.007	-
-7	0.071	-	0.069	-	0.059	-	0.055	-	0.029	-	0.007	-
-8	0.068	-	0.066	-	0.057	-	0.053	-	0.028	-	0.006	-
-9	0.066	-	0.064	-	0.055	-	0.051	-	0.027	-	0.006	-
-10	0.063	-	0.061	-	0.053	-	0.048	-	0.026	-	0.006	-
-11	0.060	-	0.059	-	0.051	-	0.046	-	0.024	-	0.006	-
-12	0.058	-	0.056	-	0.048	-	0.044	-	0.023	-	0.005	-
-13	0.055	-	0.053	-	0.046	-	0.042	-	0.022	-	0.005	-
-14	0.052	-	0.051	-	0.044	-	0.040	-	0.021	-	0.005	-
-15	0.050	-	0.048	-	0.042	-	0.038	-	0.020	-	0.005	-
-16	0.047	-	0.046	-	0.039	-	0.036	-	0.019	-	0.004	-
-17	0.044	-	0.043	-	0.037	-	0.034	-	0.018	-	0.004	-
-18	0.042	-	0.041	-	0.035	-	0.032	-	0.017	-	0.004	-
-19	0.039	-	0.038	-	0.033	-	0.030	-	0.016	-	0.004	-
-20	0.037	-	0.036	-	0.031	-	0.028	-	0.015	-	0.003	-

施設区分		補償区分	集団割引	補強割引
20	ガラス室Ⅱ類(鉄骨)	特定附帯	有	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.070	-	0.068	-	0.059	-	0.054	-	0.029	-	0.007	-
20	0.292	-	0.284	-	0.246	-	0.225	-	0.121	-	0.029	-
19	0.133	-	0.129	-	0.112	-	0.102	-	0.055	-	0.013	-
18	0.130	-	0.126	-	0.110	-	0.100	-	0.054	-	0.013	-
17	0.128	-	0.124	-	0.107	-	0.098	-	0.053	-	0.013	-
16	0.125	-	0.121	-	0.105	-	0.096	-	0.052	-	0.012	-
15	0.122	-	0.119	-	0.103	-	0.094	-	0.051	-	0.012	-
14	0.120	-	0.117	-	0.101	-	0.093	-	0.050	-	0.012	-
13	0.117	-	0.114	-	0.099	-	0.091	-	0.049	-	0.012	-
12	0.115	-	0.112	-	0.097	-	0.089	-	0.048	-	0.011	-
11	0.112	-	0.109	-	0.095	-	0.087	-	0.047	-	0.011	-
10	0.110	-	0.107	-	0.093	-	0.085	-	0.046	-	0.011	-
9	0.107	-	0.104	-	0.091	-	0.083	-	0.044	-	0.011	-
8	0.105	-	0.102	-	0.088	-	0.081	-	0.043	-	0.010	-
7	0.102	-	0.099	-	0.086	-	0.079	-	0.042	-	0.010	-
6	0.100	-	0.097	-	0.084	-	0.077	-	0.041	-	0.010	-
5	0.097	-	0.095	-	0.082	-	0.075	-	0.040	-	0.010	-
4	0.095	-	0.092	-	0.080	-	0.073	-	0.039	-	0.009	-
3	0.092	-	0.090	-	0.078	-	0.071	-	0.038	-	0.009	-
2	0.090	-	0.087	-	0.076	-	0.069	-	0.037	-	0.009	-
1	0.087	-	0.085	-	0.074	-	0.067	-	0.036	-	0.009	-
0	0.085	-	0.082	-	0.071	-	0.065	-	0.035	-	0.008	-
-1	0.082	-	0.080	-	0.069	-	0.063	-	0.034	-	0.008	-
-2	0.080	-	0.077	-	0.067	-	0.061	-	0.033	-	0.008	-
-3	0.077	-	0.075	-	0.065	-	0.060	-	0.032	-	0.008	-
-4	0.075	-	0.073	-	0.063	-	0.058	-	0.031	-	0.007	-
-5	0.072	-	0.070	-	0.061	-	0.056	-	0.030	-	0.007	-
-6	0.070	-	0.068	-	0.059	-	0.054	-	0.029	-	0.007	-
-7	0.067	-	0.065	-	0.057	-	0.052	-	0.028	-	0.007	-
-8	0.065	-	0.063	-	0.054	-	0.050	-	0.027	-	0.006	-
-9	0.062	-	0.060	-	0.052	-	0.048	-	0.026	-	0.006	-
-10	0.060	-	0.058	-	0.050	-	0.046	-	0.025	-	0.006	-
-11	0.057	-	0.055	-	0.048	-	0.044	-	0.024	-	0.006	-
-12	0.055	-	0.053	-	0.046	-	0.042	-	0.023	-	0.005	-
-13	0.052	-	0.051	-	0.044	-	0.040	-	0.022	-	0.005	-
-14	0.049	-	0.048	-	0.042	-	0.038	-	0.020	-	0.005	-
-15	0.047	-	0.046	-	0.040	-	0.036	-	0.019	-	0.005	-
-16	0.044	-	0.043	-	0.037	-	0.034	-	0.018	-	0.004	-
-17	0.042	-	0.041	-	0.035	-	0.032	-	0.017	-	0.004	-
-18	0.039	-	0.038	-	0.033	-	0.030	-	0.016	-	0.004	-
-19	0.037	-	0.036	-	0.031	-	0.028	-	0.015	-	0.004	-
-20	0.035	-	0.034	-	0.029	-	0.027	-	0.014	-	0.003	-

施設区分		補償区分	集団割引	補強割引
20	ガラス室Ⅱ類(鉄骨)	内作一般	無	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	1.164	-	1.163	-	1.018	-	0.864	-	0.484	-	0.242	-
20	4.854	-	4.850	-	4.245	-	3.603	-	2.018	-	1.009	-
19	2.204	-	2.202	-	1.928	-	1.636	-	0.916	-	0.458	-
18	2.162	-	2.160	-	1.891	-	1.605	-	0.899	-	0.450	-
17	2.120	-	2.119	-	1.854	-	1.574	-	0.882	-	0.441	-
16	2.079	-	2.077	-	1.818	-	1.543	-	0.864	-	0.432	-
15	2.037	-	2.035	-	1.781	-	1.512	-	0.847	-	0.423	-
14	1.995	-	1.993	-	1.745	-	1.481	-	0.829	-	0.415	-
13	1.953	-	1.951	-	1.708	-	1.450	-	0.812	-	0.406	-
12	1.911	-	1.909	-	1.671	-	1.419	-	0.795	-	0.397	-
11	1.869	-	1.868	-	1.635	-	1.387	-	0.777	-	0.389	-
10	1.827	-	1.826	-	1.598	-	1.356	-	0.760	-	0.380	-
9	1.786	-	1.784	-	1.562	-	1.325	-	0.742	-	0.371	-
8	1.744	-	1.742	-	1.525	-	1.294	-	0.725	-	0.363	-
7	1.702	-	1.700	-	1.488	-	1.263	-	0.708	-	0.354	-
6	1.660	-	1.659	-	1.452	-	1.232	-	0.690	-	0.345	-
5	1.618	-	1.617	-	1.415	-	1.201	-	0.673	-	0.336	-
4	1.576	-	1.575	-	1.379	-	1.170	-	0.655	-	0.328	-
3	1.534	-	1.533	-	1.342	-	1.139	-	0.638	-	0.319	-
2	1.492	-	1.491	-	1.305	-	1.108	-	0.621	-	0.310	-
1	1.451	-	1.449	-	1.269	-	1.077	-	0.603	-	0.302	-
0	1.409	-	1.408	-	1.232	-	1.046	-	0.586	-	0.293	-
-1	1.367	-	1.366	-	1.195	-	1.015	-	0.568	-	0.284	-
-2	1.325	-	1.324	-	1.159	-	0.984	-	0.551	-	0.275	-
-3	1.283	-	1.282	-	1.122	-	0.952	-	0.534	-	0.267	-
-4	1.241	-	1.240	-	1.086	-	0.921	-	0.516	-	0.258	-
-5	1.199	-	1.198	-	1.049	-	0.890	-	0.499	-	0.249	-
-6	1.158	-	1.157	-	1.012	-	0.859	-	0.481	-	0.241	-
-7	1.116	-	1.115	-	0.976	-	0.828	-	0.464	-	0.232	-
-8	1.074	-	1.073	-	0.939	-	0.797	-	0.447	-	0.223	-
-9	1.032	-	1.031	-	0.903	-	0.766	-	0.429	-	0.215	-
-10	0.990	-	0.989	-	0.866	-	0.735	-	0.412	-	0.206	-
-11	0.948	-	0.947	-	0.829	-	0.704	-	0.394	-	0.197	-
-12	0.906	-	0.906	-	0.793	-	0.673	-	0.377	-	0.188	-
-13	0.865	-	0.864	-	0.756	-	0.642	-	0.359	-	0.180	-
-14	0.823	-	0.822	-	0.720	-	0.611	-	0.342	-	0.171	-
-15	0.781	-	0.780	-	0.683	-	0.580	-	0.325	-	0.162	-
-16	0.739	-	0.738	-	0.646	-	0.549	-	0.307	-	0.154	-
-17	0.697	-	0.697	-	0.610	-	0.517	-	0.290	-	0.145	-
-18	0.655	-	0.655	-	0.573	-	0.486	-	0.272	-	0.136	-
-19	0.613	-	0.613	-	0.536	-	0.455	-	0.255	-	0.128	-
-20	0.582	-	0.581	-	0.509	-	0.432	-	0.242	-	0.121	-

施設区分		補償区分	集団割引	補強割引
20	ガラス室Ⅱ類(鉄骨)	内作一般	有	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	1.106	-	1.105	-	0.967	-	0.821	-	0.460	-	0.230	-
20	4.612	-	4.608	-	4.032	-	3.424	-	1.918	-	0.959	-
19	2.094	-	2.092	-	1.831	-	1.555	-	0.871	-	0.436	-
18	2.055	-	2.053	-	1.796	-	1.525	-	0.855	-	0.427	-
17	2.015	-	2.013	-	1.762	-	1.496	-	0.838	-	0.419	-
16	1.975	-	1.973	-	1.727	-	1.466	-	0.821	-	0.411	-
15	1.935	-	1.933	-	1.692	-	1.437	-	0.805	-	0.402	-
14	1.895	-	1.894	-	1.657	-	1.407	-	0.788	-	0.394	-
13	1.856	-	1.854	-	1.622	-	1.377	-	0.772	-	0.386	-
12	1.816	-	1.814	-	1.588	-	1.348	-	0.755	-	0.378	-
11	1.776	-	1.775	-	1.553	-	1.318	-	0.739	-	0.369	-
10	1.736	-	1.735	-	1.518	-	1.289	-	0.722	-	0.361	-
9	1.697	-	1.695	-	1.483	-	1.259	-	0.706	-	0.353	-
8	1.657	-	1.655	-	1.449	-	1.230	-	0.689	-	0.345	-
7	1.617	-	1.616	-	1.414	-	1.200	-	0.673	-	0.336	-
6	1.577	-	1.576	-	1.379	-	1.171	-	0.656	-	0.328	-
5	1.537	-	1.536	-	1.344	-	1.141	-	0.639	-	0.320	-
4	1.498	-	1.496	-	1.309	-	1.112	-	0.623	-	0.311	-
3	1.458	-	1.457	-	1.275	-	1.082	-	0.606	-	0.303	-
2	1.418	-	1.417	-	1.240	-	1.053	-	0.590	-	0.295	-
1	1.378	-	1.377	-	1.205	-	1.023	-	0.573	-	0.287	-
0	1.339	-	1.337	-	1.170	-	0.994	-	0.557	-	0.278	-
-1	1.299	-	1.298	-	1.136	-	0.964	-	0.540	-	0.270	-
-2	1.259	-	1.258	-	1.101	-	0.935	-	0.524	-	0.262	-
-3	1.219	-	1.218	-	1.066	-	0.905	-	0.507	-	0.254	-
-4	1.179	-	1.178	-	1.031	-	0.876	-	0.491	-	0.245	-
-5	1.140	-	1.139	-	0.996	-	0.846	-	0.474	-	0.237	-
-6	1.100	-	1.099	-	0.962	-	0.816	-	0.457	-	0.229	-
-7	1.060	-	1.059	-	0.927	-	0.787	-	0.441	-	0.220	-
-8	1.020	-	1.019	-	0.892	-	0.757	-	0.424	-	0.212	-
-9	0.981	-	0.980	-	0.857	-	0.728	-	0.408	-	0.204	-
-10	0.941	-	0.940	-	0.823	-	0.698	-	0.391	-	0.196	-
-11	0.901	-	0.900	-	0.788	-	0.669	-	0.375	-	0.187	-
-12	0.861	-	0.860	-	0.753	-	0.639	-	0.358	-	0.179	-
-13	0.821	-	0.821	-	0.718	-	0.610	-	0.342	-	0.171	-
-14	0.782	-	0.781	-	0.683	-	0.580	-	0.325	-	0.163	-
-15	0.742	-	0.741	-	0.649	-	0.551	-	0.309	-	0.154	-
-16	0.702	-	0.702	-	0.614	-	0.521	-	0.292	-	0.146	-
-17	0.662	-	0.662	-	0.579	-	0.492	-	0.275	-	0.138	-
-18	0.623	-	0.622	-	0.544	-	0.462	-	0.259	-	0.129	-
-19	0.583	-	0.582	-	0.510	-	0.433	-	0.242	-	0.121	-
-20	0.553	-	0.552	-	0.483	-	0.410	-	0.230	-	0.115	-

施設区分		補償区分	集団割引	補強割引
20	ガラス室Ⅱ類(鉄骨)	内作事故除外	無	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.473	-	0.472	-	0.373	-	0.297	-	0.249	-	0.182	-
20	1.972	-	1.968	-	1.555	-	1.238	-	1.038	-	0.759	-
19	0.896	-	0.894	-	0.706	-	0.562	-	0.472	-	0.345	-
18	0.879	-	0.877	-	0.693	-	0.552	-	0.463	-	0.338	-
17	0.862	-	0.860	-	0.679	-	0.541	-	0.454	-	0.332	-
16	0.845	-	0.843	-	0.666	-	0.530	-	0.445	-	0.325	-
15	0.828	-	0.826	-	0.653	-	0.520	-	0.436	-	0.318	-
14	0.811	-	0.809	-	0.639	-	0.509	-	0.427	-	0.312	-
13	0.794	-	0.792	-	0.626	-	0.498	-	0.418	-	0.305	-
12	0.777	-	0.775	-	0.612	-	0.488	-	0.409	-	0.299	-
11	0.760	-	0.758	-	0.599	-	0.477	-	0.400	-	0.292	-
10	0.743	-	0.741	-	0.586	-	0.466	-	0.391	-	0.286	-
9	0.726	-	0.724	-	0.572	-	0.456	-	0.382	-	0.279	-
8	0.709	-	0.707	-	0.559	-	0.445	-	0.373	-	0.273	-
7	0.692	-	0.690	-	0.545	-	0.434	-	0.364	-	0.266	-
6	0.675	-	0.673	-	0.532	-	0.424	-	0.355	-	0.260	-
5	0.658	-	0.656	-	0.519	-	0.413	-	0.346	-	0.253	-
4	0.641	-	0.639	-	0.505	-	0.402	-	0.337	-	0.246	-
3	0.623	-	0.622	-	0.492	-	0.391	-	0.328	-	0.240	-
2	0.606	-	0.605	-	0.478	-	0.381	-	0.319	-	0.233	-
1	0.589	-	0.588	-	0.465	-	0.370	-	0.310	-	0.227	-
0	0.572	-	0.571	-	0.451	-	0.359	-	0.301	-	0.220	-
-1	0.555	-	0.554	-	0.438	-	0.349	-	0.292	-	0.214	-
-2	0.538	-	0.537	-	0.425	-	0.338	-	0.283	-	0.207	-
-3	0.521	-	0.520	-	0.411	-	0.327	-	0.274	-	0.201	-
-4	0.504	-	0.503	-	0.398	-	0.317	-	0.266	-	0.194	-
-5	0.487	-	0.486	-	0.384	-	0.306	-	0.257	-	0.188	-
-6	0.470	-	0.469	-	0.371	-	0.295	-	0.248	-	0.181	-
-7	0.453	-	0.452	-	0.358	-	0.285	-	0.239	-	0.174	-
-8	0.436	-	0.435	-	0.344	-	0.274	-	0.230	-	0.168	-
-9	0.419	-	0.418	-	0.331	-	0.263	-	0.221	-	0.161	-
-10	0.402	-	0.402	-	0.317	-	0.253	-	0.212	-	0.155	-
-11	0.385	-	0.385	-	0.304	-	0.242	-	0.203	-	0.148	-
-12	0.368	-	0.368	-	0.290	-	0.231	-	0.194	-	0.142	-
-13	0.351	-	0.351	-	0.277	-	0.221	-	0.185	-	0.135	-
-14	0.334	-	0.334	-	0.264	-	0.210	-	0.176	-	0.129	-
-15	0.317	-	0.317	-	0.250	-	0.199	-	0.167	-	0.122	-
-16	0.300	-	0.300	-	0.237	-	0.189	-	0.158	-	0.116	-
-17	0.283	-	0.283	-	0.223	-	0.178	-	0.149	-	0.109	-
-18	0.266	-	0.266	-	0.210	-	0.167	-	0.140	-	0.102	-
-19	0.249	-	0.249	-	0.197	-	0.157	-	0.131	-	0.096	-
-20	0.236	-	0.236	-	0.186	-	0.148	-	0.124	-	0.091	-

施設区分		補償区分	集団割引	補強割引
20	ガラス室Ⅱ類(鉄骨)	内作事故除外	有	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.449	-	0.448	-	0.354	-	0.282	-	0.237	-	0.173	-
20	1.872	-	1.868	-	1.476	-	1.176	-	0.988	-	0.721	-
19	0.850	-	0.848	-	0.670	-	0.534	-	0.449	-	0.328	-
18	0.834	-	0.832	-	0.658	-	0.524	-	0.440	-	0.321	-
17	0.818	-	0.816	-	0.645	-	0.514	-	0.432	-	0.315	-
16	0.802	-	0.800	-	0.632	-	0.504	-	0.423	-	0.309	-
15	0.786	-	0.784	-	0.619	-	0.493	-	0.415	-	0.303	-
14	0.769	-	0.768	-	0.607	-	0.483	-	0.406	-	0.296	-
13	0.753	-	0.752	-	0.594	-	0.473	-	0.398	-	0.290	-
12	0.737	-	0.736	-	0.581	-	0.463	-	0.389	-	0.284	-
11	0.721	-	0.719	-	0.568	-	0.453	-	0.381	-	0.278	-
10	0.705	-	0.703	-	0.556	-	0.443	-	0.372	-	0.272	-
9	0.689	-	0.687	-	0.543	-	0.433	-	0.364	-	0.265	-
8	0.673	-	0.671	-	0.530	-	0.422	-	0.355	-	0.259	-
7	0.656	-	0.655	-	0.518	-	0.412	-	0.347	-	0.253	-
6	0.640	-	0.639	-	0.505	-	0.402	-	0.338	-	0.247	-
5	0.624	-	0.623	-	0.492	-	0.392	-	0.329	-	0.240	-
4	0.608	-	0.607	-	0.479	-	0.382	-	0.321	-	0.234	-
3	0.592	-	0.591	-	0.467	-	0.372	-	0.312	-	0.228	-
2	0.576	-	0.574	-	0.454	-	0.362	-	0.304	-	0.222	-
1	0.560	-	0.558	-	0.441	-	0.351	-	0.295	-	0.216	-
0	0.543	-	0.542	-	0.428	-	0.341	-	0.287	-	0.209	-
-1	0.527	-	0.526	-	0.416	-	0.331	-	0.278	-	0.203	-
-2	0.511	-	0.510	-	0.403	-	0.321	-	0.270	-	0.197	-
-3	0.495	-	0.494	-	0.390	-	0.311	-	0.261	-	0.191	-
-4	0.479	-	0.478	-	0.378	-	0.301	-	0.253	-	0.184	-
-5	0.463	-	0.462	-	0.365	-	0.291	-	0.244	-	0.178	-
-6	0.447	-	0.446	-	0.352	-	0.280	-	0.236	-	0.172	-
-7	0.430	-	0.429	-	0.339	-	0.270	-	0.227	-	0.166	-
-8	0.414	-	0.413	-	0.327	-	0.260	-	0.219	-	0.160	-
-9	0.398	-	0.397	-	0.314	-	0.250	-	0.210	-	0.153	-
-10	0.382	-	0.381	-	0.301	-	0.240	-	0.202	-	0.147	-
-11	0.366	-	0.365	-	0.288	-	0.230	-	0.193	-	0.141	-
-12	0.350	-	0.349	-	0.276	-	0.220	-	0.185	-	0.135	-
-13	0.333	-	0.333	-	0.263	-	0.209	-	0.176	-	0.128	-
-14	0.317	-	0.317	-	0.250	-	0.199	-	0.168	-	0.122	-
-15	0.301	-	0.301	-	0.237	-	0.189	-	0.159	-	0.116	-
-16	0.285	-	0.284	-	0.225	-	0.179	-	0.150	-	0.110	-
-17	0.269	-	0.268	-	0.212	-	0.169	-	0.142	-	0.104	-
-18	0.253	-	0.252	-	0.199	-	0.159	-	0.133	-	0.097	-
-19	0.237	-	0.236	-	0.187	-	0.149	-	0.125	-	0.091	-
-20	0.224	-	0.224	-	0.177	-	0.141	-	0.118	-	0.086	-

施設区分		補償区分	集団割引	補強割引
20	ガラス室Ⅱ類(鉄骨)	撤去費用	無	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.018	-	0.016	-	0.014	-	0.012	-	0.010	-	0.008	-
20	0.075	-	0.067	-	0.058	-	0.050	-	0.042	-	0.033	-
19	0.034	-	0.030	-	0.027	-	0.023	-	0.019	-	0.015	-
18	0.033	-	0.030	-	0.026	-	0.022	-	0.019	-	0.015	-
17	0.033	-	0.029	-	0.026	-	0.022	-	0.018	-	0.015	-
16	0.032	-	0.029	-	0.025	-	0.021	-	0.018	-	0.014	-
15	0.031	-	0.028	-	0.024	-	0.021	-	0.017	-	0.014	-
14	0.031	-	0.027	-	0.024	-	0.021	-	0.017	-	0.014	-
13	0.030	-	0.027	-	0.023	-	0.020	-	0.017	-	0.013	-
12	0.030	-	0.026	-	0.023	-	0.020	-	0.016	-	0.013	-
11	0.029	-	0.026	-	0.022	-	0.019	-	0.016	-	0.013	-
10	0.028	-	0.025	-	0.022	-	0.019	-	0.016	-	0.013	-
9	0.028	-	0.025	-	0.021	-	0.018	-	0.015	-	0.012	-
8	0.027	-	0.024	-	0.021	-	0.018	-	0.015	-	0.012	-
7	0.026	-	0.023	-	0.020	-	0.018	-	0.015	-	0.012	-
6	0.026	-	0.023	-	0.020	-	0.017	-	0.014	-	0.011	-
5	0.025	-	0.022	-	0.019	-	0.017	-	0.014	-	0.011	-
4	0.024	-	0.022	-	0.019	-	0.016	-	0.014	-	0.011	-
3	0.024	-	0.021	-	0.018	-	0.016	-	0.013	-	0.011	-
2	0.023	-	0.021	-	0.018	-	0.015	-	0.013	-	0.010	-
1	0.022	-	0.020	-	0.017	-	0.015	-	0.012	-	0.010	-
0	0.022	-	0.019	-	0.017	-	0.015	-	0.012	-	0.010	-
-1	0.021	-	0.019	-	0.016	-	0.014	-	0.012	-	0.009	-
-2	0.020	-	0.018	-	0.016	-	0.014	-	0.011	-	0.009	-
-3	0.020	-	0.018	-	0.015	-	0.013	-	0.011	-	0.009	-
-4	0.019	-	0.017	-	0.015	-	0.013	-	0.011	-	0.009	-
-5	0.019	-	0.016	-	0.014	-	0.012	-	0.010	-	0.008	-
-6	0.018	-	0.016	-	0.014	-	0.012	-	0.010	-	0.008	-
-7	0.017	-	0.015	-	0.013	-	0.012	-	0.010	-	0.008	-
-8	0.017	-	0.015	-	0.013	-	0.011	-	0.009	-	0.007	-
-9	0.016	-	0.014	-	0.012	-	0.011	-	0.009	-	0.007	-
-10	0.015	-	0.014	-	0.012	-	0.010	-	0.009	-	0.007	-
-11	0.015	-	0.013	-	0.011	-	0.010	-	0.008	-	0.007	-
-12	0.014	-	0.012	-	0.011	-	0.009	-	0.008	-	0.006	-
-13	0.013	-	0.012	-	0.010	-	0.009	-	0.007	-	0.006	-
-14	0.013	-	0.011	-	0.010	-	0.008	-	0.007	-	0.006	-
-15	0.012	-	0.011	-	0.009	-	0.008	-	0.007	-	0.005	-
-16	0.011	-	0.010	-	0.009	-	0.008	-	0.006	-	0.005	-
-17	0.011	-	0.010	-	0.008	-	0.007	-	0.006	-	0.005	-
-18	0.010	-	0.009	-	0.008	-	0.007	-	0.006	-	0.005	-
-19	0.009	-	0.008	-	0.007	-	0.006	-	0.005	-	0.004	-
-20	0.009	-	0.008	-	0.007	-	0.006	-	0.005	-	0.004	-

施設区分		補償区分	集団割引	補強割引
20	ガラス室Ⅱ類(鉄骨)	撤去費用	有	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.017	-	0.015	-	0.013	-	0.011	-	0.010	-	0.008	-
20	0.071	-	0.063	-	0.054	-	0.046	-	0.042	-	0.033	-
19	0.032	-	0.028	-	0.025	-	0.021	-	0.019	-	0.015	-
18	0.032	-	0.028	-	0.024	-	0.020	-	0.019	-	0.015	-
17	0.031	-	0.027	-	0.024	-	0.020	-	0.018	-	0.015	-
16	0.030	-	0.027	-	0.023	-	0.020	-	0.018	-	0.014	-
15	0.030	-	0.026	-	0.023	-	0.019	-	0.017	-	0.014	-
14	0.029	-	0.026	-	0.022	-	0.019	-	0.017	-	0.014	-
13	0.029	-	0.025	-	0.022	-	0.018	-	0.017	-	0.013	-
12	0.028	-	0.025	-	0.021	-	0.018	-	0.016	-	0.013	-
11	0.027	-	0.024	-	0.021	-	0.018	-	0.016	-	0.013	-
10	0.027	-	0.024	-	0.020	-	0.017	-	0.016	-	0.013	-
9	0.026	-	0.023	-	0.020	-	0.017	-	0.015	-	0.012	-
8	0.025	-	0.022	-	0.019	-	0.016	-	0.015	-	0.012	-
7	0.025	-	0.022	-	0.019	-	0.016	-	0.015	-	0.012	-
6	0.024	-	0.021	-	0.019	-	0.016	-	0.014	-	0.011	-
5	0.024	-	0.021	-	0.018	-	0.015	-	0.014	-	0.011	-
4	0.023	-	0.020	-	0.018	-	0.015	-	0.014	-	0.011	-
3	0.022	-	0.020	-	0.017	-	0.014	-	0.013	-	0.011	-
2	0.022	-	0.019	-	0.017	-	0.014	-	0.013	-	0.010	-
1	0.021	-	0.019	-	0.016	-	0.014	-	0.012	-	0.010	-
0	0.021	-	0.018	-	0.016	-	0.013	-	0.012	-	0.010	-
-1	0.020	-	0.018	-	0.015	-	0.013	-	0.012	-	0.009	-
-2	0.019	-	0.017	-	0.015	-	0.013	-	0.011	-	0.009	-
-3	0.019	-	0.017	-	0.014	-	0.012	-	0.011	-	0.009	-
-4	0.018	-	0.016	-	0.014	-	0.012	-	0.011	-	0.009	-
-5	0.018	-	0.015	-	0.013	-	0.011	-	0.010	-	0.008	-
-6	0.017	-	0.015	-	0.013	-	0.011	-	0.010	-	0.008	-
-7	0.016	-	0.014	-	0.012	-	0.011	-	0.010	-	0.008	-
-8	0.016	-	0.014	-	0.012	-	0.010	-	0.009	-	0.007	-
-9	0.015	-	0.013	-	0.012	-	0.010	-	0.009	-	0.007	-
-10	0.014	-	0.013	-	0.011	-	0.009	-	0.009	-	0.007	-
-11	0.014	-	0.012	-	0.011	-	0.009	-	0.008	-	0.007	-
-12	0.013	-	0.012	-	0.010	-	0.009	-	0.008	-	0.006	-
-13	0.013	-	0.011	-	0.010	-	0.008	-	0.007	-	0.006	-
-14	0.012	-	0.011	-	0.009	-	0.008	-	0.007	-	0.006	-
-15	0.011	-	0.010	-	0.009	-	0.007	-	0.007	-	0.005	-
-16	0.011	-	0.010	-	0.008	-	0.007	-	0.006	-	0.005	-
-17	0.010	-	0.009	-	0.008	-	0.007	-	0.006	-	0.005	-
-18	0.010	-	0.008	-	0.007	-	0.006	-	0.006	-	0.005	-
-19	0.009	-	0.008	-	0.007	-	0.006	-	0.005	-	0.004	-
-20	0.008	-	0.007	-	0.006	-	0.005	-	0.005	-	0.004	-

施設区分		補償区分	集団割引	補強割引
20	ガラス室Ⅱ類(鉄骨)	復旧費用	無	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.067	-	0.063	-	0.059	-	0.053	-	0.013	-	0.004	-
20	0.279	-	0.263	-	0.246	-	0.221	-	0.054	-	0.017	-
19	0.127	-	0.119	-	0.112	-	0.100	-	0.025	-	0.008	-
18	0.124	-	0.117	-	0.110	-	0.098	-	0.024	-	0.007	-
17	0.122	-	0.115	-	0.107	-	0.097	-	0.024	-	0.007	-
16	0.120	-	0.112	-	0.105	-	0.095	-	0.023	-	0.007	-
15	0.117	-	0.110	-	0.103	-	0.093	-	0.023	-	0.007	-
14	0.115	-	0.108	-	0.101	-	0.091	-	0.022	-	0.007	-
13	0.112	-	0.106	-	0.099	-	0.089	-	0.022	-	0.007	-
12	0.110	-	0.103	-	0.097	-	0.087	-	0.021	-	0.007	-
11	0.108	-	0.101	-	0.095	-	0.085	-	0.021	-	0.006	-
10	0.105	-	0.099	-	0.093	-	0.083	-	0.020	-	0.006	-
9	0.103	-	0.097	-	0.091	-	0.081	-	0.020	-	0.006	-
8	0.100	-	0.094	-	0.088	-	0.079	-	0.019	-	0.006	-
7	0.098	-	0.092	-	0.086	-	0.077	-	0.019	-	0.006	-
6	0.096	-	0.090	-	0.084	-	0.076	-	0.019	-	0.006	-
5	0.093	-	0.088	-	0.082	-	0.074	-	0.018	-	0.006	-
4	0.091	-	0.085	-	0.080	-	0.072	-	0.018	-	0.005	-
3	0.088	-	0.083	-	0.078	-	0.070	-	0.017	-	0.005	-
2	0.086	-	0.081	-	0.076	-	0.068	-	0.017	-	0.005	-
1	0.083	-	0.079	-	0.074	-	0.066	-	0.016	-	0.005	-
0	0.081	-	0.076	-	0.071	-	0.064	-	0.016	-	0.005	-
-1	0.079	-	0.074	-	0.069	-	0.062	-	0.015	-	0.005	-
-2	0.076	-	0.072	-	0.067	-	0.060	-	0.015	-	0.005	-
-3	0.074	-	0.069	-	0.065	-	0.058	-	0.014	-	0.004	-
-4	0.071	-	0.067	-	0.063	-	0.057	-	0.014	-	0.004	-
-5	0.069	-	0.065	-	0.061	-	0.055	-	0.013	-	0.004	-
-6	0.067	-	0.063	-	0.059	-	0.053	-	0.013	-	0.004	-
-7	0.064	-	0.060	-	0.057	-	0.051	-	0.012	-	0.004	-
-8	0.062	-	0.058	-	0.054	-	0.049	-	0.012	-	0.004	-
-9	0.059	-	0.056	-	0.052	-	0.047	-	0.012	-	0.004	-
-10	0.057	-	0.054	-	0.050	-	0.045	-	0.011	-	0.003	-
-11	0.055	-	0.051	-	0.048	-	0.043	-	0.011	-	0.003	-
-12	0.052	-	0.049	-	0.046	-	0.041	-	0.010	-	0.003	-
-13	0.050	-	0.047	-	0.044	-	0.039	-	0.010	-	0.003	-
-14	0.047	-	0.045	-	0.042	-	0.037	-	0.009	-	0.003	-
-15	0.045	-	0.042	-	0.040	-	0.036	-	0.009	-	0.003	-
-16	0.043	-	0.040	-	0.037	-	0.034	-	0.008	-	0.003	-
-17	0.040	-	0.038	-	0.035	-	0.032	-	0.008	-	0.002	-
-18	0.038	-	0.035	-	0.033	-	0.030	-	0.007	-	0.002	-
-19	0.035	-	0.033	-	0.031	-	0.028	-	0.007	-	0.002	-
-20	0.033	-	0.031	-	0.029	-	0.026	-	0.006	-	0.002	-

施設区分		補償区分	集団割引	補強割引
20	ガラス室Ⅱ類(鉄骨)	復旧費用	有	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.064	-	0.060	-	0.056	-	0.050	-	0.012	-	0.004	-
20	0.267	-	0.250	-	0.234	-	0.208	-	0.050	-	0.017	-
19	0.121	-	0.114	-	0.106	-	0.095	-	0.023	-	0.008	-
18	0.119	-	0.111	-	0.104	-	0.093	-	0.022	-	0.007	-
17	0.117	-	0.109	-	0.102	-	0.091	-	0.022	-	0.007	-
16	0.114	-	0.107	-	0.100	-	0.089	-	0.021	-	0.007	-
15	0.112	-	0.105	-	0.098	-	0.087	-	0.021	-	0.007	-
14	0.110	-	0.103	-	0.096	-	0.086	-	0.021	-	0.007	-
13	0.107	-	0.101	-	0.094	-	0.084	-	0.020	-	0.007	-
12	0.105	-	0.099	-	0.092	-	0.082	-	0.020	-	0.007	-
11	0.103	-	0.096	-	0.090	-	0.080	-	0.019	-	0.006	-
10	0.100	-	0.094	-	0.088	-	0.078	-	0.019	-	0.006	-
9	0.098	-	0.092	-	0.086	-	0.077	-	0.018	-	0.006	-
8	0.096	-	0.090	-	0.084	-	0.075	-	0.018	-	0.006	-
7	0.094	-	0.088	-	0.082	-	0.073	-	0.018	-	0.006	-
6	0.091	-	0.086	-	0.080	-	0.071	-	0.017	-	0.006	-
5	0.089	-	0.083	-	0.078	-	0.070	-	0.017	-	0.006	-
4	0.087	-	0.081	-	0.076	-	0.068	-	0.016	-	0.005	-
3	0.084	-	0.079	-	0.074	-	0.066	-	0.016	-	0.005	-
2	0.082	-	0.077	-	0.072	-	0.064	-	0.015	-	0.005	-
1	0.080	-	0.075	-	0.070	-	0.062	-	0.015	-	0.005	-
0	0.077	-	0.073	-	0.068	-	0.061	-	0.015	-	0.005	-
-1	0.075	-	0.070	-	0.066	-	0.059	-	0.014	-	0.005	-
-2	0.073	-	0.068	-	0.064	-	0.057	-	0.014	-	0.005	-
-3	0.071	-	0.066	-	0.062	-	0.055	-	0.013	-	0.004	-
-4	0.068	-	0.064	-	0.060	-	0.053	-	0.013	-	0.004	-
-5	0.066	-	0.062	-	0.058	-	0.052	-	0.012	-	0.004	-
-6	0.064	-	0.060	-	0.056	-	0.050	-	0.012	-	0.004	-
-7	0.061	-	0.058	-	0.054	-	0.048	-	0.012	-	0.004	-
-8	0.059	-	0.055	-	0.052	-	0.046	-	0.011	-	0.004	-
-9	0.057	-	0.053	-	0.050	-	0.044	-	0.011	-	0.004	-
-10	0.054	-	0.051	-	0.048	-	0.043	-	0.010	-	0.003	-
-11	0.052	-	0.049	-	0.046	-	0.041	-	0.010	-	0.003	-
-12	0.050	-	0.047	-	0.044	-	0.039	-	0.009	-	0.003	-
-13	0.048	-	0.045	-	0.042	-	0.037	-	0.009	-	0.003	-
-14	0.045	-	0.042	-	0.040	-	0.035	-	0.008	-	0.003	-
-15	0.043	-	0.040	-	0.038	-	0.034	-	0.008	-	0.003	-
-16	0.041	-	0.038	-	0.036	-	0.032	-	0.008	-	0.003	-
-17	0.038	-	0.036	-	0.034	-	0.030	-	0.007	-	0.002	-
-18	0.036	-	0.034	-	0.032	-	0.028	-	0.007	-	0.002	-
-19	0.034	-	0.032	-	0.030	-	0.026	-	0.006	-	0.002	-
-20	0.032	-	0.030	-	0.028	-	0.025	-	0.006	-	0.002	-

施設区分		補償区分	集団割引	補強割引
30	プラスチックハウス I 類(木竹)	特定附帯	無	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.810	0.008	0.801	0.007	0.668	0.006	0.537	0.005	0.305	0.004	0.135	0.003
20	1.246	0.014	1.234	0.012	1.018	0.011	0.821	0.008	0.488	0.006	0.229	0.005
19	1.225	0.013	1.213	0.012	1.001	0.010	0.807	0.007	0.480	0.006	0.225	0.004
18	1.204	0.013	1.192	0.012	0.984	0.010	0.793	0.007	0.472	0.006	0.221	0.004
17	1.183	0.013	1.171	0.011	0.967	0.010	0.780	0.007	0.463	0.006	0.217	0.004
16	1.162	0.013	1.151	0.011	0.950	0.010	0.766	0.007	0.455	0.006	0.214	0.004
15	1.141	0.012	1.130	0.011	0.933	0.010	0.752	0.007	0.447	0.006	0.210	0.004
14	1.120	0.012	1.109	0.011	0.916	0.009	0.738	0.007	0.439	0.005	0.206	0.004
13	1.099	0.012	1.089	0.011	0.898	0.009	0.724	0.007	0.431	0.005	0.202	0.004
12	1.078	0.012	1.068	0.010	0.881	0.009	0.711	0.007	0.422	0.005	0.198	0.004
11	1.057	0.012	1.047	0.010	0.864	0.009	0.697	0.006	0.414	0.005	0.194	0.004
10	1.036	0.011	1.026	0.010	0.847	0.009	0.683	0.006	0.406	0.005	0.190	0.004
9	1.015	0.011	1.006	0.010	0.830	0.009	0.669	0.006	0.398	0.005	0.187	0.004
8	0.994	0.011	0.985	0.010	0.813	0.008	0.655	0.006	0.390	0.005	0.183	0.004
7	0.974	0.011	0.964	0.009	0.796	0.008	0.642	0.006	0.381	0.005	0.179	0.004
6	0.953	0.010	0.943	0.009	0.779	0.008	0.628	0.006	0.373	0.005	0.175	0.003
5	0.932	0.010	0.923	0.009	0.762	0.008	0.614	0.006	0.365	0.005	0.171	0.003
4	0.911	0.010	0.902	0.009	0.744	0.008	0.600	0.006	0.357	0.004	0.167	0.003
3	0.890	0.010	0.881	0.009	0.727	0.008	0.586	0.005	0.349	0.004	0.164	0.003
2	0.869	0.009	0.860	0.008	0.710	0.007	0.573	0.005	0.340	0.004	0.160	0.003
1	0.848	0.009	0.840	0.008	0.693	0.007	0.559	0.005	0.332	0.004	0.156	0.003
0	0.827	0.009	0.819	0.008	0.676	0.007	0.545	0.005	0.324	0.004	0.152	0.003
-1	0.806	0.009	0.798	0.008	0.659	0.007	0.531	0.005	0.316	0.004	0.148	0.003
-2	0.785	0.009	0.778	0.008	0.642	0.007	0.517	0.005	0.308	0.004	0.144	0.003
-3	0.764	0.008	0.757	0.007	0.625	0.006	0.504	0.005	0.299	0.004	0.140	0.003
-4	0.743	0.008	0.736	0.007	0.608	0.006	0.490	0.004	0.291	0.004	0.137	0.003
-5	0.722	0.008	0.715	0.007	0.590	0.006	0.476	0.004	0.283	0.003	0.133	0.003
-6	0.701	0.008	0.695	0.007	0.573	0.006	0.462	0.004	0.275	0.003	0.129	0.003
-7	0.680	0.007	0.674	0.007	0.556	0.006	0.448	0.004	0.267	0.003	0.125	0.002
-8	0.660	0.007	0.653	0.006	0.539	0.006	0.435	0.004	0.258	0.003	0.121	0.002
-9	0.639	0.007	0.632	0.006	0.522	0.005	0.421	0.004	0.250	0.003	0.117	0.002
-10	0.618	0.007	0.612	0.006	0.505	0.005	0.407	0.004	0.242	0.003	0.114	0.002
-11	0.597	0.006	0.591	0.006	0.488	0.005	0.393	0.004	0.234	0.003	0.110	0.002
-12	0.576	0.006	0.570	0.006	0.471	0.005	0.379	0.003	0.226	0.003	0.106	0.002
-13	0.555	0.006	0.549	0.005	0.454	0.005	0.366	0.003	0.217	0.003	0.102	0.002
-14	0.534	0.006	0.529	0.005	0.436	0.005	0.352	0.003	0.209	0.003	0.098	0.002
-15	0.513	0.006	0.508	0.005	0.419	0.004	0.338	0.003	0.201	0.002	0.094	0.002
-16	0.492	0.005	0.487	0.005	0.402	0.004	0.324	0.003	0.193	0.002	0.090	0.002
-17	0.471	0.005	0.467	0.005	0.385	0.004	0.310	0.003	0.185	0.002	0.087	0.002
-18	0.450	0.005	0.446	0.004	0.368	0.004	0.297	0.003	0.176	0.002	0.083	0.002
-19	0.429	0.005	0.425	0.004	0.351	0.004	0.283	0.003	0.168	0.002	0.079	0.002
-20	0.413	0.004	0.409	0.004	0.338	0.003	0.272	0.002	0.162	0.002	0.076	0.001

施設区分		補償区分	集団割引	補強割引
30	プラスチックハウス I 類(木竹)	特定附帯	有	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.770	0.008	0.761	0.007	0.635	0.006	0.510	0.005	0.290	0.004	0.128	0.003
20	1.184	0.014	1.172	0.012	0.967	0.011	0.780	0.008	0.464	0.006	0.217	0.005
19	1.164	0.013	1.152	0.012	0.951	0.010	0.767	0.007	0.456	0.006	0.213	0.004
18	1.144	0.013	1.133	0.012	0.935	0.010	0.754	0.007	0.448	0.006	0.210	0.004
17	1.124	0.013	1.113	0.011	0.918	0.010	0.741	0.007	0.441	0.006	0.206	0.004
16	1.104	0.013	1.093	0.011	0.902	0.010	0.728	0.007	0.433	0.006	0.202	0.004
15	1.084	0.012	1.073	0.011	0.886	0.010	0.715	0.007	0.425	0.006	0.199	0.004
14	1.065	0.012	1.054	0.011	0.870	0.009	0.702	0.007	0.417	0.005	0.195	0.004
13	1.045	0.012	1.034	0.011	0.853	0.009	0.688	0.007	0.409	0.005	0.191	0.004
12	1.025	0.012	1.014	0.010	0.837	0.009	0.675	0.007	0.402	0.005	0.188	0.004
11	1.005	0.012	0.995	0.010	0.821	0.009	0.662	0.006	0.394	0.005	0.184	0.004
10	0.985	0.011	0.975	0.010	0.805	0.009	0.649	0.006	0.386	0.005	0.180	0.004
9	0.965	0.011	0.955	0.010	0.788	0.009	0.636	0.006	0.378	0.005	0.177	0.004
8	0.945	0.011	0.936	0.010	0.772	0.008	0.623	0.006	0.370	0.005	0.173	0.004
7	0.925	0.011	0.916	0.009	0.756	0.008	0.610	0.006	0.363	0.005	0.170	0.004
6	0.905	0.010	0.896	0.009	0.740	0.008	0.597	0.006	0.355	0.005	0.166	0.003
5	0.885	0.010	0.876	0.009	0.723	0.008	0.584	0.006	0.347	0.005	0.162	0.003
4	0.866	0.010	0.857	0.009	0.707	0.008	0.570	0.006	0.339	0.004	0.159	0.003
3	0.846	0.010	0.837	0.009	0.691	0.008	0.557	0.005	0.331	0.004	0.155	0.003
2	0.826	0.009	0.817	0.008	0.675	0.007	0.544	0.005	0.324	0.004	0.151	0.003
1	0.806	0.009	0.798	0.008	0.658	0.007	0.531	0.005	0.316	0.004	0.148	0.003
0	0.786	0.009	0.778	0.008	0.642	0.007	0.518	0.005	0.308	0.004	0.144	0.003
-1	0.766	0.009	0.758	0.008	0.626	0.007	0.505	0.005	0.300	0.004	0.140	0.003
-2	0.746	0.009	0.739	0.008	0.609	0.007	0.492	0.005	0.292	0.004	0.137	0.003
-3	0.726	0.008	0.719	0.007	0.593	0.006	0.479	0.005	0.285	0.004	0.133	0.003
-4	0.706	0.008	0.699	0.007	0.577	0.006	0.466	0.004	0.277	0.004	0.129	0.003
-5	0.687	0.008	0.680	0.007	0.561	0.006	0.452	0.004	0.269	0.003	0.126	0.003
-6	0.667	0.008	0.660	0.007	0.544	0.006	0.439	0.004	0.261	0.003	0.122	0.003
-7	0.647	0.007	0.640	0.007	0.528	0.006	0.426	0.004	0.253	0.003	0.118	0.002
-8	0.627	0.007	0.620	0.006	0.512	0.006	0.413	0.004	0.246	0.003	0.115	0.002
-9	0.607	0.007	0.601	0.006	0.496	0.005	0.400	0.004	0.238	0.003	0.111	0.002
-10	0.587	0.007	0.581	0.006	0.479	0.005	0.387	0.004	0.230	0.003	0.108	0.002
-11	0.567	0.006	0.561	0.006	0.463	0.005	0.374	0.004	0.222	0.003	0.104	0.002
-12	0.547	0.006	0.542	0.006	0.447	0.005	0.361	0.003	0.214	0.003	0.100	0.002
-13	0.527	0.006	0.522	0.005	0.431	0.005	0.348	0.003	0.207	0.003	0.097	0.002
-14	0.507	0.006	0.502	0.005	0.414	0.005	0.334	0.003	0.199	0.003	0.093	0.002
-15	0.488	0.006	0.483	0.005	0.398	0.004	0.321	0.003	0.191	0.002	0.089	0.002
-16	0.468	0.005	0.463	0.005	0.382	0.004	0.308	0.003	0.183	0.002	0.086	0.002
-17	0.448	0.005	0.443	0.005	0.366	0.004	0.295	0.003	0.175	0.002	0.082	0.002
-18	0.428	0.005	0.423	0.004	0.349	0.004	0.282	0.003	0.168	0.002	0.078	0.002
-19	0.408	0.005	0.404	0.004	0.333	0.004	0.269	0.003	0.160	0.002	0.075	0.002
-20	0.393	0.004	0.389	0.004	0.321	0.003	0.259	0.002	0.154	0.002	0.072	0.001

施設区分		補償区分	集団割引	補強割引
30	プラスチックハウス I 類(木竹)	内作一般	無	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	1.335	-	1.330	-	1.223	-	1.040	-	0.598	-	0.237	-
20	2.553	-	2.544	-	2.180	-	1.848	-	1.100	-	0.462	-
19	2.510	-	2.501	-	2.143	-	1.817	-	1.081	-	0.455	-
18	2.467	-	2.459	-	2.106	-	1.786	-	1.063	-	0.447	-
17	2.424	-	2.416	-	2.070	-	1.755	-	1.044	-	0.439	-
16	2.382	-	2.373	-	2.033	-	1.724	-	1.026	-	0.431	-
15	2.339	-	2.330	-	1.996	-	1.693	-	1.007	-	0.424	-
14	2.296	-	2.288	-	1.960	-	1.662	-	0.989	-	0.416	-
13	2.253	-	2.245	-	1.923	-	1.631	-	0.970	-	0.408	-
12	2.210	-	2.202	-	1.887	-	1.600	-	0.952	-	0.400	-
11	2.167	-	2.159	-	1.850	-	1.569	-	0.933	-	0.392	-
10	2.124	-	2.117	-	1.813	-	1.538	-	0.915	-	0.385	-
9	2.081	-	2.074	-	1.777	-	1.507	-	0.896	-	0.377	-
8	2.038	-	2.031	-	1.740	-	1.476	-	0.878	-	0.369	-
7	1.995	-	1.988	-	1.703	-	1.444	-	0.859	-	0.361	-
6	1.952	-	1.946	-	1.667	-	1.413	-	0.841	-	0.354	-
5	1.910	-	1.903	-	1.630	-	1.382	-	0.822	-	0.346	-
4	1.867	-	1.860	-	1.594	-	1.351	-	0.804	-	0.338	-
3	1.824	-	1.817	-	1.557	-	1.320	-	0.785	-	0.330	-
2	1.781	-	1.775	-	1.520	-	1.289	-	0.767	-	0.323	-
1	1.738	-	1.732	-	1.484	-	1.258	-	0.748	-	0.315	-
0	1.695	-	1.689	-	1.447	-	1.227	-	0.730	-	0.307	-
-1	1.652	-	1.646	-	1.410	-	1.196	-	0.712	-	0.299	-
-2	1.609	-	1.603	-	1.374	-	1.165	-	0.693	-	0.291	-
-3	1.566	-	1.561	-	1.337	-	1.134	-	0.675	-	0.284	-
-4	1.523	-	1.518	-	1.300	-	1.103	-	0.656	-	0.276	-
-5	1.480	-	1.475	-	1.264	-	1.072	-	0.638	-	0.268	-
-6	1.438	-	1.432	-	1.227	-	1.041	-	0.619	-	0.260	-
-7	1.395	-	1.390	-	1.191	-	1.010	-	0.601	-	0.253	-
-8	1.352	-	1.347	-	1.154	-	0.978	-	0.582	-	0.245	-
-9	1.309	-	1.304	-	1.117	-	0.947	-	0.564	-	0.237	-
-10	1.266	-	1.261	-	1.081	-	0.916	-	0.545	-	0.229	-
-11	1.223	-	1.219	-	1.044	-	0.885	-	0.527	-	0.222	-
-12	1.180	-	1.176	-	1.007	-	0.854	-	0.508	-	0.214	-
-13	1.137	-	1.133	-	0.971	-	0.823	-	0.490	-	0.206	-
-14	1.094	-	1.090	-	0.934	-	0.792	-	0.471	-	0.198	-
-15	1.051	-	1.048	-	0.898	-	0.761	-	0.453	-	0.190	-
-16	1.008	-	1.005	-	0.861	-	0.730	-	0.434	-	0.183	-
-17	0.966	-	0.962	-	0.824	-	0.699	-	0.416	-	0.175	-
-18	0.923	-	0.919	-	0.788	-	0.668	-	0.397	-	0.167	-
-19	0.880	-	0.877	-	0.751	-	0.637	-	0.379	-	0.159	-
-20	0.847	-	0.844	-	0.723	-	0.613	-	0.365	-	0.153	-

施設区分		補償区分	集団割引	補強割引
30	プラスチックハウス I 類(木竹)	内作一般	有	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	1.268	-	1.264	-	1.162	-	0.988	-	0.568	-	0.225	-
20	2.425	-	2.418	-	2.071	-	1.756	-	1.045	-	0.440	-
19	2.384	-	2.377	-	2.036	-	1.727	-	1.028	-	0.432	-
18	2.344	-	2.336	-	2.002	-	1.697	-	1.010	-	0.425	-
17	2.303	-	2.296	-	1.967	-	1.668	-	0.993	-	0.418	-
16	2.262	-	2.255	-	1.932	-	1.638	-	0.975	-	0.410	-
15	2.221	-	2.214	-	1.897	-	1.609	-	0.958	-	0.403	-
14	2.181	-	2.174	-	1.862	-	1.579	-	0.940	-	0.395	-
13	2.140	-	2.133	-	1.828	-	1.550	-	0.922	-	0.388	-
12	2.099	-	2.093	-	1.793	-	1.520	-	0.905	-	0.381	-
11	2.058	-	2.052	-	1.758	-	1.491	-	0.887	-	0.373	-
10	2.018	-	2.011	-	1.723	-	1.461	-	0.870	-	0.366	-
9	1.977	-	1.971	-	1.688	-	1.432	-	0.852	-	0.359	-
8	1.936	-	1.930	-	1.653	-	1.402	-	0.835	-	0.351	-
7	1.895	-	1.889	-	1.619	-	1.373	-	0.817	-	0.344	-
6	1.855	-	1.849	-	1.584	-	1.343	-	0.799	-	0.336	-
5	1.814	-	1.808	-	1.549	-	1.314	-	0.782	-	0.329	-
4	1.773	-	1.768	-	1.514	-	1.284	-	0.764	-	0.322	-
3	1.732	-	1.727	-	1.479	-	1.255	-	0.747	-	0.314	-
2	1.692	-	1.686	-	1.445	-	1.225	-	0.729	-	0.307	-
1	1.651	-	1.646	-	1.410	-	1.196	-	0.712	-	0.299	-
0	1.610	-	1.605	-	1.375	-	1.166	-	0.694	-	0.292	-
-1	1.569	-	1.564	-	1.340	-	1.136	-	0.676	-	0.285	-
-2	1.528	-	1.524	-	1.305	-	1.107	-	0.659	-	0.277	-
-3	1.488	-	1.483	-	1.271	-	1.077	-	0.641	-	0.270	-
-4	1.447	-	1.442	-	1.236	-	1.048	-	0.624	-	0.262	-
-5	1.406	-	1.402	-	1.201	-	1.018	-	0.606	-	0.255	-
-6	1.365	-	1.361	-	1.166	-	0.989	-	0.589	-	0.248	-
-7	1.325	-	1.321	-	1.131	-	0.959	-	0.571	-	0.240	-
-8	1.284	-	1.280	-	1.097	-	0.930	-	0.553	-	0.233	-
-9	1.243	-	1.239	-	1.062	-	0.900	-	0.536	-	0.225	-
-10	1.202	-	1.199	-	1.027	-	0.871	-	0.518	-	0.218	-
-11	1.162	-	1.158	-	0.992	-	0.841	-	0.501	-	0.211	-
-12	1.121	-	1.117	-	0.957	-	0.812	-	0.483	-	0.203	-
-13	1.080	-	1.077	-	0.922	-	0.782	-	0.466	-	0.196	-
-14	1.039	-	1.036	-	0.888	-	0.753	-	0.448	-	0.189	-
-15	0.999	-	0.996	-	0.853	-	0.723	-	0.430	-	0.181	-
-16	0.958	-	0.955	-	0.818	-	0.694	-	0.413	-	0.174	-
-17	0.917	-	0.914	-	0.783	-	0.664	-	0.395	-	0.166	-
-18	0.876	-	0.874	-	0.748	-	0.635	-	0.378	-	0.159	-
-19	0.836	-	0.833	-	0.714	-	0.605	-	0.360	-	0.152	-
-20	0.805	-	0.802	-	0.687	-	0.583	-	0.347	-	0.146	-

施設区分		補償区分	集団割引	補強割引
30	プラスチックハウス I 類(木竹)	内作事故除外	無	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.373	-	0.372	-	0.366	-	0.357	-	0.301	-	0.201	-
20	0.714	-	0.712	-	0.681	-	0.661	-	0.569	-	0.389	-
19	0.702	-	0.701	-	0.669	-	0.650	-	0.560	-	0.382	-
18	0.690	-	0.689	-	0.658	-	0.639	-	0.550	-	0.376	-
17	0.678	-	0.677	-	0.647	-	0.628	-	0.541	-	0.369	-
16	0.666	-	0.665	-	0.635	-	0.617	-	0.531	-	0.363	-
15	0.654	-	0.653	-	0.624	-	0.606	-	0.522	-	0.356	-
14	0.642	-	0.641	-	0.612	-	0.595	-	0.512	-	0.349	-
13	0.630	-	0.629	-	0.601	-	0.583	-	0.502	-	0.343	-
12	0.618	-	0.617	-	0.589	-	0.572	-	0.493	-	0.336	-
11	0.606	-	0.605	-	0.578	-	0.561	-	0.483	-	0.330	-
10	0.594	-	0.593	-	0.566	-	0.550	-	0.474	-	0.323	-
9	0.582	-	0.581	-	0.555	-	0.539	-	0.464	-	0.317	-
8	0.570	-	0.569	-	0.544	-	0.528	-	0.455	-	0.310	-
7	0.558	-	0.557	-	0.532	-	0.517	-	0.445	-	0.304	-
6	0.546	-	0.545	-	0.521	-	0.506	-	0.435	-	0.297	-
5	0.534	-	0.533	-	0.509	-	0.495	-	0.426	-	0.291	-
4	0.522	-	0.521	-	0.498	-	0.483	-	0.416	-	0.284	-
3	0.510	-	0.509	-	0.486	-	0.472	-	0.407	-	0.278	-
2	0.498	-	0.497	-	0.475	-	0.461	-	0.397	-	0.271	-
1	0.486	-	0.485	-	0.463	-	0.450	-	0.388	-	0.265	-
0	0.474	-	0.473	-	0.452	-	0.439	-	0.378	-	0.258	-
-1	0.462	-	0.461	-	0.441	-	0.428	-	0.368	-	0.251	-
-2	0.450	-	0.449	-	0.429	-	0.417	-	0.359	-	0.245	-
-3	0.438	-	0.437	-	0.418	-	0.406	-	0.349	-	0.238	-
-4	0.426	-	0.425	-	0.406	-	0.395	-	0.340	-	0.232	-
-5	0.414	-	0.413	-	0.395	-	0.383	-	0.330	-	0.225	-
-6	0.402	-	0.401	-	0.383	-	0.372	-	0.321	-	0.219	-
-7	0.390	-	0.389	-	0.372	-	0.361	-	0.311	-	0.212	-
-8	0.378	-	0.377	-	0.360	-	0.350	-	0.301	-	0.206	-
-9	0.366	-	0.365	-	0.349	-	0.339	-	0.292	-	0.199	-
-10	0.354	-	0.353	-	0.338	-	0.328	-	0.282	-	0.193	-
-11	0.342	-	0.341	-	0.326	-	0.317	-	0.273	-	0.186	-
-12	0.330	-	0.329	-	0.315	-	0.306	-	0.263	-	0.180	-
-13	0.318	-	0.317	-	0.303	-	0.295	-	0.254	-	0.173	-
-14	0.306	-	0.305	-	0.292	-	0.283	-	0.244	-	0.167	-
-15	0.294	-	0.293	-	0.280	-	0.272	-	0.234	-	0.160	-
-16	0.282	-	0.281	-	0.269	-	0.261	-	0.225	-	0.153	-
-17	0.270	-	0.269	-	0.257	-	0.250	-	0.215	-	0.147	-
-18	0.258	-	0.257	-	0.246	-	0.239	-	0.206	-	0.140	-
-19	0.246	-	0.245	-	0.235	-	0.228	-	0.196	-	0.134	-
-20	0.237	-	0.236	-	0.226	-	0.219	-	0.189	-	0.129	-

施設区分		補償区分	集団割引	補強割引
30	プラスチックハウス I 類(木竹)	内作事故除外	有	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.354	-	0.353	-	0.348	-	0.339	-	0.286	-	0.191	-
20	0.678	-	0.676	-	0.646	-	0.628	-	0.541	-	0.369	-
19	0.666	-	0.665	-	0.635	-	0.618	-	0.532	-	0.363	-
18	0.655	-	0.654	-	0.624	-	0.607	-	0.523	-	0.357	-
17	0.644	-	0.642	-	0.614	-	0.596	-	0.514	-	0.350	-
16	0.632	-	0.631	-	0.603	-	0.586	-	0.504	-	0.344	-
15	0.621	-	0.620	-	0.592	-	0.575	-	0.495	-	0.338	-
14	0.609	-	0.608	-	0.581	-	0.565	-	0.486	-	0.332	-
13	0.598	-	0.597	-	0.570	-	0.554	-	0.477	-	0.326	-
12	0.587	-	0.585	-	0.559	-	0.544	-	0.468	-	0.319	-
11	0.575	-	0.574	-	0.548	-	0.533	-	0.459	-	0.313	-
10	0.564	-	0.563	-	0.538	-	0.523	-	0.450	-	0.307	-
9	0.553	-	0.551	-	0.527	-	0.512	-	0.441	-	0.301	-
8	0.541	-	0.540	-	0.516	-	0.501	-	0.432	-	0.295	-
7	0.530	-	0.529	-	0.505	-	0.491	-	0.423	-	0.288	-
6	0.518	-	0.517	-	0.494	-	0.480	-	0.414	-	0.282	-
5	0.507	-	0.506	-	0.483	-	0.470	-	0.404	-	0.276	-
4	0.496	-	0.494	-	0.472	-	0.459	-	0.395	-	0.270	-
3	0.484	-	0.483	-	0.462	-	0.449	-	0.386	-	0.264	-
2	0.473	-	0.472	-	0.451	-	0.438	-	0.377	-	0.257	-
1	0.461	-	0.460	-	0.440	-	0.428	-	0.368	-	0.251	-
0	0.450	-	0.449	-	0.429	-	0.417	-	0.359	-	0.245	-
-1	0.439	-	0.438	-	0.418	-	0.406	-	0.350	-	0.239	-
-2	0.427	-	0.426	-	0.407	-	0.396	-	0.341	-	0.233	-
-3	0.416	-	0.415	-	0.396	-	0.385	-	0.332	-	0.226	-
-4	0.404	-	0.404	-	0.386	-	0.375	-	0.323	-	0.220	-
-5	0.393	-	0.392	-	0.375	-	0.364	-	0.314	-	0.214	-
-6	0.382	-	0.381	-	0.364	-	0.354	-	0.304	-	0.208	-
-7	0.370	-	0.369	-	0.353	-	0.343	-	0.295	-	0.202	-
-8	0.359	-	0.358	-	0.342	-	0.333	-	0.286	-	0.195	-
-9	0.347	-	0.347	-	0.331	-	0.322	-	0.277	-	0.189	-
-10	0.336	-	0.335	-	0.320	-	0.311	-	0.268	-	0.183	-
-11	0.325	-	0.324	-	0.310	-	0.301	-	0.259	-	0.177	-
-12	0.313	-	0.313	-	0.299	-	0.290	-	0.250	-	0.171	-
-13	0.302	-	0.301	-	0.288	-	0.280	-	0.241	-	0.164	-
-14	0.291	-	0.290	-	0.277	-	0.269	-	0.232	-	0.158	-
-15	0.279	-	0.278	-	0.266	-	0.259	-	0.223	-	0.152	-
-16	0.268	-	0.267	-	0.255	-	0.248	-	0.214	-	0.146	-
-17	0.256	-	0.256	-	0.244	-	0.238	-	0.204	-	0.140	-
-18	0.245	-	0.244	-	0.234	-	0.227	-	0.195	-	0.133	-
-19	0.234	-	0.233	-	0.223	-	0.216	-	0.186	-	0.127	-
-20	0.225	-	0.224	-	0.214	-	0.208	-	0.179	-	0.122	-

施設区分		補償区分	集団割引	補強割引
30	プラスチックハウス I 類(木竹)	撤去費用	無	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.030	0.008	0.029	0.007	0.028	0.006	0.027	0.005	0.026	0.004	0.025	0.003
20	0.072	0.012	0.071	0.011	0.069	0.009	0.068	0.008	0.066	0.006	0.063	0.005
19	0.071	0.012	0.070	0.010	0.068	0.009	0.067	0.007	0.065	0.006	0.062	0.004
18	0.070	0.012	0.068	0.010	0.067	0.009	0.066	0.007	0.064	0.006	0.061	0.004
17	0.069	0.011	0.067	0.010	0.066	0.009	0.064	0.007	0.063	0.006	0.060	0.004
16	0.067	0.011	0.066	0.010	0.065	0.008	0.063	0.007	0.062	0.006	0.059	0.004
15	0.066	0.011	0.065	0.010	0.063	0.008	0.062	0.007	0.061	0.006	0.058	0.004
14	0.065	0.011	0.064	0.009	0.062	0.008	0.061	0.007	0.060	0.005	0.057	0.004
13	0.064	0.011	0.062	0.009	0.061	0.008	0.060	0.007	0.058	0.005	0.056	0.004
12	0.063	0.010	0.061	0.009	0.060	0.008	0.059	0.007	0.057	0.005	0.055	0.004
11	0.061	0.010	0.060	0.009	0.059	0.008	0.058	0.006	0.056	0.005	0.054	0.004
10	0.060	0.010	0.059	0.009	0.058	0.008	0.056	0.006	0.055	0.005	0.053	0.004
9	0.059	0.010	0.058	0.009	0.056	0.007	0.055	0.006	0.054	0.005	0.052	0.004
8	0.058	0.010	0.057	0.008	0.055	0.007	0.054	0.006	0.053	0.005	0.051	0.004
7	0.057	0.009	0.055	0.008	0.054	0.007	0.053	0.006	0.052	0.005	0.049	0.004
6	0.055	0.009	0.054	0.008	0.053	0.007	0.052	0.006	0.051	0.005	0.048	0.003
5	0.054	0.009	0.053	0.008	0.052	0.007	0.051	0.006	0.050	0.005	0.047	0.003
4	0.053	0.009	0.052	0.008	0.051	0.007	0.050	0.006	0.048	0.004	0.046	0.003
3	0.052	0.009	0.051	0.008	0.049	0.006	0.048	0.005	0.047	0.004	0.045	0.003
2	0.050	0.008	0.049	0.007	0.048	0.006	0.047	0.005	0.046	0.004	0.044	0.003
1	0.049	0.008	0.048	0.007	0.047	0.006	0.046	0.005	0.045	0.004	0.043	0.003
0	0.048	0.008	0.047	0.007	0.046	0.006	0.045	0.005	0.044	0.004	0.042	0.003
-1	0.047	0.008	0.046	0.007	0.045	0.006	0.044	0.005	0.043	0.004	0.041	0.003
-2	0.046	0.008	0.045	0.007	0.044	0.006	0.043	0.005	0.042	0.004	0.040	0.003
-3	0.044	0.007	0.043	0.006	0.043	0.006	0.042	0.005	0.041	0.004	0.039	0.003
-4	0.043	0.007	0.042	0.006	0.041	0.005	0.040	0.004	0.040	0.004	0.038	0.003
-5	0.042	0.007	0.041	0.006	0.040	0.005	0.039	0.004	0.038	0.003	0.037	0.003
-6	0.041	0.007	0.040	0.006	0.039	0.005	0.038	0.004	0.037	0.003	0.036	0.003
-7	0.039	0.007	0.039	0.006	0.038	0.005	0.037	0.004	0.036	0.003	0.035	0.002
-8	0.038	0.006	0.037	0.006	0.037	0.005	0.036	0.004	0.035	0.003	0.033	0.002
-9	0.037	0.006	0.036	0.005	0.036	0.005	0.035	0.004	0.034	0.003	0.032	0.002
-10	0.036	0.006	0.035	0.005	0.034	0.004	0.034	0.004	0.033	0.003	0.031	0.002
-11	0.035	0.006	0.034	0.005	0.033	0.004	0.032	0.004	0.032	0.003	0.030	0.002
-12	0.033	0.006	0.033	0.005	0.032	0.004	0.031	0.003	0.031	0.003	0.029	0.002
-13	0.032	0.005	0.032	0.005	0.031	0.004	0.030	0.003	0.030	0.003	0.028	0.002
-14	0.031	0.005	0.030	0.005	0.030	0.004	0.029	0.003	0.028	0.003	0.027	0.002
-15	0.030	0.005	0.029	0.004	0.029	0.004	0.028	0.003	0.027	0.002	0.026	0.002
-16	0.029	0.005	0.028	0.004	0.027	0.004	0.027	0.003	0.026	0.002	0.025	0.002
-17	0.027	0.005	0.027	0.004	0.026	0.003	0.026	0.003	0.025	0.002	0.024	0.002
-18	0.026	0.004	0.026	0.004	0.025	0.003	0.024	0.003	0.024	0.002	0.023	0.002
-19	0.025	0.004	0.024	0.004	0.024	0.003	0.023	0.003	0.023	0.002	0.022	0.002
-20	0.024	0.004	0.023	0.003	0.023	0.003	0.022	0.002	0.022	0.002	0.021	0.001

施設区分		補償区分	集団割引	補強割引
30	プラスチックハウス I 類(木竹)	撤去費用	有	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.029	0.008	0.028	0.007	0.027	0.006	0.026	0.005	0.025	0.004	0.024	0.003
20	0.069	0.012	0.068	0.011	0.066	0.009	0.065	0.008	0.063	0.006	0.060	0.005
19	0.068	0.012	0.067	0.010	0.065	0.009	0.064	0.007	0.062	0.006	0.059	0.004
18	0.067	0.012	0.066	0.010	0.064	0.009	0.063	0.007	0.061	0.006	0.058	0.004
17	0.066	0.011	0.064	0.010	0.063	0.009	0.062	0.007	0.060	0.006	0.057	0.004
16	0.065	0.011	0.063	0.010	0.062	0.008	0.060	0.007	0.059	0.006	0.056	0.004
15	0.063	0.011	0.062	0.010	0.061	0.008	0.059	0.007	0.058	0.006	0.055	0.004
14	0.062	0.011	0.061	0.009	0.060	0.008	0.058	0.007	0.057	0.005	0.054	0.004
13	0.061	0.011	0.060	0.009	0.058	0.008	0.057	0.007	0.056	0.005	0.053	0.004
12	0.060	0.010	0.059	0.009	0.057	0.008	0.056	0.007	0.055	0.005	0.052	0.004
11	0.059	0.010	0.058	0.009	0.056	0.008	0.055	0.006	0.054	0.005	0.051	0.004
10	0.058	0.010	0.056	0.009	0.055	0.008	0.054	0.006	0.053	0.005	0.050	0.004
9	0.056	0.010	0.055	0.009	0.054	0.007	0.053	0.006	0.052	0.005	0.049	0.004
8	0.055	0.010	0.054	0.008	0.053	0.007	0.052	0.006	0.051	0.005	0.048	0.004
7	0.054	0.009	0.053	0.008	0.052	0.007	0.051	0.006	0.049	0.005	0.047	0.004
6	0.053	0.009	0.052	0.008	0.051	0.007	0.050	0.006	0.048	0.005	0.046	0.003
5	0.052	0.009	0.051	0.008	0.050	0.007	0.048	0.006	0.047	0.005	0.045	0.003
4	0.051	0.009	0.050	0.008	0.048	0.007	0.047	0.006	0.046	0.004	0.044	0.003
3	0.049	0.009	0.048	0.008	0.047	0.006	0.046	0.005	0.045	0.004	0.043	0.003
2	0.048	0.008	0.047	0.007	0.046	0.006	0.045	0.005	0.044	0.004	0.042	0.003
1	0.047	0.008	0.046	0.007	0.045	0.006	0.044	0.005	0.043	0.004	0.041	0.003
0	0.046	0.008	0.045	0.007	0.044	0.006	0.043	0.005	0.042	0.004	0.040	0.003
-1	0.045	0.008	0.044	0.007	0.043	0.006	0.042	0.005	0.041	0.004	0.039	0.003
-2	0.044	0.008	0.043	0.007	0.042	0.006	0.041	0.005	0.040	0.004	0.038	0.003
-3	0.043	0.007	0.042	0.006	0.041	0.006	0.040	0.005	0.039	0.004	0.037	0.003
-4	0.041	0.007	0.040	0.006	0.040	0.005	0.039	0.004	0.038	0.004	0.036	0.003
-5	0.040	0.007	0.039	0.006	0.038	0.005	0.038	0.004	0.037	0.003	0.035	0.003
-6	0.039	0.007	0.038	0.006	0.037	0.005	0.036	0.004	0.036	0.003	0.034	0.003
-7	0.038	0.007	0.037	0.006	0.036	0.005	0.035	0.004	0.035	0.003	0.033	0.002
-8	0.037	0.006	0.036	0.006	0.035	0.005	0.034	0.004	0.033	0.003	0.032	0.002
-9	0.036	0.006	0.035	0.005	0.034	0.005	0.033	0.004	0.032	0.003	0.031	0.002
-10	0.034	0.006	0.034	0.005	0.033	0.004	0.032	0.004	0.031	0.003	0.030	0.002
-11	0.033	0.006	0.032	0.005	0.032	0.004	0.031	0.004	0.030	0.003	0.029	0.002
-12	0.032	0.006	0.031	0.005	0.031	0.004	0.030	0.003	0.029	0.003	0.028	0.002
-13	0.031	0.005	0.030	0.005	0.030	0.004	0.029	0.003	0.028	0.003	0.027	0.002
-14	0.030	0.005	0.029	0.005	0.028	0.004	0.028	0.003	0.027	0.003	0.026	0.002
-15	0.029	0.005	0.028	0.004	0.027	0.004	0.027	0.003	0.026	0.002	0.025	0.002
-16	0.027	0.005	0.027	0.004	0.026	0.004	0.026	0.003	0.025	0.002	0.024	0.002
-17	0.026	0.005	0.026	0.004	0.025	0.003	0.024	0.003	0.024	0.002	0.023	0.002
-18	0.025	0.004	0.024	0.004	0.024	0.003	0.023	0.003	0.023	0.002	0.022	0.002
-19	0.024	0.004	0.023	0.004	0.023	0.003	0.022	0.003	0.022	0.002	0.021	0.002
-20	0.023	0.004	0.022	0.003	0.022	0.003	0.021	0.002	0.021	0.002	0.020	0.001

施設区分		補償区分	集団割引	補強割引
30	プラスチックハウス I 類(木竹)	復旧費用	無	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.172	0.008	0.170	0.007	0.145	0.006	0.120	0.005	0.074	0.004	0.033	0.003
20	0.279	0.012	0.277	0.011	0.232	0.009	0.191	0.008	0.121	0.006	0.057	0.005
19	0.274	0.012	0.273	0.010	0.228	0.009	0.188	0.007	0.118	0.006	0.056	0.004
18	0.269	0.012	0.268	0.010	0.224	0.009	0.185	0.007	0.116	0.006	0.055	0.004
17	0.265	0.011	0.263	0.010	0.220	0.009	0.182	0.007	0.114	0.006	0.054	0.004
16	0.260	0.011	0.259	0.010	0.216	0.008	0.178	0.007	0.112	0.006	0.053	0.004
15	0.255	0.011	0.254	0.010	0.212	0.008	0.175	0.007	0.110	0.006	0.052	0.004
14	0.251	0.011	0.249	0.009	0.209	0.008	0.172	0.007	0.108	0.005	0.051	0.004
13	0.246	0.011	0.245	0.009	0.205	0.008	0.169	0.007	0.106	0.005	0.051	0.004
12	0.241	0.010	0.240	0.009	0.201	0.008	0.166	0.007	0.104	0.005	0.050	0.004
11	0.237	0.010	0.235	0.009	0.197	0.008	0.162	0.006	0.102	0.005	0.049	0.004
10	0.232	0.010	0.231	0.009	0.193	0.008	0.159	0.006	0.100	0.005	0.048	0.004
9	0.227	0.010	0.226	0.009	0.189	0.007	0.156	0.006	0.098	0.005	0.047	0.004
8	0.222	0.010	0.221	0.008	0.185	0.007	0.153	0.006	0.096	0.005	0.046	0.004
7	0.218	0.009	0.217	0.008	0.181	0.007	0.150	0.006	0.094	0.005	0.045	0.004
6	0.213	0.009	0.212	0.008	0.177	0.007	0.146	0.006	0.092	0.005	0.044	0.003
5	0.208	0.009	0.207	0.008	0.173	0.007	0.143	0.006	0.090	0.005	0.043	0.003
4	0.204	0.009	0.203	0.008	0.170	0.007	0.140	0.006	0.088	0.004	0.042	0.003
3	0.199	0.009	0.198	0.008	0.166	0.006	0.137	0.005	0.086	0.004	0.041	0.003
2	0.194	0.008	0.193	0.007	0.162	0.006	0.133	0.005	0.084	0.004	0.040	0.003
1	0.190	0.008	0.189	0.007	0.158	0.006	0.130	0.005	0.082	0.004	0.039	0.003
0	0.185	0.008	0.184	0.007	0.154	0.006	0.127	0.005	0.080	0.004	0.038	0.003
-1	0.180	0.008	0.179	0.007	0.150	0.006	0.124	0.005	0.078	0.004	0.037	0.003
-2	0.176	0.008	0.175	0.007	0.146	0.006	0.121	0.005	0.076	0.004	0.036	0.003
-3	0.171	0.007	0.170	0.006	0.142	0.006	0.117	0.005	0.074	0.004	0.035	0.003
-4	0.166	0.007	0.165	0.006	0.138	0.005	0.114	0.004	0.072	0.004	0.034	0.003
-5	0.162	0.007	0.161	0.006	0.135	0.005	0.111	0.004	0.070	0.003	0.033	0.003
-6	0.157	0.007	0.156	0.006	0.131	0.005	0.108	0.004	0.068	0.003	0.032	0.003
-7	0.152	0.007	0.151	0.006	0.127	0.005	0.104	0.004	0.066	0.003	0.031	0.002
-8	0.148	0.006	0.147	0.006	0.123	0.005	0.101	0.004	0.064	0.003	0.030	0.002
-9	0.143	0.006	0.142	0.005	0.119	0.005	0.098	0.004	0.062	0.003	0.029	0.002
-10	0.138	0.006	0.137	0.005	0.115	0.004	0.095	0.004	0.060	0.003	0.028	0.002
-11	0.133	0.006	0.133	0.005	0.111	0.004	0.092	0.004	0.058	0.003	0.027	0.002
-12	0.129	0.006	0.128	0.005	0.107	0.004	0.088	0.003	0.056	0.003	0.026	0.002
-13	0.124	0.005	0.123	0.005	0.103	0.004	0.085	0.003	0.054	0.003	0.025	0.002
-14	0.119	0.005	0.119	0.005	0.099	0.004	0.082	0.003	0.052	0.003	0.025	0.002
-15	0.115	0.005	0.114	0.004	0.096	0.004	0.079	0.003	0.050	0.002	0.024	0.002
-16	0.110	0.005	0.109	0.004	0.092	0.004	0.076	0.003	0.048	0.002	0.023	0.002
-17	0.105	0.005	0.105	0.004	0.088	0.003	0.072	0.003	0.046	0.002	0.022	0.002
-18	0.101	0.004	0.100	0.004	0.084	0.003	0.069	0.003	0.044	0.002	0.021	0.002
-19	0.096	0.004	0.095	0.004	0.080	0.003	0.066	0.003	0.042	0.002	0.020	0.002
-20	0.092	0.004	0.092	0.003	0.077	0.003	0.063	0.002	0.040	0.002	0.019	0.001

施設区分		補償区分	集団割引	補強割引
30	プラスチックハウス I 類(木竹)	復旧費用	有	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.163	0.008	0.162	0.007	0.138	0.006	0.114	0.005	0.070	0.004	0.031	0.003
20	0.265	0.012	0.264	0.011	0.220	0.009	0.182	0.008	0.114	0.006	0.054	0.005
19	0.261	0.012	0.259	0.010	0.216	0.009	0.179	0.007	0.113	0.006	0.053	0.004
18	0.256	0.012	0.255	0.010	0.213	0.009	0.176	0.007	0.111	0.006	0.052	0.004
17	0.252	0.011	0.250	0.010	0.209	0.009	0.173	0.007	0.109	0.006	0.051	0.004
16	0.247	0.011	0.246	0.010	0.205	0.008	0.170	0.007	0.107	0.006	0.051	0.004
15	0.243	0.011	0.241	0.010	0.201	0.008	0.167	0.007	0.105	0.006	0.050	0.004
14	0.238	0.011	0.237	0.009	0.198	0.008	0.164	0.007	0.103	0.005	0.049	0.004
13	0.234	0.011	0.233	0.009	0.194	0.008	0.161	0.007	0.101	0.005	0.048	0.004
12	0.229	0.010	0.228	0.009	0.190	0.008	0.158	0.007	0.099	0.005	0.047	0.004
11	0.225	0.010	0.224	0.009	0.187	0.008	0.155	0.006	0.097	0.005	0.046	0.004
10	0.221	0.010	0.219	0.009	0.183	0.008	0.152	0.006	0.095	0.005	0.045	0.004
9	0.216	0.010	0.215	0.009	0.179	0.007	0.149	0.006	0.093	0.005	0.044	0.004
8	0.212	0.010	0.210	0.008	0.176	0.007	0.146	0.006	0.091	0.005	0.043	0.004
7	0.207	0.009	0.206	0.008	0.172	0.007	0.142	0.006	0.089	0.005	0.042	0.004
6	0.203	0.009	0.202	0.008	0.168	0.007	0.139	0.006	0.088	0.005	0.041	0.003
5	0.198	0.009	0.197	0.008	0.164	0.007	0.136	0.006	0.086	0.005	0.041	0.003
4	0.194	0.009	0.193	0.008	0.161	0.007	0.133	0.006	0.084	0.004	0.040	0.003
3	0.189	0.009	0.188	0.008	0.157	0.006	0.130	0.005	0.082	0.004	0.039	0.003
2	0.185	0.008	0.184	0.007	0.153	0.006	0.127	0.005	0.080	0.004	0.038	0.003
1	0.180	0.008	0.179	0.007	0.150	0.006	0.124	0.005	0.078	0.004	0.037	0.003
0	0.176	0.008	0.175	0.007	0.146	0.006	0.121	0.005	0.076	0.004	0.036	0.003
-1	0.172	0.008	0.171	0.007	0.142	0.006	0.118	0.005	0.074	0.004	0.035	0.003
-2	0.167	0.008	0.166	0.007	0.139	0.006	0.115	0.005	0.072	0.004	0.034	0.003
-3	0.163	0.007	0.162	0.006	0.135	0.006	0.112	0.005	0.070	0.004	0.033	0.003
-4	0.158	0.007	0.157	0.006	0.131	0.005	0.109	0.004	0.068	0.004	0.032	0.003
-5	0.154	0.007	0.153	0.006	0.128	0.005	0.106	0.004	0.066	0.003	0.031	0.003
-6	0.149	0.007	0.148	0.006	0.124	0.005	0.103	0.004	0.064	0.003	0.031	0.003
-7	0.145	0.007	0.144	0.006	0.120	0.005	0.100	0.004	0.063	0.003	0.030	0.002
-8	0.140	0.006	0.140	0.006	0.116	0.005	0.096	0.004	0.061	0.003	0.029	0.002
-9	0.136	0.006	0.135	0.005	0.113	0.005	0.093	0.004	0.059	0.003	0.028	0.002
-10	0.131	0.006	0.131	0.005	0.109	0.004	0.090	0.004	0.057	0.003	0.027	0.002
-11	0.127	0.006	0.126	0.005	0.105	0.004	0.087	0.004	0.055	0.003	0.026	0.002
-12	0.123	0.006	0.122	0.005	0.102	0.004	0.084	0.003	0.053	0.003	0.025	0.002
-13	0.118	0.005	0.117	0.005	0.098	0.004	0.081	0.003	0.051	0.003	0.024	0.002
-14	0.114	0.005	0.113	0.005	0.094	0.004	0.078	0.003	0.049	0.003	0.023	0.002
-15	0.109	0.005	0.109	0.004	0.091	0.004	0.075	0.003	0.047	0.002	0.022	0.002
-16	0.105	0.005	0.104	0.004	0.087	0.004	0.072	0.003	0.045	0.002	0.021	0.002
-17	0.100	0.005	0.100	0.004	0.083	0.003	0.069	0.003	0.043	0.002	0.021	0.002
-18	0.096	0.004	0.095	0.004	0.079	0.003	0.066	0.003	0.041	0.002	0.020	0.002
-19	0.091	0.004	0.091	0.004	0.076	0.003	0.063	0.003	0.039	0.002	0.019	0.002
-20	0.088	0.004	0.087	0.003	0.073	0.003	0.060	0.002	0.038	0.002	0.018	0.001

施設区分		補償区分	集団割引	補強割引
40	プラスチックハウスⅡ類(パイプ)	特定附帯	無	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	2.435	0.036	2.419	0.035	0.853	0.010	0.418	0.005	0.160	0.004	0.089	0.003
20	7.747	0.115	7.696	0.111	2.714	0.032	1.330	0.016	0.509	0.013	0.283	0.010
19	4.632	0.068	4.602	0.067	1.623	0.019	0.795	0.010	0.304	0.008	0.169	0.006
18	4.544	0.067	4.514	0.065	1.592	0.019	0.780	0.009	0.299	0.007	0.166	0.006
17	4.456	0.066	4.427	0.064	1.561	0.018	0.765	0.009	0.293	0.007	0.163	0.005
16	4.368	0.065	4.339	0.063	1.530	0.018	0.750	0.009	0.287	0.007	0.160	0.005
15	4.280	0.063	4.251	0.062	1.499	0.018	0.735	0.009	0.281	0.007	0.156	0.005
14	4.191	0.062	4.164	0.060	1.468	0.017	0.720	0.009	0.275	0.007	0.153	0.005
13	4.103	0.061	4.076	0.059	1.437	0.017	0.704	0.008	0.270	0.007	0.150	0.005
12	4.015	0.059	3.989	0.058	1.407	0.016	0.689	0.008	0.264	0.007	0.147	0.005
11	3.927	0.058	3.901	0.056	1.376	0.016	0.674	0.008	0.258	0.006	0.144	0.005
10	3.839	0.057	3.814	0.055	1.345	0.016	0.659	0.008	0.252	0.006	0.140	0.005
9	3.751	0.055	3.726	0.054	1.314	0.015	0.644	0.008	0.246	0.006	0.137	0.005
8	3.663	0.054	3.639	0.053	1.283	0.015	0.629	0.008	0.241	0.006	0.134	0.005
7	3.575	0.053	3.551	0.051	1.252	0.015	0.614	0.007	0.235	0.006	0.131	0.004
6	3.487	0.052	3.464	0.050	1.221	0.014	0.599	0.007	0.229	0.006	0.127	0.004
5	3.398	0.050	3.376	0.049	1.190	0.014	0.583	0.007	0.223	0.006	0.124	0.004
4	3.310	0.049	3.289	0.048	1.160	0.014	0.568	0.007	0.218	0.005	0.121	0.004
3	3.222	0.048	3.201	0.046	1.129	0.013	0.553	0.007	0.212	0.005	0.118	0.004
2	3.134	0.046	3.113	0.045	1.098	0.013	0.538	0.006	0.206	0.005	0.115	0.004
1	3.046	0.045	3.026	0.044	1.067	0.013	0.523	0.006	0.200	0.005	0.111	0.004
0	2.958	0.044	2.938	0.043	1.036	0.012	0.508	0.006	0.194	0.005	0.108	0.004
-1	2.870	0.042	2.851	0.041	1.005	0.012	0.493	0.006	0.189	0.005	0.105	0.004
-2	2.782	0.041	2.763	0.040	0.974	0.011	0.477	0.006	0.183	0.005	0.102	0.003
-3	2.693	0.040	2.676	0.039	0.944	0.011	0.462	0.006	0.177	0.004	0.098	0.003
-4	2.605	0.039	2.588	0.037	0.913	0.011	0.447	0.005	0.171	0.004	0.095	0.003
-5	2.517	0.037	2.501	0.036	0.882	0.010	0.432	0.005	0.165	0.004	0.092	0.003
-6	2.429	0.036	2.413	0.035	0.851	0.010	0.417	0.005	0.160	0.004	0.089	0.003
-7	2.341	0.035	2.326	0.034	0.820	0.010	0.402	0.005	0.154	0.004	0.086	0.003
-8	2.253	0.033	2.238	0.032	0.789	0.009	0.387	0.005	0.148	0.004	0.082	0.003
-9	2.165	0.032	2.151	0.031	0.758	0.009	0.372	0.004	0.142	0.004	0.079	0.003
-10	2.077	0.031	2.063	0.030	0.727	0.009	0.356	0.004	0.136	0.003	0.076	0.003
-11	1.989	0.029	1.975	0.029	0.697	0.008	0.341	0.004	0.131	0.003	0.073	0.002
-12	1.900	0.028	1.888	0.027	0.666	0.008	0.326	0.004	0.125	0.003	0.069	0.002
-13	1.812	0.027	1.800	0.026	0.635	0.007	0.311	0.004	0.119	0.003	0.066	0.002
-14	1.724	0.025	1.713	0.025	0.604	0.007	0.296	0.004	0.113	0.003	0.063	0.002
-15	1.636	0.024	1.625	0.024	0.573	0.007	0.281	0.003	0.108	0.003	0.060	0.002
-16	1.548	0.023	1.538	0.022	0.542	0.006	0.266	0.003	0.102	0.003	0.057	0.002
-17	1.460	0.022	1.450	0.021	0.511	0.006	0.251	0.003	0.096	0.002	0.053	0.002
-18	1.372	0.020	1.363	0.020	0.481	0.006	0.235	0.003	0.090	0.002	0.050	0.002
-19	1.284	0.019	1.275	0.018	0.450	0.005	0.220	0.003	0.084	0.002	0.047	0.002
-20	1.217	0.018	1.209	0.017	0.426	0.005	0.209	0.002	0.080	0.002	0.044	0.001

施設区分		補償区分	集団割引	補強割引
40	プラスチックハウスⅡ類(パイプ)	特定附帯	有	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	2.313	0.034	2.298	0.033	0.810	0.010	0.397	0.005	0.152	0.004	0.085	0.003
20	7.359	0.108	7.311	0.105	2.577	0.032	1.263	0.016	0.484	0.013	0.270	0.010
19	4.400	0.065	4.371	0.063	1.541	0.019	0.755	0.010	0.289	0.008	0.162	0.006
18	4.316	0.063	4.288	0.062	1.512	0.019	0.741	0.009	0.284	0.007	0.159	0.006
17	4.233	0.062	4.205	0.060	1.482	0.018	0.726	0.009	0.278	0.007	0.156	0.005
16	4.149	0.061	4.122	0.059	1.453	0.018	0.712	0.009	0.273	0.007	0.152	0.005
15	4.065	0.060	4.039	0.058	1.424	0.018	0.698	0.009	0.267	0.007	0.149	0.005
14	3.981	0.059	3.956	0.057	1.394	0.017	0.683	0.009	0.262	0.007	0.146	0.005
13	3.898	0.057	3.872	0.056	1.365	0.017	0.669	0.008	0.256	0.007	0.143	0.005
12	3.814	0.056	3.789	0.054	1.336	0.016	0.655	0.008	0.251	0.007	0.140	0.005
11	3.730	0.055	3.706	0.053	1.306	0.016	0.640	0.008	0.245	0.006	0.137	0.005
10	3.647	0.054	3.623	0.052	1.277	0.016	0.626	0.008	0.240	0.006	0.134	0.005
9	3.563	0.052	3.540	0.051	1.248	0.015	0.612	0.008	0.234	0.006	0.131	0.005
8	3.479	0.051	3.457	0.050	1.218	0.015	0.597	0.008	0.229	0.006	0.128	0.005
7	3.396	0.050	3.374	0.048	1.189	0.015	0.583	0.007	0.223	0.006	0.125	0.004
6	3.312	0.049	3.290	0.047	1.160	0.014	0.568	0.007	0.218	0.006	0.122	0.004
5	3.228	0.047	3.207	0.046	1.130	0.014	0.554	0.007	0.212	0.006	0.119	0.004
4	3.144	0.046	3.124	0.045	1.101	0.014	0.540	0.007	0.207	0.005	0.116	0.004
3	3.061	0.045	3.041	0.044	1.072	0.013	0.525	0.007	0.201	0.005	0.112	0.004
2	2.977	0.044	2.958	0.042	1.043	0.013	0.511	0.006	0.196	0.005	0.109	0.004
1	2.893	0.043	2.875	0.041	1.013	0.013	0.497	0.006	0.190	0.005	0.106	0.004
0	2.810	0.041	2.791	0.040	0.984	0.012	0.482	0.006	0.185	0.005	0.103	0.004
-1	2.726	0.040	2.708	0.039	0.955	0.012	0.468	0.006	0.179	0.005	0.100	0.004
-2	2.642	0.039	2.625	0.038	0.925	0.011	0.454	0.006	0.174	0.005	0.097	0.003
-3	2.559	0.038	2.542	0.037	0.896	0.011	0.439	0.006	0.168	0.004	0.094	0.003
-4	2.475	0.036	2.459	0.035	0.867	0.011	0.425	0.005	0.163	0.004	0.091	0.003
-5	2.391	0.035	2.376	0.034	0.837	0.010	0.410	0.005	0.157	0.004	0.088	0.003
-6	2.307	0.034	2.292	0.033	0.808	0.010	0.396	0.005	0.152	0.004	0.085	0.003
-7	2.224	0.033	2.209	0.032	0.779	0.010	0.382	0.005	0.146	0.004	0.082	0.003
-8	2.140	0.031	2.126	0.031	0.749	0.009	0.367	0.005	0.141	0.004	0.079	0.003
-9	2.056	0.030	2.043	0.029	0.720	0.009	0.353	0.004	0.135	0.004	0.076	0.003
-10	1.973	0.029	1.960	0.028	0.691	0.009	0.339	0.004	0.130	0.003	0.072	0.003
-11	1.889	0.028	1.877	0.027	0.661	0.008	0.324	0.004	0.124	0.003	0.069	0.002
-12	1.805	0.027	1.793	0.026	0.632	0.008	0.310	0.004	0.119	0.003	0.066	0.002
-13	1.721	0.025	1.710	0.025	0.603	0.007	0.295	0.004	0.113	0.003	0.063	0.002
-14	1.638	0.024	1.627	0.023	0.574	0.007	0.281	0.004	0.108	0.003	0.060	0.002
-15	1.554	0.023	1.544	0.022	0.544	0.007	0.267	0.003	0.102	0.003	0.057	0.002
-16	1.470	0.022	1.461	0.021	0.515	0.006	0.252	0.003	0.097	0.003	0.054	0.002
-17	1.387	0.020	1.378	0.020	0.486	0.006	0.238	0.003	0.091	0.002	0.051	0.002
-18	1.303	0.019	1.295	0.019	0.456	0.006	0.224	0.003	0.086	0.002	0.048	0.002
-19	1.219	0.018	1.211	0.017	0.427	0.005	0.209	0.003	0.080	0.002	0.045	0.002
-20	1.156	0.017	1.149	0.016	0.405	0.005	0.198	0.002	0.076	0.002	0.042	0.001

施設区分		補償区分	集団割引	補強割引
40	プラスチックハウスⅡ類(パイプ)	内作一般	無	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	3.034	-	3.017	-	1.997	-	1.097	-	0.296	-	0.074	-
20	9.652	-	9.598	-	6.353	-	3.490	-	0.942	-	0.235	-
19	5.772	-	5.739	-	3.799	-	2.087	-	0.563	-	0.141	-
18	5.662	-	5.630	-	3.727	-	2.047	-	0.552	-	0.138	-
17	5.552	-	5.521	-	3.654	-	2.007	-	0.542	-	0.135	-
16	5.442	-	5.412	-	3.582	-	1.968	-	0.531	-	0.133	-
15	5.332	-	5.302	-	3.510	-	1.928	-	0.520	-	0.130	-
14	5.223	-	5.193	-	3.438	-	1.888	-	0.510	-	0.127	-
13	5.113	-	5.084	-	3.365	-	1.849	-	0.499	-	0.125	-
12	5.003	-	4.975	-	3.293	-	1.809	-	0.488	-	0.122	-
11	4.893	-	4.866	-	3.221	-	1.769	-	0.477	-	0.119	-
10	4.783	-	4.757	-	3.148	-	1.730	-	0.467	-	0.117	-
9	4.674	-	4.647	-	3.076	-	1.690	-	0.456	-	0.114	-
8	4.564	-	4.538	-	3.004	-	1.650	-	0.445	-	0.111	-
7	4.454	-	4.429	-	2.932	-	1.610	-	0.435	-	0.109	-
6	4.344	-	4.320	-	2.859	-	1.571	-	0.424	-	0.106	-
5	4.234	-	4.211	-	2.787	-	1.531	-	0.413	-	0.103	-
4	4.125	-	4.102	-	2.715	-	1.491	-	0.402	-	0.101	-
3	4.015	-	3.992	-	2.643	-	1.452	-	0.392	-	0.098	-
2	3.905	-	3.883	-	2.570	-	1.412	-	0.381	-	0.095	-
1	3.795	-	3.774	-	2.498	-	1.372	-	0.370	-	0.093	-
0	3.685	-	3.665	-	2.426	-	1.333	-	0.360	-	0.090	-
-1	3.576	-	3.556	-	2.354	-	1.293	-	0.349	-	0.087	-
-2	3.466	-	3.446	-	2.281	-	1.253	-	0.338	-	0.085	-
-3	3.356	-	3.337	-	2.209	-	1.213	-	0.327	-	0.082	-
-4	3.246	-	3.228	-	2.137	-	1.174	-	0.317	-	0.079	-
-5	3.136	-	3.119	-	2.064	-	1.134	-	0.306	-	0.076	-
-6	3.027	-	3.010	-	1.992	-	1.094	-	0.295	-	0.074	-
-7	2.917	-	2.901	-	1.920	-	1.055	-	0.285	-	0.071	-
-8	2.807	-	2.791	-	1.848	-	1.015	-	0.274	-	0.068	-
-9	2.697	-	2.682	-	1.775	-	0.975	-	0.263	-	0.066	-
-10	2.588	-	2.573	-	1.703	-	0.936	-	0.252	-	0.063	-
-11	2.478	-	2.464	-	1.631	-	0.896	-	0.242	-	0.060	-
-12	2.368	-	2.355	-	1.559	-	0.856	-	0.231	-	0.058	-
-13	2.258	-	2.245	-	1.486	-	0.816	-	0.220	-	0.055	-
-14	2.148	-	2.136	-	1.414	-	0.777	-	0.210	-	0.052	-
-15	2.039	-	2.027	-	1.342	-	0.737	-	0.199	-	0.050	-
-16	1.929	-	1.918	-	1.270	-	0.697	-	0.188	-	0.047	-
-17	1.819	-	1.809	-	1.197	-	0.658	-	0.177	-	0.044	-
-18	1.709	-	1.700	-	1.125	-	0.618	-	0.167	-	0.042	-
-19	1.599	-	1.590	-	1.053	-	0.578	-	0.156	-	0.039	-
-20	1.517	-	1.508	-	0.998	-	0.548	-	0.148	-	0.037	-

施設区分		補償区分	集団割引	補強割引
40	プラスチックハウスⅡ類(パイプ)	内作一般	有	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	2.882	-	2.866	-	1.897	-	1.042	-	0.281	-	0.070	-
20	9.169	-	9.118	-	6.035	-	3.315	-	0.894	-	0.223	-
19	5.482	-	5.452	-	3.609	-	1.982	-	0.535	-	0.133	-
18	5.378	-	5.348	-	3.540	-	1.944	-	0.524	-	0.131	-
17	5.274	-	5.245	-	3.471	-	1.907	-	0.514	-	0.128	-
16	5.170	-	5.141	-	3.403	-	1.869	-	0.504	-	0.126	-
15	5.065	-	5.037	-	3.334	-	1.831	-	0.494	-	0.123	-
14	4.961	-	4.933	-	3.265	-	1.794	-	0.484	-	0.120	-
13	4.857	-	4.830	-	3.197	-	1.756	-	0.474	-	0.118	-
12	4.752	-	4.726	-	3.128	-	1.718	-	0.463	-	0.115	-
11	4.648	-	4.622	-	3.059	-	1.681	-	0.453	-	0.113	-
10	4.544	-	4.519	-	2.991	-	1.643	-	0.443	-	0.110	-
9	4.439	-	4.415	-	2.922	-	1.605	-	0.433	-	0.108	-
8	4.335	-	4.311	-	2.854	-	1.567	-	0.423	-	0.105	-
7	4.231	-	4.207	-	2.785	-	1.530	-	0.413	-	0.103	-
6	4.127	-	4.104	-	2.716	-	1.492	-	0.402	-	0.100	-
5	4.022	-	4.000	-	2.648	-	1.454	-	0.392	-	0.098	-
4	3.918	-	3.896	-	2.579	-	1.417	-	0.382	-	0.095	-
3	3.814	-	3.793	-	2.510	-	1.379	-	0.372	-	0.093	-
2	3.709	-	3.689	-	2.442	-	1.341	-	0.362	-	0.090	-
1	3.605	-	3.585	-	2.373	-	1.303	-	0.352	-	0.088	-
0	3.501	-	3.481	-	2.304	-	1.266	-	0.341	-	0.085	-
-1	3.397	-	3.378	-	2.236	-	1.228	-	0.331	-	0.082	-
-2	3.292	-	3.274	-	2.167	-	1.190	-	0.321	-	0.080	-
-3	3.188	-	3.170	-	2.098	-	1.153	-	0.311	-	0.077	-
-4	3.084	-	3.067	-	2.030	-	1.115	-	0.301	-	0.075	-
-5	2.979	-	2.963	-	1.961	-	1.077	-	0.290	-	0.072	-
-6	2.875	-	2.859	-	1.892	-	1.039	-	0.280	-	0.070	-
-7	2.771	-	2.755	-	1.824	-	1.002	-	0.270	-	0.067	-
-8	2.666	-	2.652	-	1.755	-	0.964	-	0.260	-	0.065	-
-9	2.562	-	2.548	-	1.686	-	0.926	-	0.250	-	0.062	-
-10	2.458	-	2.444	-	1.618	-	0.889	-	0.240	-	0.060	-
-11	2.354	-	2.341	-	1.549	-	0.851	-	0.229	-	0.057	-
-12	2.249	-	2.237	-	1.481	-	0.813	-	0.219	-	0.055	-
-13	2.145	-	2.133	-	1.412	-	0.776	-	0.209	-	0.052	-
-14	2.041	-	2.029	-	1.343	-	0.738	-	0.199	-	0.050	-
-15	1.936	-	1.926	-	1.275	-	0.700	-	0.189	-	0.047	-
-16	1.832	-	1.822	-	1.206	-	0.662	-	0.179	-	0.044	-
-17	1.728	-	1.718	-	1.137	-	0.625	-	0.168	-	0.042	-
-18	1.624	-	1.615	-	1.069	-	0.587	-	0.158	-	0.039	-
-19	1.519	-	1.511	-	1.000	-	0.549	-	0.148	-	0.037	-
-20	1.441	-	1.433	-	0.948	-	0.521	-	0.140	-	0.035	-

施設区分		補償区分	集団割引	補強割引
40	プラスチックハウスⅡ類(パイプ)	内作事故除外	無	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	1.963	-	1.956	-	1.483	-	0.929	-	0.266	-	0.066	-
20	6.245	-	6.223	-	4.718	-	2.955	-	0.846	-	0.210	-
19	3.734	-	3.721	-	2.821	-	1.767	-	0.506	-	0.126	-
18	3.663	-	3.650	-	2.767	-	1.734	-	0.496	-	0.123	-
17	3.592	-	3.579	-	2.714	-	1.700	-	0.487	-	0.121	-
16	3.521	-	3.509	-	2.660	-	1.666	-	0.477	-	0.118	-
15	3.450	-	3.438	-	2.606	-	1.633	-	0.468	-	0.116	-
14	3.379	-	3.367	-	2.553	-	1.599	-	0.458	-	0.114	-
13	3.308	-	3.296	-	2.499	-	1.566	-	0.448	-	0.111	-
12	3.237	-	3.225	-	2.445	-	1.532	-	0.439	-	0.109	-
11	3.166	-	3.155	-	2.392	-	1.498	-	0.429	-	0.106	-
10	3.095	-	3.084	-	2.338	-	1.465	-	0.419	-	0.104	-
9	3.024	-	3.013	-	2.284	-	1.431	-	0.410	-	0.102	-
8	2.953	-	2.942	-	2.231	-	1.397	-	0.400	-	0.099	-
7	2.882	-	2.871	-	2.177	-	1.364	-	0.390	-	0.097	-
6	2.811	-	2.801	-	2.123	-	1.330	-	0.381	-	0.095	-
5	2.740	-	2.730	-	2.070	-	1.297	-	0.371	-	0.092	-
4	2.669	-	2.659	-	2.016	-	1.263	-	0.362	-	0.090	-
3	2.598	-	2.588	-	1.962	-	1.229	-	0.352	-	0.087	-
2	2.527	-	2.518	-	1.909	-	1.196	-	0.342	-	0.085	-
1	2.456	-	2.447	-	1.855	-	1.162	-	0.333	-	0.083	-
0	2.384	-	2.376	-	1.801	-	1.128	-	0.323	-	0.080	-
-1	2.313	-	2.305	-	1.748	-	1.095	-	0.313	-	0.078	-
-2	2.242	-	2.234	-	1.694	-	1.061	-	0.304	-	0.075	-
-3	2.171	-	2.164	-	1.640	-	1.028	-	0.294	-	0.073	-
-4	2.100	-	2.093	-	1.587	-	0.994	-	0.285	-	0.071	-
-5	2.029	-	2.022	-	1.533	-	0.960	-	0.275	-	0.068	-
-6	1.958	-	1.951	-	1.479	-	0.927	-	0.265	-	0.066	-
-7	1.887	-	1.880	-	1.426	-	0.893	-	0.256	-	0.063	-
-8	1.816	-	1.810	-	1.372	-	0.860	-	0.246	-	0.061	-
-9	1.745	-	1.739	-	1.318	-	0.826	-	0.236	-	0.059	-
-10	1.674	-	1.668	-	1.265	-	0.792	-	0.227	-	0.056	-
-11	1.603	-	1.597	-	1.211	-	0.759	-	0.217	-	0.054	-
-12	1.532	-	1.527	-	1.157	-	0.725	-	0.208	-	0.052	-
-13	1.461	-	1.456	-	1.104	-	0.691	-	0.198	-	0.049	-
-14	1.390	-	1.385	-	1.050	-	0.658	-	0.188	-	0.047	-
-15	1.319	-	1.314	-	0.996	-	0.624	-	0.179	-	0.044	-
-16	1.248	-	1.243	-	0.943	-	0.591	-	0.169	-	0.042	-
-17	1.177	-	1.173	-	0.889	-	0.557	-	0.159	-	0.040	-
-18	1.106	-	1.102	-	0.835	-	0.523	-	0.150	-	0.037	-
-19	1.035	-	1.031	-	0.782	-	0.490	-	0.140	-	0.035	-
-20	0.981	-	0.978	-	0.741	-	0.464	-	0.133	-	0.033	-

施設区分		補償区分	集団割引	補強割引
40	プラスチックハウスⅡ類(パイプ)	内作事故除外	有	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	1.865	-	1.858	-	1.409	-	0.883	-	0.253	-	0.063	-
20	5.933	-	5.911	-	4.483	-	2.809	-	0.805	-	0.200	-
19	3.548	-	3.534	-	2.680	-	1.680	-	0.481	-	0.120	-
18	3.480	-	3.467	-	2.629	-	1.648	-	0.472	-	0.118	-
17	3.413	-	3.400	-	2.578	-	1.616	-	0.463	-	0.115	-
16	3.345	-	3.333	-	2.527	-	1.584	-	0.454	-	0.113	-
15	3.278	-	3.266	-	2.476	-	1.552	-	0.445	-	0.111	-
14	3.210	-	3.198	-	2.425	-	1.520	-	0.436	-	0.108	-
13	3.143	-	3.131	-	2.374	-	1.488	-	0.426	-	0.106	-
12	3.075	-	3.064	-	2.323	-	1.456	-	0.417	-	0.104	-
11	3.008	-	2.997	-	2.272	-	1.424	-	0.408	-	0.102	-
10	2.940	-	2.929	-	2.221	-	1.392	-	0.399	-	0.099	-
9	2.873	-	2.862	-	2.170	-	1.360	-	0.390	-	0.097	-
8	2.805	-	2.795	-	2.119	-	1.328	-	0.381	-	0.095	-
7	2.738	-	2.728	-	2.068	-	1.296	-	0.371	-	0.092	-
6	2.670	-	2.660	-	2.017	-	1.264	-	0.362	-	0.090	-
5	2.603	-	2.593	-	1.966	-	1.232	-	0.353	-	0.088	-
4	2.535	-	2.526	-	1.915	-	1.200	-	0.344	-	0.086	-
3	2.468	-	2.459	-	1.865	-	1.168	-	0.335	-	0.083	-
2	2.400	-	2.391	-	1.814	-	1.137	-	0.326	-	0.081	-
1	2.333	-	2.324	-	1.763	-	1.105	-	0.316	-	0.079	-
0	2.265	-	2.257	-	1.712	-	1.073	-	0.307	-	0.077	-
-1	2.198	-	2.190	-	1.661	-	1.041	-	0.298	-	0.074	-
-2	2.130	-	2.122	-	1.610	-	1.009	-	0.289	-	0.072	-
-3	2.063	-	2.055	-	1.559	-	0.977	-	0.280	-	0.070	-
-4	1.995	-	1.988	-	1.508	-	0.945	-	0.271	-	0.067	-
-5	1.928	-	1.921	-	1.457	-	0.913	-	0.262	-	0.065	-
-6	1.860	-	1.854	-	1.406	-	0.881	-	0.252	-	0.063	-
-7	1.793	-	1.786	-	1.355	-	0.849	-	0.243	-	0.061	-
-8	1.726	-	1.719	-	1.304	-	0.817	-	0.234	-	0.058	-
-9	1.658	-	1.652	-	1.253	-	0.785	-	0.225	-	0.056	-
-10	1.591	-	1.585	-	1.202	-	0.753	-	0.216	-	0.054	-
-11	1.523	-	1.517	-	1.151	-	0.721	-	0.207	-	0.051	-
-12	1.456	-	1.450	-	1.100	-	0.689	-	0.197	-	0.049	-
-13	1.388	-	1.383	-	1.049	-	0.657	-	0.188	-	0.047	-
-14	1.321	-	1.316	-	0.998	-	0.625	-	0.179	-	0.045	-
-15	1.253	-	1.248	-	0.947	-	0.593	-	0.170	-	0.042	-
-16	1.186	-	1.181	-	0.896	-	0.561	-	0.161	-	0.040	-
-17	1.118	-	1.114	-	0.845	-	0.529	-	0.152	-	0.038	-
-18	1.051	-	1.047	-	0.794	-	0.497	-	0.143	-	0.035	-
-19	0.983	-	0.979	-	0.743	-	0.465	-	0.133	-	0.033	-
-20	0.932	-	0.929	-	0.704	-	0.441	-	0.126	-	0.031	-

施設区分		補償区分	集団割引	補強割引
40	プラスチックハウスⅡ類(パイプ)	撤去費用	無	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.033	0.008	0.032	0.007	0.031	0.006	0.030	0.005	0.027	0.004	0.014	0.003
20	0.105	0.025	0.102	0.022	0.099	0.019	0.095	0.016	0.086	0.013	0.045	0.010
19	0.063	0.015	0.061	0.013	0.059	0.011	0.057	0.010	0.051	0.008	0.027	0.006
18	0.062	0.015	0.060	0.013	0.058	0.011	0.056	0.009	0.050	0.007	0.026	0.006
17	0.060	0.015	0.059	0.013	0.057	0.011	0.055	0.009	0.049	0.007	0.026	0.005
16	0.059	0.014	0.057	0.013	0.056	0.011	0.054	0.009	0.048	0.007	0.025	0.005
15	0.058	0.014	0.056	0.012	0.054	0.011	0.053	0.009	0.047	0.007	0.025	0.005
14	0.057	0.014	0.055	0.012	0.053	0.010	0.052	0.009	0.046	0.007	0.024	0.005
13	0.056	0.013	0.054	0.012	0.052	0.010	0.051	0.008	0.045	0.007	0.024	0.005
12	0.054	0.013	0.053	0.012	0.051	0.010	0.049	0.008	0.045	0.007	0.023	0.005
11	0.053	0.013	0.052	0.011	0.050	0.010	0.048	0.008	0.044	0.006	0.023	0.005
10	0.052	0.013	0.050	0.011	0.049	0.009	0.047	0.008	0.043	0.006	0.022	0.005
9	0.051	0.012	0.049	0.011	0.048	0.009	0.046	0.008	0.042	0.006	0.022	0.005
8	0.050	0.012	0.048	0.011	0.047	0.009	0.045	0.008	0.041	0.006	0.021	0.005
7	0.048	0.012	0.047	0.010	0.046	0.009	0.044	0.007	0.040	0.006	0.021	0.004
6	0.047	0.011	0.046	0.010	0.044	0.009	0.043	0.007	0.039	0.006	0.020	0.004
5	0.046	0.011	0.045	0.010	0.043	0.008	0.042	0.007	0.038	0.006	0.020	0.004
4	0.045	0.011	0.044	0.010	0.042	0.008	0.041	0.007	0.037	0.005	0.019	0.004
3	0.044	0.011	0.042	0.009	0.041	0.008	0.040	0.007	0.036	0.005	0.019	0.004
2	0.042	0.010	0.041	0.009	0.040	0.008	0.039	0.006	0.035	0.005	0.018	0.004
1	0.041	0.010	0.040	0.009	0.039	0.008	0.038	0.006	0.034	0.005	0.018	0.004
0	0.040	0.010	0.039	0.009	0.038	0.007	0.036	0.006	0.033	0.005	0.017	0.004
-1	0.039	0.009	0.038	0.008	0.037	0.007	0.035	0.006	0.032	0.005	0.016	0.004
-2	0.038	0.009	0.037	0.008	0.035	0.007	0.034	0.006	0.031	0.005	0.016	0.003
-3	0.037	0.009	0.035	0.008	0.034	0.007	0.033	0.006	0.030	0.004	0.015	0.003
-4	0.035	0.009	0.034	0.007	0.033	0.006	0.032	0.005	0.029	0.004	0.015	0.003
-5	0.034	0.008	0.033	0.007	0.032	0.006	0.031	0.005	0.028	0.004	0.014	0.003
-6	0.033	0.008	0.032	0.007	0.031	0.006	0.030	0.005	0.027	0.004	0.014	0.003
-7	0.032	0.008	0.031	0.007	0.030	0.006	0.029	0.005	0.026	0.004	0.013	0.003
-8	0.031	0.007	0.030	0.006	0.029	0.006	0.028	0.005	0.025	0.004	0.013	0.003
-9	0.029	0.007	0.028	0.006	0.028	0.005	0.027	0.004	0.024	0.004	0.012	0.003
-10	0.028	0.007	0.027	0.006	0.026	0.005	0.026	0.004	0.023	0.003	0.012	0.003
-11	0.027	0.007	0.026	0.006	0.025	0.005	0.024	0.004	0.022	0.003	0.011	0.002
-12	0.026	0.006	0.025	0.005	0.024	0.005	0.023	0.004	0.021	0.003	0.011	0.002
-13	0.025	0.006	0.024	0.005	0.023	0.004	0.022	0.004	0.020	0.003	0.010	0.002
-14	0.023	0.006	0.023	0.005	0.022	0.004	0.021	0.004	0.019	0.003	0.010	0.002
-15	0.022	0.005	0.022	0.005	0.021	0.004	0.020	0.003	0.018	0.003	0.009	0.002
-16	0.021	0.005	0.020	0.004	0.020	0.004	0.019	0.003	0.017	0.003	0.009	0.002
-17	0.020	0.005	0.019	0.004	0.019	0.004	0.018	0.003	0.016	0.002	0.008	0.002
-18	0.019	0.005	0.018	0.004	0.017	0.003	0.017	0.003	0.015	0.002	0.008	0.002
-19	0.017	0.004	0.017	0.004	0.016	0.003	0.016	0.003	0.014	0.002	0.007	0.002
-20	0.016	0.004	0.016	0.003	0.015	0.003	0.015	0.002	0.013	0.002	0.007	0.001

施設区分		補償区分	集団割引	補強割引
40	プラスチックハウスⅡ類(パイプ)	撤去費用	有	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.031	0.008	0.030	0.007	0.029	0.006	0.029	0.005	0.026	0.004	0.013	0.003
20	0.099	0.025	0.095	0.022	0.092	0.019	0.092	0.016	0.083	0.013	0.041	0.010
19	0.059	0.015	0.057	0.013	0.055	0.011	0.055	0.010	0.049	0.008	0.025	0.006
18	0.058	0.015	0.056	0.013	0.054	0.011	0.054	0.009	0.049	0.007	0.024	0.006
17	0.057	0.015	0.055	0.013	0.053	0.011	0.053	0.009	0.048	0.007	0.024	0.005
16	0.056	0.014	0.054	0.013	0.052	0.011	0.052	0.009	0.047	0.007	0.023	0.005
15	0.054	0.014	0.053	0.012	0.051	0.011	0.051	0.009	0.046	0.007	0.023	0.005
14	0.053	0.014	0.052	0.012	0.050	0.010	0.050	0.009	0.045	0.007	0.022	0.005
13	0.052	0.013	0.051	0.012	0.049	0.010	0.049	0.008	0.044	0.007	0.022	0.005
12	0.051	0.013	0.049	0.012	0.048	0.010	0.048	0.008	0.043	0.007	0.021	0.005
11	0.050	0.013	0.048	0.011	0.047	0.010	0.047	0.008	0.042	0.006	0.021	0.005
10	0.049	0.013	0.047	0.011	0.046	0.009	0.046	0.008	0.041	0.006	0.020	0.005
9	0.048	0.012	0.046	0.011	0.045	0.009	0.045	0.008	0.040	0.006	0.020	0.005
8	0.047	0.012	0.045	0.011	0.044	0.009	0.044	0.008	0.039	0.006	0.020	0.005
7	0.046	0.012	0.044	0.010	0.043	0.009	0.043	0.007	0.038	0.006	0.019	0.004
6	0.044	0.011	0.043	0.010	0.042	0.009	0.042	0.007	0.037	0.006	0.019	0.004
5	0.043	0.011	0.042	0.010	0.040	0.008	0.040	0.007	0.036	0.006	0.018	0.004
4	0.042	0.011	0.041	0.010	0.039	0.008	0.039	0.007	0.035	0.005	0.018	0.004
3	0.041	0.011	0.040	0.009	0.038	0.008	0.038	0.007	0.034	0.005	0.017	0.004
2	0.040	0.010	0.039	0.009	0.037	0.008	0.037	0.006	0.033	0.005	0.017	0.004
1	0.039	0.010	0.038	0.009	0.036	0.008	0.036	0.006	0.033	0.005	0.016	0.004
0	0.038	0.010	0.036	0.009	0.035	0.007	0.035	0.006	0.032	0.005	0.016	0.004
-1	0.037	0.009	0.035	0.008	0.034	0.007	0.034	0.006	0.031	0.005	0.015	0.004
-2	0.035	0.009	0.034	0.008	0.033	0.007	0.033	0.006	0.030	0.005	0.015	0.003
-3	0.034	0.009	0.033	0.008	0.032	0.007	0.032	0.006	0.029	0.004	0.014	0.003
-4	0.033	0.009	0.032	0.007	0.031	0.006	0.031	0.005	0.028	0.004	0.014	0.003
-5	0.032	0.008	0.031	0.007	0.030	0.006	0.030	0.005	0.027	0.004	0.013	0.003
-6	0.031	0.008	0.030	0.007	0.029	0.006	0.029	0.005	0.026	0.004	0.013	0.003
-7	0.030	0.008	0.029	0.007	0.028	0.006	0.028	0.005	0.025	0.004	0.012	0.003
-8	0.029	0.007	0.028	0.006	0.027	0.006	0.027	0.005	0.024	0.004	0.012	0.003
-9	0.028	0.007	0.027	0.006	0.026	0.005	0.026	0.004	0.023	0.004	0.012	0.003
-10	0.026	0.007	0.026	0.006	0.025	0.005	0.025	0.004	0.022	0.003	0.011	0.003
-11	0.025	0.007	0.024	0.006	0.024	0.005	0.024	0.004	0.021	0.003	0.011	0.002
-12	0.024	0.006	0.023	0.005	0.023	0.005	0.023	0.004	0.020	0.003	0.010	0.002
-13	0.023	0.006	0.022	0.005	0.022	0.004	0.022	0.004	0.019	0.003	0.010	0.002
-14	0.022	0.006	0.021	0.005	0.021	0.004	0.021	0.004	0.018	0.003	0.009	0.002
-15	0.021	0.005	0.020	0.005	0.019	0.004	0.019	0.003	0.017	0.003	0.009	0.002
-16	0.020	0.005	0.019	0.004	0.018	0.004	0.018	0.003	0.017	0.003	0.008	0.002
-17	0.019	0.005	0.018	0.004	0.017	0.004	0.017	0.003	0.016	0.002	0.008	0.002
-18	0.017	0.005	0.017	0.004	0.016	0.003	0.016	0.003	0.015	0.002	0.007	0.002
-19	0.016	0.004	0.016	0.004	0.015	0.003	0.015	0.003	0.014	0.002	0.007	0.002
-20	0.015	0.004	0.015	0.003	0.014	0.003	0.014	0.002	0.013	0.002	0.006	0.001

施設区分		補償区分	集団割引	補強割引
40	プラスチックハウスⅡ類(パイプ)	復旧費用	無	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.518	0.009	0.512	0.007	0.173	0.006	0.072	0.005	0.026	0.004	0.013	0.003
20	1.648	0.029	1.629	0.022	0.550	0.019	0.229	0.016	0.083	0.013	0.041	0.010
19	0.985	0.017	0.974	0.013	0.329	0.011	0.137	0.010	0.049	0.008	0.025	0.006
18	0.967	0.017	0.955	0.013	0.323	0.011	0.134	0.009	0.049	0.007	0.024	0.006
17	0.948	0.016	0.937	0.013	0.317	0.011	0.132	0.009	0.048	0.007	0.024	0.005
16	0.929	0.016	0.918	0.013	0.310	0.011	0.129	0.009	0.047	0.007	0.023	0.005
15	0.910	0.016	0.900	0.012	0.304	0.011	0.127	0.009	0.046	0.007	0.023	0.005
14	0.892	0.015	0.881	0.012	0.298	0.010	0.124	0.009	0.045	0.007	0.022	0.005
13	0.873	0.015	0.863	0.012	0.292	0.010	0.121	0.008	0.044	0.007	0.022	0.005
12	0.854	0.015	0.844	0.012	0.285	0.010	0.119	0.008	0.043	0.007	0.021	0.005
11	0.835	0.015	0.826	0.011	0.279	0.010	0.116	0.008	0.042	0.006	0.021	0.005
10	0.817	0.014	0.807	0.011	0.273	0.009	0.114	0.008	0.041	0.006	0.020	0.005
9	0.798	0.014	0.789	0.011	0.266	0.009	0.111	0.008	0.040	0.006	0.020	0.005
8	0.779	0.014	0.770	0.011	0.260	0.009	0.108	0.008	0.039	0.006	0.020	0.005
7	0.760	0.013	0.752	0.010	0.254	0.009	0.106	0.007	0.038	0.006	0.019	0.004
6	0.742	0.013	0.733	0.010	0.248	0.009	0.103	0.007	0.037	0.006	0.019	0.004
5	0.723	0.013	0.715	0.010	0.241	0.008	0.100	0.007	0.036	0.006	0.018	0.004
4	0.704	0.012	0.696	0.010	0.235	0.008	0.098	0.007	0.035	0.005	0.018	0.004
3	0.685	0.012	0.678	0.009	0.229	0.008	0.095	0.007	0.034	0.005	0.017	0.004
2	0.667	0.012	0.659	0.009	0.223	0.008	0.093	0.006	0.033	0.005	0.017	0.004
1	0.648	0.011	0.640	0.009	0.216	0.008	0.090	0.006	0.033	0.005	0.016	0.004
0	0.629	0.011	0.622	0.009	0.210	0.007	0.087	0.006	0.032	0.005	0.016	0.004
-1	0.610	0.011	0.603	0.008	0.204	0.007	0.085	0.006	0.031	0.005	0.015	0.004
-2	0.592	0.010	0.585	0.008	0.198	0.007	0.082	0.006	0.030	0.005	0.015	0.003
-3	0.573	0.010	0.566	0.008	0.191	0.007	0.080	0.006	0.029	0.004	0.014	0.003
-4	0.554	0.010	0.548	0.007	0.185	0.006	0.077	0.005	0.028	0.004	0.014	0.003
-5	0.535	0.009	0.529	0.007	0.179	0.006	0.074	0.005	0.027	0.004	0.013	0.003
-6	0.517	0.009	0.511	0.007	0.173	0.006	0.072	0.005	0.026	0.004	0.013	0.003
-7	0.498	0.009	0.492	0.007	0.166	0.006	0.069	0.005	0.025	0.004	0.012	0.003
-8	0.479	0.008	0.474	0.006	0.160	0.006	0.067	0.005	0.024	0.004	0.012	0.003
-9	0.461	0.008	0.455	0.006	0.154	0.005	0.064	0.004	0.023	0.004	0.012	0.003
-10	0.442	0.008	0.437	0.006	0.148	0.005	0.061	0.004	0.022	0.003	0.011	0.003
-11	0.423	0.007	0.418	0.006	0.141	0.005	0.059	0.004	0.021	0.003	0.011	0.002
-12	0.404	0.007	0.400	0.005	0.135	0.005	0.056	0.004	0.020	0.003	0.010	0.002
-13	0.386	0.007	0.381	0.005	0.129	0.004	0.054	0.004	0.019	0.003	0.010	0.002
-14	0.367	0.006	0.363	0.005	0.122	0.004	0.051	0.004	0.018	0.003	0.009	0.002
-15	0.348	0.006	0.344	0.005	0.116	0.004	0.048	0.003	0.017	0.003	0.009	0.002
-16	0.329	0.006	0.325	0.004	0.110	0.004	0.046	0.003	0.017	0.003	0.008	0.002
-17	0.311	0.005	0.307	0.004	0.104	0.004	0.043	0.003	0.016	0.002	0.008	0.002
-18	0.292	0.005	0.288	0.004	0.097	0.003	0.041	0.003	0.015	0.002	0.007	0.002
-19	0.273	0.005	0.270	0.004	0.091	0.003	0.038	0.003	0.014	0.002	0.007	0.002
-20	0.259	0.004	0.256	0.003	0.086	0.003	0.036	0.002	0.013	0.002	0.006	0.001

施設区分		補償区分	集団割引	補強割引
40	プラスチックハウスⅡ類(パイプ)	復旧費用	有	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.492	0.009	0.486	0.007	0.164	0.006	0.068	0.005	0.025	0.004	0.012	0.003
20	1.565	0.029	1.546	0.022	0.522	0.019	0.216	0.016	0.080	0.013	0.038	0.010
19	0.936	0.017	0.925	0.013	0.312	0.011	0.129	0.010	0.048	0.008	0.023	0.006
18	0.918	0.017	0.907	0.013	0.306	0.011	0.127	0.009	0.047	0.007	0.022	0.006
17	0.900	0.016	0.889	0.013	0.300	0.011	0.124	0.009	0.046	0.007	0.022	0.005
16	0.883	0.016	0.872	0.013	0.294	0.011	0.122	0.009	0.045	0.007	0.022	0.005
15	0.865	0.016	0.854	0.012	0.288	0.011	0.120	0.009	0.044	0.007	0.021	0.005
14	0.847	0.015	0.837	0.012	0.282	0.010	0.117	0.009	0.043	0.007	0.021	0.005
13	0.829	0.015	0.819	0.012	0.276	0.010	0.115	0.008	0.042	0.007	0.020	0.005
12	0.811	0.015	0.801	0.012	0.270	0.010	0.112	0.008	0.041	0.007	0.020	0.005
11	0.793	0.015	0.784	0.011	0.264	0.010	0.110	0.008	0.040	0.006	0.019	0.005
10	0.776	0.014	0.766	0.011	0.259	0.009	0.107	0.008	0.039	0.006	0.019	0.005
9	0.758	0.014	0.749	0.011	0.253	0.009	0.105	0.008	0.039	0.006	0.018	0.005
8	0.740	0.014	0.731	0.011	0.247	0.009	0.102	0.008	0.038	0.006	0.018	0.005
7	0.722	0.013	0.713	0.010	0.241	0.009	0.100	0.007	0.037	0.006	0.018	0.004
6	0.704	0.013	0.696	0.010	0.235	0.009	0.097	0.007	0.036	0.006	0.017	0.004
5	0.687	0.013	0.678	0.010	0.229	0.008	0.095	0.007	0.035	0.006	0.017	0.004
4	0.669	0.012	0.661	0.010	0.223	0.008	0.092	0.007	0.034	0.005	0.016	0.004
3	0.651	0.012	0.643	0.009	0.217	0.008	0.090	0.007	0.033	0.005	0.016	0.004
2	0.633	0.012	0.626	0.009	0.211	0.008	0.088	0.006	0.032	0.005	0.015	0.004
1	0.615	0.011	0.608	0.009	0.205	0.008	0.085	0.006	0.031	0.005	0.015	0.004
0	0.598	0.011	0.590	0.009	0.199	0.007	0.083	0.006	0.030	0.005	0.015	0.004
-1	0.580	0.011	0.573	0.008	0.193	0.007	0.080	0.006	0.029	0.005	0.014	0.004
-2	0.562	0.010	0.555	0.008	0.187	0.007	0.078	0.006	0.029	0.005	0.014	0.003
-3	0.544	0.010	0.538	0.008	0.181	0.007	0.075	0.006	0.028	0.004	0.013	0.003
-4	0.526	0.010	0.520	0.007	0.175	0.006	0.073	0.005	0.027	0.004	0.013	0.003
-5	0.509	0.009	0.502	0.007	0.170	0.006	0.070	0.005	0.026	0.004	0.012	0.003
-6	0.491	0.009	0.485	0.007	0.164	0.006	0.068	0.005	0.025	0.004	0.012	0.003
-7	0.473	0.009	0.467	0.007	0.158	0.006	0.065	0.005	0.024	0.004	0.012	0.003
-8	0.455	0.008	0.450	0.006	0.152	0.006	0.063	0.005	0.023	0.004	0.011	0.003
-9	0.437	0.008	0.432	0.006	0.146	0.005	0.060	0.004	0.022	0.004	0.011	0.003
-10	0.420	0.008	0.414	0.006	0.140	0.005	0.058	0.004	0.021	0.003	0.010	0.003
-11	0.402	0.007	0.397	0.006	0.134	0.005	0.056	0.004	0.020	0.003	0.010	0.002
-12	0.384	0.007	0.379	0.005	0.128	0.005	0.053	0.004	0.020	0.003	0.009	0.002
-13	0.366	0.007	0.362	0.005	0.122	0.004	0.051	0.004	0.019	0.003	0.009	0.002
-14	0.348	0.006	0.344	0.005	0.116	0.004	0.048	0.004	0.018	0.003	0.008	0.002
-15	0.331	0.006	0.327	0.005	0.110	0.004	0.046	0.003	0.017	0.003	0.008	0.002
-16	0.313	0.006	0.309	0.004	0.104	0.004	0.043	0.003	0.016	0.003	0.008	0.002
-17	0.295	0.005	0.291	0.004	0.098	0.004	0.041	0.003	0.015	0.002	0.007	0.002
-18	0.277	0.005	0.274	0.004	0.092	0.003	0.038	0.003	0.014	0.002	0.007	0.002
-19	0.259	0.005	0.256	0.004	0.086	0.003	0.036	0.003	0.013	0.002	0.006	0.002
-20	0.246	0.004	0.243	0.003	0.082	0.003	0.034	0.002	0.012	0.002	0.006	0.001

施設区分		補償区分	集団割引	補強割引
40	プラスチックハウスⅡ類(パイプ)	特定附帯	無	有

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	2.070	0.031	2.056	0.030	0.725	0.009	0.355	0.004	0.136	0.003	0.076	0.003
20	6.585	0.099	6.541	0.095	2.306	0.029	1.129	0.013	0.433	0.010	0.242	0.010
19	3.938	0.059	3.911	0.057	1.379	0.017	0.675	0.008	0.259	0.006	0.145	0.006
18	3.863	0.058	3.837	0.056	1.353	0.017	0.662	0.007	0.254	0.006	0.142	0.006
17	3.788	0.057	3.762	0.055	1.327	0.016	0.650	0.007	0.249	0.005	0.139	0.005
16	3.713	0.056	3.688	0.054	1.300	0.016	0.637	0.007	0.244	0.005	0.136	0.005
15	3.638	0.054	3.613	0.053	1.274	0.016	0.624	0.007	0.239	0.005	0.134	0.005
14	3.563	0.053	3.539	0.052	1.248	0.015	0.611	0.007	0.234	0.005	0.131	0.005
13	3.488	0.052	3.465	0.051	1.222	0.015	0.598	0.007	0.229	0.005	0.128	0.005
12	3.413	0.051	3.390	0.049	1.196	0.015	0.585	0.007	0.224	0.005	0.125	0.005
11	3.338	0.050	3.316	0.048	1.169	0.015	0.573	0.006	0.219	0.005	0.123	0.005
10	3.264	0.049	3.241	0.047	1.143	0.014	0.560	0.006	0.214	0.005	0.120	0.005
9	3.189	0.048	3.167	0.046	1.117	0.014	0.547	0.006	0.209	0.005	0.117	0.005
8	3.114	0.047	3.093	0.045	1.091	0.014	0.534	0.006	0.205	0.005	0.114	0.005
7	3.039	0.046	3.018	0.044	1.064	0.013	0.521	0.006	0.200	0.004	0.112	0.004
6	2.964	0.044	2.944	0.043	1.038	0.013	0.508	0.006	0.195	0.004	0.109	0.004
5	2.889	0.043	2.869	0.042	1.012	0.013	0.495	0.006	0.190	0.004	0.106	0.004
4	2.814	0.042	2.795	0.041	0.986	0.012	0.483	0.005	0.185	0.004	0.103	0.004
3	2.739	0.041	2.721	0.040	0.959	0.012	0.470	0.005	0.180	0.004	0.101	0.004
2	2.664	0.040	2.646	0.039	0.933	0.012	0.457	0.005	0.175	0.004	0.098	0.004
1	2.589	0.039	2.572	0.038	0.907	0.011	0.444	0.005	0.170	0.004	0.095	0.004
0	2.514	0.038	2.497	0.036	0.881	0.011	0.431	0.005	0.165	0.004	0.092	0.004
-1	2.440	0.037	2.423	0.035	0.854	0.011	0.418	0.005	0.160	0.004	0.090	0.004
-2	2.365	0.035	2.349	0.034	0.828	0.010	0.406	0.005	0.155	0.003	0.087	0.003
-3	2.290	0.034	2.274	0.033	0.802	0.010	0.393	0.004	0.150	0.003	0.084	0.003
-4	2.215	0.033	2.200	0.032	0.776	0.010	0.380	0.004	0.146	0.003	0.081	0.003
-5	2.140	0.032	2.125	0.031	0.749	0.009	0.367	0.004	0.141	0.003	0.079	0.003
-6	2.065	0.031	2.051	0.030	0.723	0.009	0.354	0.004	0.136	0.003	0.076	0.003
-7	1.990	0.030	1.977	0.029	0.697	0.009	0.341	0.004	0.131	0.003	0.073	0.003
-8	1.915	0.029	1.902	0.028	0.671	0.008	0.328	0.004	0.126	0.003	0.070	0.003
-9	1.840	0.028	1.828	0.027	0.645	0.008	0.316	0.004	0.121	0.003	0.068	0.003
-10	1.765	0.026	1.753	0.026	0.618	0.008	0.303	0.003	0.116	0.003	0.065	0.003
-11	1.690	0.025	1.679	0.024	0.592	0.007	0.290	0.003	0.111	0.002	0.062	0.002
-12	1.616	0.024	1.605	0.023	0.566	0.007	0.277	0.003	0.106	0.002	0.059	0.002
-13	1.541	0.023	1.530	0.022	0.540	0.007	0.264	0.003	0.101	0.002	0.057	0.002
-14	1.466	0.022	1.456	0.021	0.513	0.006	0.251	0.003	0.096	0.002	0.054	0.002
-15	1.391	0.021	1.381	0.020	0.487	0.006	0.239	0.003	0.091	0.002	0.051	0.002
-16	1.316	0.020	1.307	0.019	0.461	0.006	0.226	0.003	0.086	0.002	0.048	0.002
-17	1.241	0.019	1.233	0.018	0.435	0.005	0.213	0.002	0.082	0.002	0.046	0.002
-18	1.166	0.017	1.158	0.017	0.408	0.005	0.200	0.002	0.077	0.002	0.043	0.002
-19	1.091	0.016	1.084	0.016	0.382	0.005	0.187	0.002	0.072	0.002	0.040	0.002
-20	1.035	0.015	1.028	0.015	0.362	0.004	0.177	0.002	0.068	0.001	0.038	0.001

施設区分		補償区分	集団割引	補強割引
40	プラスチックハウスⅡ類(パイプ)	特定附帯	有	有

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	1.966	0.029	1.953	0.028	0.689	0.008	0.338	0.004	0.129	0.003	0.072	0.002
20	6.255	0.092	6.213	0.089	2.192	0.025	1.075	0.013	0.410	0.010	0.229	0.006
19	3.740	0.055	3.715	0.053	1.311	0.015	0.643	0.008	0.245	0.006	0.137	0.004
18	3.669	0.054	3.644	0.052	1.286	0.015	0.631	0.007	0.241	0.006	0.134	0.004
17	3.598	0.053	3.574	0.051	1.261	0.015	0.619	0.007	0.236	0.005	0.132	0.004
16	3.526	0.052	3.503	0.050	1.236	0.014	0.606	0.007	0.231	0.005	0.129	0.004
15	3.455	0.051	3.432	0.049	1.211	0.014	0.594	0.007	0.227	0.005	0.127	0.004
14	3.384	0.050	3.362	0.048	1.186	0.014	0.582	0.007	0.222	0.005	0.124	0.003
13	3.313	0.049	3.291	0.047	1.161	0.013	0.570	0.007	0.217	0.005	0.121	0.003
12	3.242	0.048	3.220	0.046	1.136	0.013	0.557	0.007	0.213	0.005	0.119	0.003
11	3.171	0.047	3.150	0.045	1.111	0.013	0.545	0.006	0.208	0.005	0.116	0.003
10	3.100	0.046	3.079	0.044	1.086	0.013	0.533	0.006	0.203	0.005	0.114	0.003
9	3.028	0.045	3.008	0.043	1.061	0.012	0.521	0.006	0.199	0.005	0.111	0.003
8	2.957	0.044	2.938	0.042	1.036	0.012	0.508	0.006	0.194	0.005	0.108	0.003
7	2.886	0.043	2.867	0.041	1.011	0.012	0.496	0.006	0.189	0.004	0.106	0.003
6	2.815	0.042	2.796	0.040	0.987	0.011	0.484	0.006	0.185	0.004	0.103	0.003
5	2.744	0.040	2.726	0.039	0.962	0.011	0.472	0.006	0.180	0.004	0.100	0.003
4	2.673	0.039	2.655	0.038	0.937	0.011	0.459	0.005	0.175	0.004	0.098	0.003
3	2.602	0.038	2.584	0.037	0.912	0.011	0.447	0.005	0.171	0.004	0.095	0.003
2	2.530	0.037	2.514	0.036	0.887	0.010	0.435	0.005	0.166	0.004	0.093	0.003
1	2.459	0.036	2.443	0.035	0.862	0.010	0.423	0.005	0.161	0.004	0.090	0.003
0	2.388	0.035	2.372	0.034	0.837	0.010	0.411	0.005	0.157	0.004	0.087	0.002
-1	2.317	0.034	2.302	0.033	0.812	0.009	0.398	0.005	0.152	0.004	0.085	0.002
-2	2.246	0.033	2.231	0.032	0.787	0.009	0.386	0.005	0.147	0.003	0.082	0.002
-3	2.175	0.032	2.160	0.031	0.762	0.009	0.374	0.004	0.143	0.003	0.080	0.002
-4	2.104	0.031	2.090	0.030	0.737	0.009	0.362	0.004	0.138	0.003	0.077	0.002
-5	2.032	0.030	2.019	0.029	0.712	0.008	0.349	0.004	0.133	0.003	0.074	0.002
-6	1.961	0.029	1.948	0.028	0.687	0.008	0.337	0.004	0.129	0.003	0.072	0.002
-7	1.890	0.028	1.878	0.027	0.662	0.008	0.325	0.004	0.124	0.003	0.069	0.002
-8	1.819	0.027	1.807	0.026	0.637	0.007	0.313	0.004	0.119	0.003	0.067	0.002
-9	1.748	0.026	1.736	0.025	0.613	0.007	0.300	0.004	0.115	0.003	0.064	0.002
-10	1.677	0.025	1.666	0.024	0.588	0.007	0.288	0.003	0.110	0.003	0.061	0.002
-11	1.606	0.024	1.595	0.023	0.563	0.007	0.276	0.003	0.105	0.002	0.059	0.002
-12	1.534	0.023	1.524	0.022	0.538	0.006	0.264	0.003	0.101	0.002	0.056	0.002
-13	1.463	0.022	1.454	0.021	0.513	0.006	0.252	0.003	0.096	0.002	0.054	0.001
-14	1.392	0.021	1.383	0.020	0.488	0.006	0.239	0.003	0.091	0.002	0.051	0.001
-15	1.321	0.019	1.312	0.019	0.463	0.005	0.227	0.003	0.087	0.002	0.048	0.001
-16	1.250	0.018	1.242	0.018	0.438	0.005	0.215	0.003	0.082	0.002	0.046	0.001
-17	1.179	0.017	1.171	0.017	0.413	0.005	0.203	0.002	0.077	0.002	0.043	0.001
-18	1.108	0.016	1.100	0.016	0.388	0.005	0.190	0.002	0.073	0.002	0.041	0.001
-19	1.036	0.015	1.030	0.015	0.363	0.004	0.178	0.002	0.068	0.002	0.038	0.001
-20	0.983	0.014	0.976	0.014	0.344	0.004	0.169	0.002	0.064	0.001	0.036	0.001

施設区分		補償区分	集団割引	補強割引
40	プラスチックハウスⅡ類(パイプ)	撤去費用	無	有

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.028	0.007	0.027	0.006	0.026	0.005	0.026	0.004	0.023	0.003	0.012	0.003
20	0.089	0.022	0.086	0.019	0.083	0.016	0.083	0.013	0.073	0.010	0.038	0.010
19	0.053	0.013	0.051	0.011	0.049	0.010	0.049	0.008	0.044	0.006	0.023	0.006
18	0.052	0.013	0.050	0.011	0.049	0.009	0.049	0.007	0.043	0.006	0.022	0.006
17	0.051	0.013	0.049	0.011	0.048	0.009	0.048	0.007	0.042	0.005	0.022	0.005
16	0.050	0.013	0.048	0.011	0.047	0.009	0.047	0.007	0.041	0.005	0.022	0.005
15	0.049	0.012	0.047	0.011	0.046	0.009	0.046	0.007	0.040	0.005	0.021	0.005
14	0.048	0.012	0.046	0.010	0.045	0.009	0.045	0.007	0.040	0.005	0.021	0.005
13	0.047	0.012	0.045	0.010	0.044	0.008	0.044	0.007	0.039	0.005	0.020	0.005
12	0.046	0.012	0.045	0.010	0.043	0.008	0.043	0.007	0.038	0.005	0.020	0.005
11	0.045	0.011	0.044	0.010	0.042	0.008	0.042	0.006	0.037	0.005	0.019	0.005
10	0.044	0.011	0.043	0.009	0.041	0.008	0.041	0.006	0.036	0.005	0.019	0.005
9	0.043	0.011	0.042	0.009	0.040	0.008	0.040	0.006	0.035	0.005	0.018	0.005
8	0.042	0.011	0.041	0.009	0.039	0.008	0.039	0.006	0.035	0.005	0.018	0.005
7	0.041	0.010	0.040	0.009	0.038	0.007	0.038	0.006	0.034	0.004	0.018	0.004
6	0.040	0.010	0.039	0.009	0.037	0.007	0.037	0.006	0.033	0.004	0.017	0.004
5	0.039	0.010	0.038	0.008	0.036	0.007	0.036	0.006	0.032	0.004	0.017	0.004
4	0.038	0.010	0.037	0.008	0.035	0.007	0.035	0.005	0.031	0.004	0.016	0.004
3	0.037	0.009	0.036	0.008	0.034	0.007	0.034	0.005	0.030	0.004	0.016	0.004
2	0.036	0.009	0.035	0.008	0.033	0.006	0.033	0.005	0.030	0.004	0.015	0.004
1	0.035	0.009	0.034	0.008	0.033	0.006	0.033	0.005	0.029	0.004	0.015	0.004
0	0.034	0.009	0.033	0.007	0.032	0.006	0.032	0.005	0.028	0.004	0.015	0.004
-1	0.033	0.008	0.032	0.007	0.031	0.006	0.031	0.005	0.027	0.004	0.014	0.004
-2	0.032	0.008	0.031	0.007	0.030	0.006	0.030	0.005	0.026	0.003	0.014	0.003
-3	0.031	0.008	0.030	0.007	0.029	0.006	0.029	0.004	0.025	0.003	0.013	0.003
-4	0.030	0.007	0.029	0.006	0.028	0.005	0.028	0.004	0.025	0.003	0.013	0.003
-5	0.029	0.007	0.028	0.006	0.027	0.005	0.027	0.004	0.024	0.003	0.012	0.003
-6	0.028	0.007	0.027	0.006	0.026	0.005	0.026	0.004	0.023	0.003	0.012	0.003
-7	0.027	0.007	0.026	0.006	0.025	0.005	0.025	0.004	0.022	0.003	0.012	0.003
-8	0.026	0.006	0.025	0.006	0.024	0.005	0.024	0.004	0.021	0.003	0.011	0.003
-9	0.025	0.006	0.024	0.005	0.023	0.004	0.023	0.004	0.020	0.003	0.011	0.003
-10	0.024	0.006	0.023	0.005	0.022	0.004	0.022	0.003	0.020	0.003	0.010	0.003
-11	0.023	0.006	0.022	0.005	0.021	0.004	0.021	0.003	0.019	0.002	0.010	0.002
-12	0.022	0.005	0.021	0.005	0.020	0.004	0.020	0.003	0.018	0.002	0.009	0.002
-13	0.021	0.005	0.020	0.004	0.019	0.004	0.019	0.003	0.017	0.002	0.009	0.002
-14	0.020	0.005	0.019	0.004	0.018	0.004	0.018	0.003	0.016	0.002	0.008	0.002
-15	0.019	0.005	0.018	0.004	0.017	0.003	0.017	0.003	0.015	0.002	0.008	0.002
-16	0.018	0.004	0.017	0.004	0.017	0.003	0.017	0.003	0.015	0.002	0.008	0.002
-17	0.017	0.004	0.016	0.004	0.016	0.003	0.016	0.002	0.014	0.002	0.007	0.002
-18	0.016	0.004	0.015	0.003	0.015	0.003	0.015	0.002	0.013	0.002	0.007	0.002
-19	0.015	0.004	0.014	0.003	0.014	0.003	0.014	0.002	0.012	0.002	0.006	0.002
-20	0.014	0.003	0.013	0.003	0.013	0.002	0.013	0.002	0.011	0.001	0.006	0.001

施設区分		補償区分	集団割引	補強割引
40	プラスチックハウスⅡ類(パイプ)	撤去費用	有	有

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.027	0.006	0.026	0.006	0.025	0.005	0.024	0.004	0.022	0.003	0.011	0.002
20	0.086	0.019	0.083	0.019	0.080	0.016	0.076	0.013	0.070	0.010	0.035	0.006
19	0.051	0.011	0.049	0.011	0.048	0.010	0.046	0.008	0.042	0.006	0.021	0.004
18	0.050	0.011	0.049	0.011	0.047	0.009	0.045	0.007	0.041	0.006	0.021	0.004
17	0.049	0.011	0.048	0.011	0.046	0.009	0.044	0.007	0.040	0.005	0.020	0.004
16	0.048	0.011	0.047	0.011	0.045	0.009	0.043	0.007	0.039	0.005	0.020	0.004
15	0.047	0.011	0.046	0.011	0.044	0.009	0.042	0.007	0.039	0.005	0.019	0.004
14	0.046	0.010	0.045	0.010	0.043	0.009	0.041	0.007	0.038	0.005	0.019	0.003
13	0.045	0.010	0.044	0.010	0.042	0.008	0.040	0.007	0.037	0.005	0.019	0.003
12	0.045	0.010	0.043	0.010	0.041	0.008	0.040	0.007	0.036	0.005	0.018	0.003
11	0.044	0.010	0.042	0.010	0.040	0.008	0.039	0.006	0.035	0.005	0.018	0.003
10	0.043	0.009	0.041	0.009	0.039	0.008	0.038	0.006	0.035	0.005	0.017	0.003
9	0.042	0.009	0.040	0.009	0.039	0.008	0.037	0.006	0.034	0.005	0.017	0.003
8	0.041	0.009	0.039	0.009	0.038	0.008	0.036	0.006	0.033	0.005	0.017	0.003
7	0.040	0.009	0.038	0.009	0.037	0.007	0.035	0.006	0.032	0.004	0.016	0.003
6	0.039	0.009	0.037	0.009	0.036	0.007	0.034	0.006	0.032	0.004	0.016	0.003
5	0.038	0.008	0.036	0.008	0.035	0.007	0.033	0.006	0.031	0.004	0.015	0.003
4	0.037	0.008	0.035	0.008	0.034	0.007	0.033	0.005	0.030	0.004	0.015	0.003
3	0.036	0.008	0.034	0.008	0.033	0.007	0.032	0.005	0.029	0.004	0.015	0.003
2	0.035	0.008	0.033	0.008	0.032	0.006	0.031	0.005	0.028	0.004	0.014	0.003
1	0.034	0.008	0.033	0.008	0.031	0.006	0.030	0.005	0.028	0.004	0.014	0.003
0	0.033	0.007	0.032	0.007	0.030	0.006	0.029	0.005	0.027	0.004	0.013	0.002
-1	0.032	0.007	0.031	0.007	0.029	0.006	0.028	0.005	0.026	0.004	0.013	0.002
-2	0.031	0.007	0.030	0.007	0.029	0.006	0.027	0.005	0.025	0.003	0.013	0.002
-3	0.030	0.007	0.029	0.007	0.028	0.006	0.027	0.004	0.024	0.003	0.012	0.002
-4	0.029	0.006	0.028	0.006	0.027	0.005	0.026	0.004	0.024	0.003	0.012	0.002
-5	0.028	0.006	0.027	0.006	0.026	0.005	0.025	0.004	0.023	0.003	0.011	0.002
-6	0.027	0.006	0.026	0.006	0.025	0.005	0.024	0.004	0.022	0.003	0.011	0.002
-7	0.026	0.006	0.025	0.006	0.024	0.005	0.023	0.004	0.021	0.003	0.011	0.002
-8	0.025	0.006	0.024	0.006	0.023	0.005	0.022	0.004	0.020	0.003	0.010	0.002
-9	0.024	0.005	0.023	0.005	0.022	0.004	0.021	0.004	0.020	0.003	0.010	0.002
-10	0.023	0.005	0.022	0.005	0.021	0.004	0.020	0.003	0.019	0.003	0.009	0.002
-11	0.022	0.005	0.021	0.005	0.020	0.004	0.020	0.003	0.018	0.002	0.009	0.002
-12	0.021	0.005	0.020	0.005	0.020	0.004	0.019	0.003	0.017	0.002	0.009	0.002
-13	0.020	0.004	0.019	0.004	0.019	0.004	0.018	0.003	0.016	0.002	0.008	0.001
-14	0.019	0.004	0.018	0.004	0.018	0.004	0.017	0.003	0.016	0.002	0.008	0.001
-15	0.018	0.004	0.017	0.004	0.017	0.003	0.016	0.003	0.015	0.002	0.007	0.001
-16	0.017	0.004	0.017	0.004	0.016	0.003	0.015	0.003	0.014	0.002	0.007	0.001
-17	0.016	0.004	0.016	0.004	0.015	0.003	0.014	0.002	0.013	0.002	0.007	0.001
-18	0.015	0.003	0.015	0.003	0.014	0.003	0.014	0.002	0.012	0.002	0.006	0.001
-19	0.014	0.003	0.014	0.003	0.013	0.003	0.013	0.002	0.012	0.002	0.006	0.001
-20	0.013	0.003	0.013	0.003	0.012	0.002	0.012	0.002	0.011	0.001	0.005	0.001

施設区分		補償区分	集団割引	補強割引
40	プラスチックハウスⅡ類(パイプ)	復旧費用	無	有

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.440	0.008	0.435	0.006	0.147	0.005	0.061	0.004	0.022	0.003	0.011	0.003
20	1.400	0.025	1.384	0.019	0.468	0.016	0.194	0.013	0.070	0.010	0.035	0.010
19	0.837	0.015	0.827	0.011	0.280	0.010	0.116	0.008	0.042	0.006	0.021	0.006
18	0.821	0.015	0.812	0.011	0.274	0.009	0.114	0.007	0.041	0.006	0.021	0.006
17	0.805	0.015	0.796	0.011	0.269	0.009	0.112	0.007	0.040	0.005	0.020	0.005
16	0.789	0.014	0.780	0.011	0.264	0.009	0.109	0.007	0.039	0.005	0.020	0.005
15	0.773	0.014	0.765	0.011	0.258	0.009	0.107	0.007	0.039	0.005	0.019	0.005
14	0.757	0.014	0.749	0.010	0.253	0.009	0.105	0.007	0.038	0.005	0.019	0.005
13	0.741	0.013	0.733	0.010	0.248	0.008	0.103	0.007	0.037	0.005	0.019	0.005
12	0.726	0.013	0.717	0.010	0.242	0.008	0.101	0.007	0.036	0.005	0.018	0.005
11	0.710	0.013	0.702	0.010	0.237	0.008	0.098	0.006	0.035	0.005	0.018	0.005
10	0.694	0.013	0.686	0.009	0.232	0.008	0.096	0.006	0.035	0.005	0.017	0.005
9	0.678	0.012	0.670	0.009	0.226	0.008	0.094	0.006	0.034	0.005	0.017	0.005
8	0.662	0.012	0.654	0.009	0.221	0.008	0.092	0.006	0.033	0.005	0.017	0.005
7	0.646	0.012	0.639	0.009	0.216	0.007	0.090	0.006	0.032	0.004	0.016	0.004
6	0.630	0.011	0.623	0.009	0.210	0.007	0.087	0.006	0.032	0.004	0.016	0.004
5	0.614	0.011	0.607	0.008	0.205	0.007	0.085	0.006	0.031	0.004	0.015	0.004
4	0.598	0.011	0.591	0.008	0.200	0.007	0.083	0.005	0.030	0.004	0.015	0.004
3	0.582	0.011	0.576	0.008	0.195	0.007	0.081	0.005	0.029	0.004	0.015	0.004
2	0.566	0.010	0.560	0.008	0.189	0.006	0.079	0.005	0.028	0.004	0.014	0.004
1	0.550	0.010	0.544	0.008	0.184	0.006	0.076	0.005	0.028	0.004	0.014	0.004
0	0.534	0.010	0.528	0.007	0.179	0.006	0.074	0.005	0.027	0.004	0.013	0.004
-1	0.519	0.009	0.513	0.007	0.173	0.006	0.072	0.005	0.026	0.004	0.013	0.004
-2	0.503	0.009	0.497	0.007	0.168	0.006	0.070	0.005	0.025	0.003	0.013	0.003
-3	0.487	0.009	0.481	0.007	0.163	0.006	0.067	0.004	0.024	0.003	0.012	0.003
-4	0.471	0.009	0.465	0.006	0.157	0.005	0.065	0.004	0.024	0.003	0.012	0.003
-5	0.455	0.008	0.450	0.006	0.152	0.005	0.063	0.004	0.023	0.003	0.011	0.003
-6	0.439	0.008	0.434	0.006	0.147	0.005	0.061	0.004	0.022	0.003	0.011	0.003
-7	0.423	0.008	0.418	0.006	0.141	0.005	0.059	0.004	0.021	0.003	0.011	0.003
-8	0.407	0.007	0.402	0.006	0.136	0.005	0.056	0.004	0.020	0.003	0.010	0.003
-9	0.391	0.007	0.387	0.005	0.131	0.004	0.054	0.004	0.020	0.003	0.010	0.003
-10	0.375	0.007	0.371	0.005	0.125	0.004	0.052	0.003	0.019	0.003	0.009	0.003
-11	0.359	0.007	0.355	0.005	0.120	0.004	0.050	0.003	0.018	0.002	0.009	0.002
-12	0.343	0.006	0.339	0.005	0.115	0.004	0.048	0.003	0.017	0.002	0.009	0.002
-13	0.327	0.006	0.324	0.004	0.109	0.004	0.045	0.003	0.016	0.002	0.008	0.002
-14	0.312	0.006	0.308	0.004	0.104	0.004	0.043	0.003	0.016	0.002	0.008	0.002
-15	0.296	0.005	0.292	0.004	0.099	0.003	0.041	0.003	0.015	0.002	0.007	0.002
-16	0.280	0.005	0.277	0.004	0.093	0.003	0.039	0.003	0.014	0.002	0.007	0.002
-17	0.264	0.005	0.261	0.004	0.088	0.003	0.037	0.002	0.013	0.002	0.007	0.002
-18	0.248	0.005	0.245	0.003	0.083	0.003	0.034	0.002	0.012	0.002	0.006	0.002
-19	0.232	0.004	0.229	0.003	0.077	0.003	0.032	0.002	0.012	0.002	0.006	0.002
-20	0.220	0.004	0.217	0.003	0.073	0.002	0.030	0.002	0.011	0.001	0.005	0.001

施設区分		補償区分	集団割引	補強割引
40	プラスチックハウスⅡ類(パイプ)	復旧費用	有	有

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.418	0.007	0.413	0.006	0.140	0.005	0.058	0.004	0.021	0.003	0.010	0.002
20	1.330	0.022	1.314	0.019	0.445	0.016	0.185	0.013	0.067	0.010	0.032	0.006
19	0.795	0.013	0.786	0.011	0.266	0.010	0.110	0.008	0.040	0.006	0.019	0.004
18	0.780	0.013	0.771	0.011	0.261	0.009	0.108	0.007	0.039	0.006	0.019	0.004
17	0.765	0.013	0.756	0.011	0.256	0.009	0.106	0.007	0.038	0.005	0.018	0.004
16	0.750	0.013	0.741	0.011	0.251	0.009	0.104	0.007	0.038	0.005	0.018	0.004
15	0.735	0.012	0.726	0.011	0.246	0.009	0.102	0.007	0.037	0.005	0.018	0.004
14	0.720	0.012	0.711	0.010	0.241	0.009	0.100	0.007	0.036	0.005	0.017	0.003
13	0.704	0.012	0.696	0.010	0.236	0.008	0.098	0.007	0.035	0.005	0.017	0.003
12	0.689	0.012	0.681	0.010	0.231	0.008	0.096	0.007	0.035	0.005	0.016	0.003
11	0.674	0.011	0.666	0.010	0.226	0.008	0.094	0.006	0.034	0.005	0.016	0.003
10	0.659	0.011	0.651	0.009	0.221	0.008	0.091	0.006	0.033	0.005	0.016	0.003
9	0.644	0.011	0.636	0.009	0.216	0.008	0.089	0.006	0.032	0.005	0.015	0.003
8	0.629	0.011	0.621	0.009	0.211	0.008	0.087	0.006	0.032	0.005	0.015	0.003
7	0.614	0.010	0.606	0.009	0.206	0.007	0.085	0.006	0.031	0.004	0.015	0.003
6	0.599	0.010	0.591	0.009	0.200	0.007	0.083	0.006	0.030	0.004	0.014	0.003
5	0.583	0.010	0.576	0.008	0.195	0.007	0.081	0.006	0.029	0.004	0.014	0.003
4	0.568	0.010	0.561	0.008	0.190	0.007	0.079	0.005	0.029	0.004	0.014	0.003
3	0.553	0.009	0.547	0.008	0.185	0.007	0.077	0.005	0.028	0.004	0.013	0.003
2	0.538	0.009	0.532	0.008	0.180	0.006	0.075	0.005	0.027	0.004	0.013	0.003
1	0.523	0.009	0.517	0.008	0.175	0.006	0.073	0.005	0.026	0.004	0.013	0.003
0	0.508	0.009	0.502	0.007	0.170	0.006	0.070	0.005	0.026	0.004	0.012	0.002
-1	0.493	0.008	0.487	0.007	0.165	0.006	0.068	0.005	0.025	0.004	0.012	0.002
-2	0.477	0.008	0.472	0.007	0.160	0.006	0.066	0.005	0.024	0.003	0.011	0.002
-3	0.462	0.008	0.457	0.007	0.155	0.006	0.064	0.004	0.023	0.003	0.011	0.002
-4	0.447	0.007	0.442	0.006	0.150	0.005	0.062	0.004	0.022	0.003	0.011	0.002
-5	0.432	0.007	0.427	0.006	0.145	0.005	0.060	0.004	0.022	0.003	0.010	0.002
-6	0.417	0.007	0.412	0.006	0.140	0.005	0.058	0.004	0.021	0.003	0.010	0.002
-7	0.402	0.007	0.397	0.006	0.135	0.005	0.056	0.004	0.020	0.003	0.010	0.002
-8	0.387	0.006	0.382	0.006	0.130	0.005	0.054	0.004	0.019	0.003	0.009	0.002
-9	0.372	0.006	0.367	0.005	0.124	0.004	0.052	0.004	0.019	0.003	0.009	0.002
-10	0.356	0.006	0.352	0.005	0.119	0.004	0.049	0.003	0.018	0.003	0.009	0.002
-11	0.341	0.006	0.337	0.005	0.114	0.004	0.047	0.003	0.017	0.002	0.008	0.002
-12	0.326	0.005	0.322	0.005	0.109	0.004	0.045	0.003	0.016	0.002	0.008	0.002
-13	0.311	0.005	0.307	0.004	0.104	0.004	0.043	0.003	0.016	0.002	0.007	0.001
-14	0.296	0.005	0.292	0.004	0.099	0.004	0.041	0.003	0.015	0.002	0.007	0.001
-15	0.281	0.005	0.277	0.004	0.094	0.003	0.039	0.003	0.014	0.002	0.007	0.001
-16	0.266	0.004	0.263	0.004	0.089	0.003	0.037	0.003	0.013	0.002	0.006	0.001
-17	0.251	0.004	0.248	0.004	0.084	0.003	0.035	0.002	0.013	0.002	0.006	0.001
-18	0.235	0.004	0.233	0.003	0.079	0.003	0.033	0.002	0.012	0.002	0.006	0.001
-19	0.220	0.004	0.218	0.003	0.074	0.003	0.031	0.002	0.011	0.002	0.005	0.001
-20	0.209	0.003	0.206	0.003	0.070	0.002	0.029	0.002	0.010	0.001	0.005	0.001

施設区分		補償区分	集団割引	補強割引
50	プラスチックハウスⅢ類(鉄骨下)	特定附帯	無	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	1.647	0.044	1.626	0.042	1.197	0.032	0.682	0.016	0.381	0.014	0.197	0.012
20	3.327	0.089	3.285	0.085	2.418	0.065	1.378	0.032	0.770	0.028	0.398	0.024
19	2.937	0.078	2.899	0.075	2.134	0.057	1.216	0.029	0.679	0.025	0.351	0.021
18	2.882	0.077	2.846	0.074	2.095	0.056	1.194	0.028	0.667	0.025	0.345	0.021
17	2.828	0.076	2.792	0.072	2.055	0.055	1.171	0.027	0.654	0.024	0.338	0.021
16	2.773	0.074	2.738	0.071	2.015	0.054	1.148	0.027	0.642	0.024	0.332	0.020
15	2.719	0.073	2.684	0.069	1.976	0.053	1.126	0.026	0.629	0.023	0.325	0.020
14	2.664	0.071	2.630	0.068	1.936	0.052	1.103	0.026	0.616	0.023	0.319	0.019
13	2.610	0.070	2.576	0.067	1.897	0.051	1.081	0.025	0.604	0.022	0.312	0.019
12	2.555	0.068	2.522	0.065	1.857	0.050	1.058	0.025	0.591	0.022	0.306	0.019
11	2.501	0.067	2.469	0.064	1.817	0.049	1.035	0.024	0.578	0.021	0.299	0.018
10	2.446	0.065	2.415	0.062	1.778	0.048	1.013	0.024	0.566	0.021	0.293	0.018
9	2.391	0.064	2.361	0.061	1.738	0.046	0.990	0.023	0.553	0.020	0.286	0.017
8	2.337	0.062	2.307	0.060	1.698	0.045	0.968	0.023	0.541	0.020	0.280	0.017
7	2.282	0.061	2.253	0.058	1.659	0.044	0.945	0.022	0.528	0.019	0.273	0.017
6	2.228	0.060	2.199	0.057	1.619	0.043	0.923	0.022	0.515	0.019	0.266	0.016
5	2.173	0.058	2.146	0.055	1.579	0.042	0.900	0.021	0.503	0.018	0.260	0.016
4	2.119	0.057	2.092	0.054	1.540	0.041	0.877	0.021	0.490	0.018	0.253	0.015
3	2.064	0.055	2.038	0.053	1.500	0.040	0.855	0.020	0.478	0.018	0.247	0.015
2	2.010	0.054	1.984	0.051	1.461	0.039	0.832	0.020	0.465	0.017	0.240	0.015
1	1.955	0.052	1.930	0.050	1.421	0.038	0.810	0.019	0.452	0.017	0.234	0.014
0	1.901	0.051	1.876	0.048	1.381	0.037	0.787	0.018	0.440	0.016	0.227	0.014
-1	1.846	0.049	1.823	0.047	1.342	0.036	0.764	0.018	0.427	0.016	0.221	0.013
-2	1.792	0.048	1.769	0.046	1.302	0.035	0.742	0.017	0.414	0.015	0.214	0.013
-3	1.737	0.046	1.715	0.044	1.262	0.034	0.719	0.017	0.402	0.015	0.208	0.013
-4	1.682	0.045	1.661	0.043	1.223	0.033	0.697	0.016	0.389	0.014	0.201	0.012
-5	1.628	0.043	1.607	0.042	1.183	0.032	0.674	0.016	0.377	0.014	0.195	0.012
-6	1.573	0.042	1.553	0.040	1.143	0.031	0.652	0.015	0.364	0.013	0.188	0.011
-7	1.519	0.041	1.499	0.039	1.104	0.030	0.629	0.015	0.351	0.013	0.182	0.011
-8	1.464	0.039	1.446	0.037	1.064	0.028	0.606	0.014	0.339	0.012	0.175	0.011
-9	1.410	0.038	1.392	0.036	1.025	0.027	0.584	0.014	0.326	0.012	0.169	0.010
-10	1.355	0.036	1.338	0.035	0.985	0.026	0.561	0.013	0.314	0.012	0.162	0.010
-11	1.301	0.035	1.284	0.033	0.945	0.025	0.539	0.013	0.301	0.011	0.156	0.009
-12	1.246	0.033	1.230	0.032	0.906	0.024	0.516	0.012	0.288	0.011	0.149	0.009
-13	1.192	0.032	1.176	0.030	0.866	0.023	0.493	0.012	0.276	0.010	0.143	0.009
-14	1.137	0.030	1.123	0.029	0.826	0.022	0.471	0.011	0.263	0.010	0.136	0.008
-15	1.083	0.029	1.069	0.028	0.787	0.021	0.448	0.011	0.250	0.009	0.129	0.008
-16	1.028	0.027	1.015	0.026	0.747	0.020	0.426	0.010	0.238	0.009	0.123	0.007
-17	0.973	0.026	0.961	0.025	0.707	0.019	0.403	0.009	0.225	0.008	0.116	0.007
-18	0.919	0.025	0.907	0.023	0.668	0.018	0.381	0.009	0.213	0.008	0.110	0.007
-19	0.864	0.023	0.853	0.022	0.628	0.017	0.358	0.008	0.200	0.007	0.103	0.006
-20	0.823	0.022	0.813	0.021	0.598	0.016	0.341	0.008	0.190	0.007	0.098	0.006

施設区分		補償区分	集団割引	補強割引
50	プラスチックハウスⅢ類(鉄骨下)	特定附帯	有	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	1.565	0.042	1.545	0.040	1.137	0.030	0.648	0.015	0.362	0.013	0.187	0.011
20	3.161	0.085	3.121	0.081	2.297	0.061	1.309	0.030	0.731	0.026	0.378	0.022
19	2.791	0.075	2.755	0.071	2.027	0.053	1.155	0.027	0.645	0.023	0.333	0.020
18	2.739	0.074	2.704	0.070	1.990	0.053	1.134	0.026	0.634	0.023	0.327	0.019
17	2.687	0.072	2.653	0.069	1.952	0.052	1.113	0.026	0.622	0.022	0.321	0.019
16	2.635	0.071	2.601	0.067	1.914	0.051	1.091	0.025	0.610	0.022	0.315	0.019
15	2.583	0.069	2.550	0.066	1.877	0.050	1.070	0.025	0.598	0.021	0.309	0.018
14	2.531	0.068	2.499	0.065	1.839	0.049	1.048	0.024	0.586	0.021	0.302	0.018
13	2.480	0.067	2.448	0.063	1.802	0.048	1.027	0.024	0.574	0.021	0.296	0.017
12	2.428	0.065	2.397	0.062	1.764	0.047	1.005	0.023	0.562	0.020	0.290	0.017
11	2.376	0.064	2.346	0.061	1.726	0.046	0.984	0.023	0.550	0.020	0.284	0.017
10	2.324	0.062	2.294	0.059	1.689	0.045	0.962	0.022	0.538	0.019	0.278	0.016
9	2.272	0.061	2.243	0.058	1.651	0.044	0.941	0.022	0.526	0.019	0.272	0.016
8	2.221	0.060	2.192	0.057	1.613	0.043	0.919	0.021	0.514	0.018	0.265	0.016
7	2.169	0.058	2.141	0.055	1.576	0.042	0.898	0.021	0.502	0.018	0.259	0.015
6	2.117	0.057	2.090	0.054	1.538	0.041	0.877	0.020	0.490	0.018	0.253	0.015
5	2.065	0.055	2.039	0.053	1.500	0.040	0.855	0.020	0.478	0.017	0.247	0.015
4	2.013	0.054	1.988	0.051	1.463	0.039	0.834	0.019	0.466	0.017	0.241	0.014
3	1.961	0.053	1.936	0.050	1.425	0.038	0.812	0.019	0.454	0.016	0.234	0.014
2	1.910	0.051	1.885	0.049	1.387	0.037	0.791	0.018	0.442	0.016	0.228	0.013
1	1.858	0.050	1.834	0.047	1.350	0.036	0.769	0.018	0.430	0.015	0.222	0.013
0	1.806	0.048	1.783	0.046	1.312	0.035	0.748	0.017	0.418	0.015	0.216	0.013
-1	1.754	0.047	1.732	0.045	1.274	0.034	0.726	0.017	0.406	0.015	0.210	0.012
-2	1.702	0.046	1.681	0.044	1.237	0.033	0.705	0.016	0.394	0.014	0.203	0.012
-3	1.651	0.044	1.629	0.042	1.199	0.032	0.683	0.016	0.382	0.014	0.197	0.012
-4	1.599	0.043	1.578	0.041	1.161	0.031	0.662	0.015	0.370	0.013	0.191	0.011
-5	1.547	0.042	1.527	0.040	1.124	0.030	0.640	0.015	0.358	0.013	0.185	0.011
-6	1.495	0.040	1.476	0.038	1.086	0.029	0.619	0.014	0.346	0.012	0.179	0.011
-7	1.443	0.039	1.425	0.037	1.049	0.028	0.598	0.014	0.334	0.012	0.172	0.010
-8	1.391	0.037	1.374	0.036	1.011	0.027	0.576	0.013	0.322	0.012	0.166	0.010
-9	1.340	0.036	1.322	0.034	0.973	0.026	0.555	0.013	0.310	0.011	0.160	0.009
-10	1.288	0.035	1.271	0.033	0.936	0.025	0.533	0.012	0.298	0.011	0.154	0.009
-11	1.236	0.033	1.220	0.032	0.898	0.024	0.512	0.012	0.286	0.010	0.148	0.009
-12	1.184	0.032	1.169	0.030	0.860	0.023	0.490	0.011	0.274	0.010	0.141	0.008
-13	1.132	0.030	1.118	0.029	0.823	0.022	0.469	0.011	0.262	0.009	0.135	0.008
-14	1.080	0.029	1.067	0.028	0.785	0.021	0.447	0.010	0.250	0.009	0.129	0.008
-15	1.029	0.028	1.016	0.026	0.747	0.020	0.426	0.010	0.238	0.009	0.123	0.007
-16	0.977	0.026	0.964	0.025	0.710	0.019	0.404	0.009	0.226	0.008	0.117	0.007
-17	0.925	0.025	0.913	0.024	0.672	0.018	0.383	0.009	0.214	0.008	0.111	0.007
-18	0.873	0.023	0.862	0.022	0.634	0.017	0.362	0.008	0.202	0.007	0.104	0.006
-19	0.821	0.022	0.811	0.021	0.597	0.016	0.340	0.008	0.190	0.007	0.098	0.006
-20	0.782	0.021	0.772	0.020	0.568	0.015	0.324	0.007	0.181	0.006	0.093	0.005

施設区分		補償区分	集団割引	補強割引
50	プラスチックハウスⅢ類(鉄骨下)	内作一般	無	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	2.334	-	2.330	-	2.254	-	2.043	-	1.337	-	0.645	-
20	4.715	-	4.707	-	4.553	-	4.127	-	2.701	-	1.303	-
19	4.162	-	4.155	-	4.019	-	3.643	-	2.384	-	1.150	-
18	4.085	-	4.078	-	3.945	-	3.575	-	2.340	-	1.129	-
17	4.007	-	4.000	-	3.870	-	3.508	-	2.295	-	1.107	-
16	3.930	-	3.923	-	3.795	-	3.440	-	2.251	-	1.086	-
15	3.853	-	3.846	-	3.721	-	3.372	-	2.207	-	1.065	-
14	3.775	-	3.769	-	3.646	-	3.305	-	2.163	-	1.043	-
13	3.698	-	3.692	-	3.571	-	3.237	-	2.118	-	1.022	-
12	3.621	-	3.615	-	3.497	-	3.169	-	2.074	-	1.001	-
11	3.544	-	3.537	-	3.422	-	3.102	-	2.030	-	0.979	-
10	3.466	-	3.460	-	3.347	-	3.034	-	1.986	-	0.958	-
9	3.389	-	3.383	-	3.273	-	2.966	-	1.941	-	0.937	-
8	3.312	-	3.306	-	3.198	-	2.899	-	1.897	-	0.915	-
7	3.234	-	3.229	-	3.124	-	2.831	-	1.853	-	0.894	-
6	3.157	-	3.152	-	3.049	-	2.763	-	1.808	-	0.872	-
5	3.080	-	3.075	-	2.974	-	2.696	-	1.764	-	0.851	-
4	3.003	-	2.997	-	2.900	-	2.628	-	1.720	-	0.830	-
3	2.925	-	2.920	-	2.825	-	2.561	-	1.676	-	0.808	-
2	2.848	-	2.843	-	2.750	-	2.493	-	1.631	-	0.787	-
1	2.771	-	2.766	-	2.676	-	2.425	-	1.587	-	0.766	-
0	2.693	-	2.689	-	2.601	-	2.358	-	1.543	-	0.744	-
-1	2.616	-	2.612	-	2.526	-	2.290	-	1.499	-	0.723	-
-2	2.539	-	2.534	-	2.452	-	2.222	-	1.454	-	0.702	-
-3	2.462	-	2.457	-	2.377	-	2.155	-	1.410	-	0.680	-
-4	2.384	-	2.380	-	2.303	-	2.087	-	1.366	-	0.659	-
-5	2.307	-	2.303	-	2.228	-	2.019	-	1.322	-	0.638	-
-6	2.230	-	2.226	-	2.153	-	1.952	-	1.277	-	0.616	-
-7	2.152	-	2.149	-	2.079	-	1.884	-	1.233	-	0.595	-
-8	2.075	-	2.072	-	2.004	-	1.816	-	1.189	-	0.573	-
-9	1.998	-	1.994	-	1.929	-	1.749	-	1.144	-	0.552	-
-10	1.921	-	1.917	-	1.855	-	1.681	-	1.100	-	0.531	-
-11	1.843	-	1.840	-	1.780	-	1.613	-	1.056	-	0.509	-
-12	1.766	-	1.763	-	1.705	-	1.546	-	1.012	-	0.488	-
-13	1.689	-	1.686	-	1.631	-	1.478	-	0.967	-	0.467	-
-14	1.611	-	1.609	-	1.556	-	1.410	-	0.923	-	0.445	-
-15	1.534	-	1.531	-	1.482	-	1.343	-	0.879	-	0.424	-
-16	1.457	-	1.454	-	1.407	-	1.275	-	0.835	-	0.403	-
-17	1.380	-	1.377	-	1.332	-	1.208	-	0.790	-	0.381	-
-18	1.302	-	1.300	-	1.258	-	1.140	-	0.746	-	0.360	-
-19	1.225	-	1.223	-	1.183	-	1.072	-	0.702	-	0.339	-
-20	1.167	-	1.165	-	1.127	-	1.021	-	0.668	-	0.322	-

施設区分		補償区分	集団割引	補強割引
50	プラスチックハウスⅢ類(鉄骨下)	内作一般	有	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	2.217	-	2.214	-	2.141	-	1.941	-	1.270	-	0.613	-
20	4.478	-	4.472	-	4.325	-	3.921	-	2.565	-	1.238	-
19	3.953	-	3.948	-	3.818	-	3.461	-	2.265	-	1.093	-
18	3.880	-	3.875	-	3.747	-	3.397	-	2.223	-	1.073	-
17	3.806	-	3.801	-	3.676	-	3.332	-	2.180	-	1.052	-
16	3.733	-	3.728	-	3.605	-	3.268	-	2.138	-	1.032	-
15	3.660	-	3.655	-	3.534	-	3.204	-	2.096	-	1.012	-
14	3.586	-	3.581	-	3.463	-	3.140	-	2.054	-	0.992	-
13	3.513	-	3.508	-	3.392	-	3.075	-	2.012	-	0.971	-
12	3.439	-	3.435	-	3.321	-	3.011	-	1.970	-	0.951	-
11	3.366	-	3.361	-	3.250	-	2.947	-	1.928	-	0.931	-
10	3.292	-	3.288	-	3.180	-	2.883	-	1.886	-	0.910	-
9	3.219	-	3.215	-	3.109	-	2.818	-	1.844	-	0.890	-
8	3.146	-	3.141	-	3.038	-	2.754	-	1.802	-	0.870	-
7	3.072	-	3.068	-	2.967	-	2.690	-	1.760	-	0.849	-
6	2.999	-	2.995	-	2.896	-	2.625	-	1.718	-	0.829	-
5	2.925	-	2.921	-	2.825	-	2.561	-	1.676	-	0.809	-
4	2.852	-	2.848	-	2.754	-	2.497	-	1.634	-	0.789	-
3	2.779	-	2.775	-	2.683	-	2.433	-	1.592	-	0.768	-
2	2.705	-	2.702	-	2.612	-	2.368	-	1.550	-	0.748	-
1	2.632	-	2.628	-	2.542	-	2.304	-	1.508	-	0.728	-
0	2.558	-	2.555	-	2.471	-	2.240	-	1.466	-	0.707	-
-1	2.485	-	2.482	-	2.400	-	2.176	-	1.423	-	0.687	-
-2	2.412	-	2.408	-	2.329	-	2.111	-	1.381	-	0.667	-
-3	2.338	-	2.335	-	2.258	-	2.047	-	1.339	-	0.646	-
-4	2.265	-	2.262	-	2.187	-	1.983	-	1.297	-	0.626	-
-5	2.191	-	2.188	-	2.116	-	1.919	-	1.255	-	0.606	-
-6	2.118	-	2.115	-	2.045	-	1.854	-	1.213	-	0.586	-
-7	2.044	-	2.042	-	1.974	-	1.790	-	1.171	-	0.565	-
-8	1.971	-	1.968	-	1.904	-	1.726	-	1.129	-	0.545	-
-9	1.898	-	1.895	-	1.833	-	1.661	-	1.087	-	0.525	-
-10	1.824	-	1.822	-	1.762	-	1.597	-	1.045	-	0.504	-
-11	1.751	-	1.748	-	1.691	-	1.533	-	1.003	-	0.484	-
-12	1.677	-	1.675	-	1.620	-	1.469	-	0.961	-	0.464	-
-13	1.604	-	1.602	-	1.549	-	1.404	-	0.919	-	0.444	-
-14	1.531	-	1.529	-	1.478	-	1.340	-	0.877	-	0.423	-
-15	1.457	-	1.455	-	1.407	-	1.276	-	0.835	-	0.403	-
-16	1.384	-	1.382	-	1.336	-	1.212	-	0.793	-	0.383	-
-17	1.310	-	1.309	-	1.265	-	1.147	-	0.751	-	0.362	-
-18	1.237	-	1.235	-	1.195	-	1.083	-	0.709	-	0.342	-
-19	1.164	-	1.162	-	1.124	-	1.019	-	0.667	-	0.322	-
-20	1.108	-	1.107	-	1.070	-	0.970	-	0.635	-	0.306	-

施設区分		補償区分	集団割引	補強割引
50	プラスチックハウスⅢ類(鉄骨下)	内作事故除外	無	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.925	-	0.924	-	0.909	-	0.867	-	0.716	-	0.470	-
20	1.869	-	1.867	-	1.836	-	1.751	-	1.446	-	0.949	-
19	1.649	-	1.648	-	1.621	-	1.546	-	1.277	-	0.838	-
18	1.619	-	1.617	-	1.591	-	1.517	-	1.253	-	0.823	-
17	1.588	-	1.586	-	1.561	-	1.489	-	1.229	-	0.807	-
16	1.557	-	1.556	-	1.531	-	1.460	-	1.206	-	0.791	-
15	1.527	-	1.525	-	1.500	-	1.431	-	1.182	-	0.776	-
14	1.496	-	1.495	-	1.470	-	1.402	-	1.158	-	0.760	-
13	1.466	-	1.464	-	1.440	-	1.374	-	1.134	-	0.745	-
12	1.435	-	1.433	-	1.410	-	1.345	-	1.111	-	0.729	-
11	1.404	-	1.403	-	1.380	-	1.316	-	1.087	-	0.714	-
10	1.374	-	1.372	-	1.350	-	1.288	-	1.063	-	0.698	-
9	1.343	-	1.342	-	1.320	-	1.259	-	1.040	-	0.682	-
8	1.312	-	1.311	-	1.290	-	1.230	-	1.016	-	0.667	-
7	1.282	-	1.280	-	1.260	-	1.201	-	0.992	-	0.651	-
6	1.251	-	1.250	-	1.230	-	1.173	-	0.968	-	0.636	-
5	1.221	-	1.219	-	1.199	-	1.144	-	0.945	-	0.620	-
4	1.190	-	1.189	-	1.169	-	1.115	-	0.921	-	0.605	-
3	1.159	-	1.158	-	1.139	-	1.087	-	0.897	-	0.589	-
2	1.129	-	1.127	-	1.109	-	1.058	-	0.874	-	0.573	-
1	1.098	-	1.097	-	1.079	-	1.029	-	0.850	-	0.558	-
0	1.067	-	1.066	-	1.049	-	1.000	-	0.826	-	0.542	-
-1	1.037	-	1.036	-	1.019	-	0.972	-	0.803	-	0.527	-
-2	1.006	-	1.005	-	0.989	-	0.943	-	0.779	-	0.511	-
-3	0.976	-	0.974	-	0.959	-	0.914	-	0.755	-	0.496	-
-4	0.945	-	0.944	-	0.929	-	0.886	-	0.731	-	0.480	-
-5	0.914	-	0.913	-	0.898	-	0.857	-	0.708	-	0.465	-
-6	0.884	-	0.883	-	0.868	-	0.828	-	0.684	-	0.449	-
-7	0.853	-	0.852	-	0.838	-	0.800	-	0.660	-	0.433	-
-8	0.822	-	0.822	-	0.808	-	0.771	-	0.637	-	0.418	-
-9	0.792	-	0.791	-	0.778	-	0.742	-	0.613	-	0.402	-
-10	0.761	-	0.760	-	0.748	-	0.713	-	0.589	-	0.387	-
-11	0.731	-	0.730	-	0.718	-	0.685	-	0.565	-	0.371	-
-12	0.700	-	0.699	-	0.688	-	0.656	-	0.542	-	0.356	-
-13	0.669	-	0.669	-	0.658	-	0.627	-	0.518	-	0.340	-
-14	0.639	-	0.638	-	0.628	-	0.599	-	0.494	-	0.324	-
-15	0.608	-	0.607	-	0.597	-	0.570	-	0.471	-	0.309	-
-16	0.577	-	0.577	-	0.567	-	0.541	-	0.447	-	0.293	-
-17	0.547	-	0.546	-	0.537	-	0.512	-	0.423	-	0.278	-
-18	0.516	-	0.516	-	0.507	-	0.484	-	0.399	-	0.262	-
-19	0.485	-	0.485	-	0.477	-	0.455	-	0.376	-	0.247	-
-20	0.462	-	0.462	-	0.454	-	0.433	-	0.358	-	0.235	-

施設区分		補償区分	集団割引	補強割引
50	プラスチックハウスⅢ類(鉄骨下)	内作事故除外	有	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.879	-	0.878	-	0.864	-	0.824	-	0.680	-	0.447	-
20	1.776	-	1.774	-	1.745	-	1.665	-	1.374	-	0.903	-
19	1.567	-	1.566	-	1.541	-	1.469	-	1.213	-	0.797	-
18	1.538	-	1.537	-	1.512	-	1.442	-	1.190	-	0.782	-
17	1.509	-	1.507	-	1.483	-	1.415	-	1.167	-	0.767	-
16	1.480	-	1.478	-	1.455	-	1.387	-	1.145	-	0.753	-
15	1.451	-	1.449	-	1.426	-	1.360	-	1.122	-	0.738	-
14	1.422	-	1.420	-	1.398	-	1.333	-	1.100	-	0.723	-
13	1.393	-	1.391	-	1.369	-	1.306	-	1.077	-	0.708	-
12	1.364	-	1.362	-	1.340	-	1.278	-	1.055	-	0.693	-
11	1.335	-	1.333	-	1.312	-	1.251	-	1.032	-	0.679	-
10	1.305	-	1.304	-	1.283	-	1.224	-	1.010	-	0.664	-
9	1.276	-	1.275	-	1.255	-	1.196	-	0.987	-	0.649	-
8	1.247	-	1.246	-	1.226	-	1.169	-	0.965	-	0.634	-
7	1.218	-	1.217	-	1.197	-	1.142	-	0.942	-	0.619	-
6	1.189	-	1.188	-	1.169	-	1.115	-	0.920	-	0.605	-
5	1.160	-	1.159	-	1.140	-	1.087	-	0.897	-	0.590	-
4	1.131	-	1.129	-	1.111	-	1.060	-	0.875	-	0.575	-
3	1.102	-	1.100	-	1.083	-	1.033	-	0.852	-	0.560	-
2	1.073	-	1.071	-	1.054	-	1.005	-	0.830	-	0.545	-
1	1.043	-	1.042	-	1.026	-	0.978	-	0.807	-	0.531	-
0	1.014	-	1.013	-	0.997	-	0.951	-	0.785	-	0.516	-
-1	0.985	-	0.984	-	0.968	-	0.924	-	0.762	-	0.501	-
-2	0.956	-	0.955	-	0.940	-	0.896	-	0.740	-	0.486	-
-3	0.927	-	0.926	-	0.911	-	0.869	-	0.717	-	0.471	-
-4	0.898	-	0.897	-	0.883	-	0.842	-	0.695	-	0.457	-
-5	0.869	-	0.868	-	0.854	-	0.814	-	0.672	-	0.442	-
-6	0.840	-	0.839	-	0.825	-	0.787	-	0.650	-	0.427	-
-7	0.811	-	0.810	-	0.797	-	0.760	-	0.627	-	0.412	-
-8	0.781	-	0.781	-	0.768	-	0.733	-	0.605	-	0.397	-
-9	0.752	-	0.752	-	0.740	-	0.705	-	0.582	-	0.383	-
-10	0.723	-	0.722	-	0.711	-	0.678	-	0.560	-	0.368	-
-11	0.694	-	0.693	-	0.682	-	0.651	-	0.537	-	0.353	-
-12	0.665	-	0.664	-	0.654	-	0.623	-	0.515	-	0.338	-
-13	0.636	-	0.635	-	0.625	-	0.596	-	0.492	-	0.323	-
-14	0.607	-	0.606	-	0.597	-	0.569	-	0.469	-	0.309	-
-15	0.578	-	0.577	-	0.568	-	0.542	-	0.447	-	0.294	-
-16	0.549	-	0.548	-	0.539	-	0.514	-	0.424	-	0.279	-
-17	0.520	-	0.519	-	0.511	-	0.487	-	0.402	-	0.264	-
-18	0.490	-	0.490	-	0.482	-	0.460	-	0.379	-	0.249	-
-19	0.461	-	0.461	-	0.453	-	0.432	-	0.357	-	0.235	-
-20	0.439	-	0.439	-	0.432	-	0.412	-	0.340	-	0.223	-

施設区分		補償区分	集団割引	補強割引
50	プラスチックハウスⅢ類(鉄骨下)	撤去費用	無	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003
20	0.018	0.016	0.016	0.014	0.014	0.012	0.012	0.010	0.010	0.008	0.008	0.006
19	0.016	0.014	0.014	0.012	0.012	0.011	0.011	0.009	0.009	0.007	0.007	0.005
18	0.016	0.014	0.014	0.012	0.012	0.011	0.011	0.009	0.009	0.007	0.007	0.005
17	0.015	0.014	0.014	0.012	0.012	0.010	0.010	0.009	0.009	0.007	0.007	0.005
16	0.015	0.013	0.013	0.012	0.012	0.010	0.010	0.008	0.008	0.007	0.007	0.005
15	0.015	0.013	0.013	0.012	0.012	0.010	0.010	0.008	0.008	0.007	0.007	0.005
14	0.015	0.013	0.013	0.011	0.011	0.010	0.010	0.008	0.008	0.006	0.006	0.005
13	0.014	0.013	0.013	0.011	0.011	0.010	0.010	0.008	0.008	0.006	0.006	0.005
12	0.014	0.012	0.012	0.011	0.011	0.009	0.009	0.008	0.008	0.006	0.006	0.005
11	0.014	0.012	0.012	0.011	0.011	0.009	0.009	0.008	0.008	0.006	0.006	0.005
10	0.013	0.012	0.012	0.010	0.010	0.009	0.009	0.007	0.007	0.006	0.006	0.004
9	0.013	0.012	0.012	0.010	0.010	0.009	0.009	0.007	0.007	0.006	0.006	0.004
8	0.013	0.011	0.011	0.010	0.010	0.009	0.009	0.007	0.007	0.006	0.006	0.004
7	0.012	0.011	0.011	0.010	0.010	0.008	0.008	0.007	0.007	0.006	0.006	0.004
6	0.012	0.011	0.011	0.009	0.009	0.008	0.008	0.007	0.007	0.005	0.005	0.004
5	0.012	0.011	0.011	0.009	0.009	0.008	0.008	0.007	0.007	0.005	0.005	0.004
4	0.012	0.010	0.010	0.009	0.009	0.008	0.008	0.006	0.006	0.005	0.005	0.004
3	0.011	0.010	0.010	0.009	0.009	0.008	0.008	0.006	0.006	0.005	0.005	0.004
2	0.011	0.010	0.010	0.009	0.009	0.007	0.007	0.006	0.006	0.005	0.005	0.004
1	0.011	0.009	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004
0	0.010	0.009	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.003
-1	0.010	0.009	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.004	0.004	0.003
-2	0.010	0.009	0.009	0.008	0.008	0.007	0.007	0.005	0.005	0.004	0.004	0.003
-3	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003
-4	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003
-5	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003
-6	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003
-7	0.008	0.007	0.007	0.006	0.006	0.006	0.006	0.005	0.005	0.004	0.004	0.003
-8	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.004	0.004	0.003
-9	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003	0.003	0.003
-10	0.007	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003	0.003	0.002
-11	0.007	0.006	0.006	0.006	0.006	0.005	0.005	0.004	0.004	0.003	0.003	0.002
-12	0.007	0.006	0.006	0.005	0.005	0.005	0.005	0.004	0.004	0.003	0.003	0.002
-13	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.004	0.004	0.003	0.003	0.002
-14	0.006	0.006	0.006	0.005	0.005	0.004	0.004	0.003	0.003	0.003	0.003	0.002
-15	0.006	0.005	0.005	0.005	0.005	0.004	0.004	0.003	0.003	0.003	0.003	0.002
-16	0.006	0.005	0.005	0.004	0.004	0.004	0.004	0.003	0.003	0.002	0.002	0.002
-17	0.005	0.005	0.005	0.004	0.004	0.004	0.004	0.003	0.003	0.002	0.002	0.002
-18	0.005	0.004	0.004	0.004	0.004	0.003	0.003	0.003	0.003	0.002	0.002	0.002
-19	0.005	0.004	0.004	0.004	0.004	0.003	0.003	0.003	0.003	0.002	0.002	0.002
-20	0.004	0.004	0.004	0.003	0.003	0.003	0.003	0.002	0.002	0.002	0.002	0.001

施設区分		補償区分	集団割引	補強割引
50	プラスチックハウスⅢ類(鉄骨下)	撤去費用	有	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003
20	0.018	0.016	0.016	0.014	0.014	0.012	0.012	0.010	0.010	0.008	0.008	0.006
19	0.016	0.014	0.014	0.012	0.012	0.011	0.011	0.009	0.009	0.007	0.007	0.005
18	0.016	0.014	0.014	0.012	0.012	0.011	0.011	0.009	0.009	0.007	0.007	0.005
17	0.015	0.014	0.014	0.012	0.012	0.010	0.010	0.009	0.009	0.007	0.007	0.005
16	0.015	0.013	0.013	0.012	0.012	0.010	0.010	0.008	0.008	0.007	0.007	0.005
15	0.015	0.013	0.013	0.012	0.012	0.010	0.010	0.008	0.008	0.007	0.007	0.005
14	0.015	0.013	0.013	0.011	0.011	0.010	0.010	0.008	0.008	0.006	0.006	0.005
13	0.014	0.013	0.013	0.011	0.011	0.010	0.010	0.008	0.008	0.006	0.006	0.005
12	0.014	0.012	0.012	0.011	0.011	0.009	0.009	0.008	0.008	0.006	0.006	0.005
11	0.014	0.012	0.012	0.011	0.011	0.009	0.009	0.008	0.008	0.006	0.006	0.005
10	0.013	0.012	0.012	0.010	0.010	0.009	0.009	0.007	0.007	0.006	0.006	0.004
9	0.013	0.012	0.012	0.010	0.010	0.009	0.009	0.007	0.007	0.006	0.006	0.004
8	0.013	0.011	0.011	0.010	0.010	0.009	0.009	0.007	0.007	0.006	0.006	0.004
7	0.012	0.011	0.011	0.010	0.010	0.008	0.008	0.007	0.007	0.006	0.006	0.004
6	0.012	0.011	0.011	0.009	0.009	0.008	0.008	0.007	0.007	0.005	0.005	0.004
5	0.012	0.011	0.011	0.009	0.009	0.008	0.008	0.007	0.007	0.005	0.005	0.004
4	0.012	0.010	0.010	0.009	0.009	0.008	0.008	0.006	0.006	0.005	0.005	0.004
3	0.011	0.010	0.010	0.009	0.009	0.008	0.008	0.006	0.006	0.005	0.005	0.004
2	0.011	0.010	0.010	0.009	0.009	0.007	0.007	0.006	0.006	0.005	0.005	0.004
1	0.011	0.009	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004
0	0.010	0.009	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.003
-1	0.010	0.009	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.004	0.004	0.003
-2	0.010	0.009	0.009	0.008	0.008	0.007	0.007	0.005	0.005	0.004	0.004	0.003
-3	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003
-4	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003
-5	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003
-6	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003
-7	0.008	0.007	0.007	0.006	0.006	0.006	0.006	0.005	0.005	0.004	0.004	0.003
-8	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.004	0.004	0.003
-9	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003	0.003	0.003
-10	0.007	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003	0.003	0.002
-11	0.007	0.006	0.006	0.006	0.006	0.005	0.005	0.004	0.004	0.003	0.003	0.002
-12	0.007	0.006	0.006	0.005	0.005	0.005	0.005	0.004	0.004	0.003	0.003	0.002
-13	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.004	0.004	0.003	0.003	0.002
-14	0.006	0.006	0.006	0.005	0.005	0.004	0.004	0.003	0.003	0.003	0.003	0.002
-15	0.006	0.005	0.005	0.005	0.005	0.004	0.004	0.003	0.003	0.003	0.003	0.002
-16	0.006	0.005	0.005	0.004	0.004	0.004	0.004	0.003	0.003	0.002	0.002	0.002
-17	0.005	0.005	0.005	0.004	0.004	0.004	0.004	0.003	0.003	0.002	0.002	0.002
-18	0.005	0.004	0.004	0.004	0.004	0.003	0.003	0.003	0.003	0.002	0.002	0.002
-19	0.005	0.004	0.004	0.004	0.004	0.003	0.003	0.003	0.003	0.002	0.002	0.002
-20	0.004	0.004	0.004	0.003	0.003	0.003	0.003	0.002	0.002	0.002	0.002	0.001

施設区分		補償区分	集団割引	補強割引
50	プラスチックハウスⅢ類(鉄骨下)	復旧費用	無	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.347	0.008	0.339	0.007	0.248	0.006	0.153	0.005	0.069	0.004	0.031	0.003
20	0.701	0.016	0.685	0.014	0.501	0.012	0.309	0.010	0.139	0.008	0.063	0.006
19	0.619	0.014	0.604	0.012	0.442	0.011	0.273	0.009	0.123	0.007	0.055	0.005
18	0.607	0.014	0.593	0.012	0.434	0.011	0.268	0.009	0.121	0.007	0.054	0.005
17	0.596	0.014	0.582	0.012	0.426	0.010	0.263	0.009	0.118	0.007	0.053	0.005
16	0.584	0.013	0.571	0.012	0.418	0.010	0.258	0.008	0.116	0.007	0.052	0.005
15	0.573	0.013	0.560	0.012	0.409	0.010	0.253	0.008	0.114	0.007	0.051	0.005
14	0.561	0.013	0.548	0.011	0.401	0.010	0.247	0.008	0.112	0.006	0.050	0.005
13	0.550	0.013	0.537	0.011	0.393	0.010	0.242	0.008	0.109	0.006	0.049	0.005
12	0.538	0.012	0.526	0.011	0.385	0.009	0.237	0.008	0.107	0.006	0.048	0.005
11	0.527	0.012	0.515	0.011	0.377	0.009	0.232	0.008	0.105	0.006	0.047	0.005
10	0.515	0.012	0.503	0.010	0.368	0.009	0.227	0.007	0.102	0.006	0.046	0.004
9	0.504	0.012	0.492	0.010	0.360	0.009	0.222	0.007	0.100	0.006	0.045	0.004
8	0.492	0.011	0.481	0.010	0.352	0.009	0.217	0.007	0.098	0.006	0.044	0.004
7	0.481	0.011	0.470	0.010	0.344	0.008	0.212	0.007	0.096	0.006	0.043	0.004
6	0.469	0.011	0.459	0.009	0.335	0.008	0.207	0.007	0.093	0.005	0.042	0.004
5	0.458	0.011	0.447	0.009	0.327	0.008	0.202	0.007	0.091	0.005	0.041	0.004
4	0.446	0.010	0.436	0.009	0.319	0.008	0.197	0.006	0.089	0.005	0.040	0.004
3	0.435	0.010	0.425	0.009	0.311	0.008	0.192	0.006	0.086	0.005	0.039	0.004
2	0.423	0.010	0.414	0.009	0.303	0.007	0.187	0.006	0.084	0.005	0.038	0.004
1	0.412	0.009	0.402	0.008	0.294	0.007	0.182	0.006	0.082	0.005	0.037	0.004
0	0.400	0.009	0.391	0.008	0.286	0.007	0.177	0.006	0.080	0.005	0.036	0.003
-1	0.389	0.009	0.380	0.008	0.278	0.007	0.171	0.006	0.077	0.004	0.035	0.003
-2	0.377	0.009	0.369	0.008	0.270	0.007	0.166	0.005	0.075	0.004	0.034	0.003
-3	0.366	0.008	0.358	0.007	0.262	0.006	0.161	0.005	0.073	0.004	0.033	0.003
-4	0.354	0.008	0.346	0.007	0.253	0.006	0.156	0.005	0.070	0.004	0.032	0.003
-5	0.343	0.008	0.335	0.007	0.245	0.006	0.151	0.005	0.068	0.004	0.031	0.003
-6	0.331	0.008	0.324	0.007	0.237	0.006	0.146	0.005	0.066	0.004	0.030	0.003
-7	0.320	0.007	0.313	0.006	0.229	0.006	0.141	0.005	0.064	0.004	0.029	0.003
-8	0.309	0.007	0.301	0.006	0.220	0.005	0.136	0.004	0.061	0.004	0.028	0.003
-9	0.297	0.007	0.290	0.006	0.212	0.005	0.131	0.004	0.059	0.003	0.027	0.003
-10	0.286	0.007	0.279	0.006	0.204	0.005	0.126	0.004	0.057	0.003	0.026	0.002
-11	0.274	0.006	0.268	0.006	0.196	0.005	0.121	0.004	0.054	0.003	0.024	0.002
-12	0.263	0.006	0.256	0.005	0.188	0.005	0.116	0.004	0.052	0.003	0.023	0.002
-13	0.251	0.006	0.245	0.005	0.179	0.004	0.111	0.004	0.050	0.003	0.022	0.002
-14	0.240	0.006	0.234	0.005	0.171	0.004	0.106	0.003	0.048	0.003	0.021	0.002
-15	0.228	0.005	0.223	0.005	0.163	0.004	0.101	0.003	0.045	0.003	0.020	0.002
-16	0.217	0.005	0.212	0.004	0.155	0.004	0.095	0.003	0.043	0.002	0.019	0.002
-17	0.205	0.005	0.200	0.004	0.147	0.004	0.090	0.003	0.041	0.002	0.018	0.002
-18	0.194	0.004	0.189	0.004	0.138	0.003	0.085	0.003	0.038	0.002	0.017	0.002
-19	0.182	0.004	0.178	0.004	0.130	0.003	0.080	0.003	0.036	0.002	0.016	0.002
-20	0.173	0.004	0.169	0.003	0.124	0.003	0.076	0.002	0.034	0.002	0.015	0.001

施設区分		補償区分	集団割引	補強割引
50	プラスチックハウスⅢ類(鉄骨下)	復旧費用	有	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.330	0.008	0.322	0.007	0.236	0.006	0.145	0.005	0.066	0.004	0.029	0.003
20	0.667	0.016	0.650	0.014	0.477	0.012	0.293	0.010	0.133	0.008	0.059	0.006
19	0.588	0.014	0.574	0.012	0.421	0.011	0.259	0.009	0.118	0.007	0.052	0.005
18	0.578	0.014	0.564	0.012	0.413	0.011	0.254	0.009	0.116	0.007	0.051	0.005
17	0.567	0.014	0.553	0.012	0.405	0.010	0.249	0.009	0.113	0.007	0.050	0.005
16	0.556	0.013	0.542	0.012	0.397	0.010	0.244	0.008	0.111	0.007	0.049	0.005
15	0.545	0.013	0.532	0.012	0.390	0.010	0.239	0.008	0.109	0.007	0.048	0.005
14	0.534	0.013	0.521	0.011	0.382	0.010	0.235	0.008	0.107	0.006	0.047	0.005
13	0.523	0.013	0.510	0.011	0.374	0.010	0.230	0.008	0.105	0.006	0.046	0.005
12	0.512	0.012	0.500	0.011	0.366	0.009	0.225	0.008	0.102	0.006	0.045	0.005
11	0.501	0.012	0.489	0.011	0.358	0.009	0.220	0.008	0.100	0.006	0.044	0.005
10	0.490	0.012	0.478	0.010	0.350	0.009	0.215	0.007	0.098	0.006	0.043	0.004
9	0.479	0.012	0.468	0.010	0.343	0.009	0.211	0.007	0.096	0.006	0.042	0.004
8	0.468	0.011	0.457	0.010	0.335	0.009	0.206	0.007	0.094	0.006	0.041	0.004
7	0.457	0.011	0.446	0.010	0.327	0.008	0.201	0.007	0.091	0.006	0.040	0.004
6	0.446	0.011	0.436	0.009	0.319	0.008	0.196	0.007	0.089	0.005	0.039	0.004
5	0.435	0.011	0.425	0.009	0.311	0.008	0.191	0.007	0.087	0.005	0.038	0.004
4	0.425	0.010	0.414	0.009	0.304	0.008	0.187	0.006	0.085	0.005	0.037	0.004
3	0.414	0.010	0.404	0.009	0.296	0.008	0.182	0.006	0.083	0.005	0.036	0.004
2	0.403	0.010	0.393	0.009	0.288	0.007	0.177	0.006	0.081	0.005	0.035	0.004
1	0.392	0.009	0.382	0.008	0.280	0.007	0.172	0.006	0.078	0.005	0.034	0.004
0	0.381	0.009	0.372	0.008	0.272	0.007	0.167	0.006	0.076	0.005	0.033	0.003
-1	0.370	0.009	0.361	0.008	0.265	0.007	0.163	0.006	0.074	0.004	0.033	0.003
-2	0.359	0.009	0.350	0.008	0.257	0.007	0.158	0.005	0.072	0.004	0.032	0.003
-3	0.348	0.008	0.340	0.007	0.249	0.006	0.153	0.005	0.070	0.004	0.031	0.003
-4	0.337	0.008	0.329	0.007	0.241	0.006	0.148	0.005	0.067	0.004	0.030	0.003
-5	0.326	0.008	0.318	0.007	0.233	0.006	0.143	0.005	0.065	0.004	0.029	0.003
-6	0.315	0.008	0.308	0.007	0.225	0.006	0.139	0.005	0.063	0.004	0.028	0.003
-7	0.304	0.007	0.297	0.006	0.218	0.006	0.134	0.005	0.061	0.004	0.027	0.003
-8	0.293	0.007	0.286	0.006	0.210	0.005	0.129	0.004	0.059	0.004	0.026	0.003
-9	0.282	0.007	0.276	0.006	0.202	0.005	0.124	0.004	0.056	0.003	0.025	0.003
-10	0.272	0.007	0.265	0.006	0.194	0.005	0.119	0.004	0.054	0.003	0.024	0.002
-11	0.261	0.006	0.254	0.006	0.186	0.005	0.115	0.004	0.052	0.003	0.023	0.002
-12	0.250	0.006	0.244	0.005	0.179	0.005	0.110	0.004	0.050	0.003	0.022	0.002
-13	0.239	0.006	0.233	0.005	0.171	0.004	0.105	0.004	0.048	0.003	0.021	0.002
-14	0.228	0.006	0.222	0.005	0.163	0.004	0.100	0.003	0.046	0.003	0.020	0.002
-15	0.217	0.005	0.212	0.005	0.155	0.004	0.095	0.003	0.043	0.003	0.019	0.002
-16	0.206	0.005	0.201	0.004	0.147	0.004	0.091	0.003	0.041	0.002	0.018	0.002
-17	0.195	0.005	0.190	0.004	0.139	0.004	0.086	0.003	0.039	0.002	0.017	0.002
-18	0.184	0.004	0.180	0.004	0.132	0.003	0.081	0.003	0.037	0.002	0.016	0.002
-19	0.173	0.004	0.169	0.004	0.124	0.003	0.076	0.003	0.035	0.002	0.015	0.002
-20	0.165	0.004	0.161	0.003	0.118	0.003	0.072	0.002	0.033	0.002	0.014	0.001

施設区分		補償区分	集団割引	補強割引
61	プラスチックハウスⅣ類甲(鉄骨中・軟)	特定附帯	無	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.610	0.008	0.596	0.007	0.418	0.006	0.267	0.005	0.112	0.004	0.054	0.003
20	1.245	0.016	1.217	0.014	0.853	0.012	0.545	0.010	0.229	0.008	0.110	0.006
19	1.119	0.015	1.093	0.013	0.767	0.011	0.490	0.009	0.205	0.007	0.099	0.006
18	1.098	0.014	1.073	0.013	0.752	0.011	0.481	0.009	0.202	0.007	0.097	0.005
17	1.077	0.014	1.052	0.012	0.738	0.011	0.471	0.009	0.198	0.007	0.095	0.005
16	1.056	0.014	1.032	0.012	0.724	0.010	0.462	0.009	0.194	0.007	0.093	0.005
15	1.035	0.014	1.011	0.012	0.709	0.010	0.453	0.008	0.190	0.007	0.092	0.005
14	1.014	0.013	0.991	0.012	0.695	0.010	0.444	0.008	0.186	0.007	0.090	0.005
13	0.993	0.013	0.970	0.011	0.680	0.010	0.435	0.008	0.182	0.007	0.088	0.005
12	0.972	0.013	0.950	0.011	0.666	0.010	0.425	0.008	0.178	0.006	0.086	0.005
11	0.951	0.012	0.929	0.011	0.652	0.009	0.416	0.008	0.175	0.006	0.084	0.005
10	0.930	0.012	0.909	0.011	0.637	0.009	0.407	0.008	0.171	0.006	0.082	0.005
9	0.909	0.012	0.888	0.010	0.623	0.009	0.398	0.007	0.167	0.006	0.080	0.004
8	0.888	0.012	0.868	0.010	0.608	0.009	0.389	0.007	0.163	0.006	0.079	0.004
7	0.867	0.011	0.847	0.010	0.594	0.009	0.379	0.007	0.159	0.006	0.077	0.004
6	0.846	0.011	0.827	0.010	0.580	0.008	0.370	0.007	0.155	0.006	0.075	0.004
5	0.825	0.011	0.806	0.009	0.565	0.008	0.361	0.007	0.151	0.005	0.073	0.004
4	0.804	0.011	0.785	0.009	0.551	0.008	0.352	0.007	0.148	0.005	0.071	0.004
3	0.783	0.010	0.765	0.009	0.536	0.008	0.343	0.006	0.144	0.005	0.069	0.004
2	0.762	0.010	0.744	0.009	0.522	0.007	0.333	0.006	0.140	0.005	0.067	0.004
1	0.741	0.010	0.724	0.009	0.508	0.007	0.324	0.006	0.136	0.005	0.066	0.004
0	0.720	0.009	0.703	0.008	0.493	0.007	0.315	0.006	0.132	0.005	0.064	0.004
-1	0.699	0.009	0.683	0.008	0.479	0.007	0.306	0.006	0.128	0.005	0.062	0.003
-2	0.678	0.009	0.662	0.008	0.465	0.007	0.297	0.006	0.124	0.004	0.060	0.003
-3	0.657	0.009	0.642	0.008	0.450	0.006	0.288	0.005	0.121	0.004	0.058	0.003
-4	0.636	0.008	0.621	0.007	0.436	0.006	0.278	0.005	0.117	0.004	0.056	0.003
-5	0.615	0.008	0.601	0.007	0.421	0.006	0.269	0.005	0.113	0.004	0.054	0.003
-6	0.594	0.008	0.580	0.007	0.407	0.006	0.260	0.005	0.109	0.004	0.053	0.003
-7	0.573	0.008	0.560	0.007	0.393	0.006	0.251	0.005	0.105	0.004	0.051	0.003
-8	0.552	0.007	0.539	0.006	0.378	0.005	0.242	0.005	0.101	0.004	0.049	0.003
-9	0.531	0.007	0.519	0.006	0.364	0.005	0.232	0.004	0.097	0.003	0.047	0.003
-10	0.510	0.007	0.498	0.006	0.349	0.005	0.223	0.004	0.094	0.003	0.045	0.003
-11	0.489	0.006	0.478	0.006	0.335	0.005	0.214	0.004	0.090	0.003	0.043	0.002
-12	0.468	0.006	0.457	0.005	0.321	0.005	0.205	0.004	0.086	0.003	0.041	0.002
-13	0.447	0.006	0.437	0.005	0.306	0.004	0.196	0.004	0.082	0.003	0.040	0.002
-14	0.426	0.006	0.416	0.005	0.292	0.004	0.186	0.003	0.078	0.003	0.038	0.002
-15	0.405	0.005	0.395	0.005	0.277	0.004	0.177	0.003	0.074	0.003	0.036	0.002
-16	0.384	0.005	0.375	0.004	0.263	0.004	0.168	0.003	0.070	0.003	0.034	0.002
-17	0.363	0.005	0.354	0.004	0.249	0.004	0.159	0.003	0.067	0.002	0.032	0.002
-18	0.342	0.004	0.334	0.004	0.234	0.003	0.150	0.003	0.063	0.002	0.030	0.002
-19	0.321	0.004	0.313	0.004	0.220	0.003	0.140	0.003	0.059	0.002	0.028	0.002
-20	0.305	0.004	0.298	0.003	0.209	0.003	0.133	0.002	0.056	0.002	0.027	0.001

施設区分		補償区分	集団割引	補強割引
61	プラスチックハウスⅣ類甲(鉄骨中・軟)	特定附帯	有	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.580	0.008	0.566	0.007	0.397	0.006	0.254	0.005	0.106	0.004	0.051	0.003
20	1.184	0.016	1.155	0.014	0.810	0.012	0.519	0.010	0.216	0.008	0.104	0.006
19	1.064	0.015	1.038	0.013	0.728	0.011	0.466	0.009	0.194	0.007	0.094	0.006
18	1.044	0.014	1.019	0.013	0.715	0.011	0.457	0.009	0.191	0.007	0.092	0.005
17	1.024	0.014	0.999	0.012	0.701	0.011	0.448	0.009	0.187	0.007	0.090	0.005
16	1.004	0.014	0.980	0.012	0.687	0.010	0.440	0.009	0.184	0.007	0.088	0.005
15	0.984	0.014	0.960	0.012	0.674	0.010	0.431	0.008	0.180	0.007	0.087	0.005
14	0.964	0.013	0.941	0.012	0.660	0.010	0.422	0.008	0.176	0.007	0.085	0.005
13	0.944	0.013	0.921	0.011	0.646	0.010	0.413	0.008	0.173	0.007	0.083	0.005
12	0.924	0.013	0.902	0.011	0.633	0.010	0.405	0.008	0.169	0.006	0.081	0.005
11	0.904	0.012	0.882	0.011	0.619	0.009	0.396	0.008	0.165	0.006	0.080	0.005
10	0.884	0.012	0.863	0.011	0.605	0.009	0.387	0.008	0.162	0.006	0.078	0.005
9	0.864	0.012	0.843	0.010	0.592	0.009	0.378	0.007	0.158	0.006	0.076	0.004
8	0.844	0.012	0.824	0.010	0.578	0.009	0.370	0.007	0.154	0.006	0.074	0.004
7	0.824	0.011	0.804	0.010	0.564	0.009	0.361	0.007	0.151	0.006	0.072	0.004
6	0.804	0.011	0.785	0.010	0.551	0.008	0.352	0.007	0.147	0.006	0.071	0.004
5	0.784	0.011	0.765	0.009	0.537	0.008	0.343	0.007	0.143	0.005	0.069	0.004
4	0.764	0.011	0.746	0.009	0.523	0.008	0.335	0.007	0.140	0.005	0.067	0.004
3	0.744	0.010	0.726	0.009	0.510	0.008	0.326	0.006	0.136	0.005	0.065	0.004
2	0.724	0.010	0.707	0.009	0.496	0.007	0.317	0.006	0.132	0.005	0.064	0.004
1	0.704	0.010	0.687	0.009	0.482	0.007	0.309	0.006	0.129	0.005	0.062	0.004
0	0.684	0.009	0.668	0.008	0.469	0.007	0.300	0.006	0.125	0.005	0.060	0.004
-1	0.665	0.009	0.648	0.008	0.455	0.007	0.291	0.006	0.121	0.005	0.058	0.003
-2	0.645	0.009	0.629	0.008	0.441	0.007	0.282	0.006	0.118	0.004	0.057	0.003
-3	0.625	0.009	0.609	0.008	0.428	0.006	0.274	0.005	0.114	0.004	0.055	0.003
-4	0.605	0.008	0.590	0.007	0.414	0.006	0.265	0.005	0.110	0.004	0.053	0.003
-5	0.585	0.008	0.571	0.007	0.400	0.006	0.256	0.005	0.107	0.004	0.051	0.003
-6	0.565	0.008	0.551	0.007	0.386	0.006	0.247	0.005	0.103	0.004	0.050	0.003
-7	0.545	0.008	0.532	0.007	0.373	0.006	0.239	0.005	0.100	0.004	0.048	0.003
-8	0.525	0.007	0.512	0.006	0.359	0.005	0.230	0.005	0.096	0.004	0.046	0.003
-9	0.505	0.007	0.493	0.006	0.345	0.005	0.221	0.004	0.092	0.003	0.044	0.003
-10	0.485	0.007	0.473	0.006	0.332	0.005	0.212	0.004	0.089	0.003	0.043	0.003
-11	0.465	0.006	0.454	0.006	0.318	0.005	0.204	0.004	0.085	0.003	0.041	0.002
-12	0.445	0.006	0.434	0.005	0.304	0.005	0.195	0.004	0.081	0.003	0.039	0.002
-13	0.425	0.006	0.415	0.005	0.291	0.004	0.186	0.004	0.078	0.003	0.037	0.002
-14	0.405	0.006	0.395	0.005	0.277	0.004	0.177	0.003	0.074	0.003	0.036	0.002
-15	0.385	0.005	0.376	0.005	0.263	0.004	0.169	0.003	0.070	0.003	0.034	0.002
-16	0.365	0.005	0.356	0.004	0.250	0.004	0.160	0.003	0.067	0.003	0.032	0.002
-17	0.345	0.005	0.337	0.004	0.236	0.004	0.151	0.003	0.063	0.002	0.030	0.002
-18	0.325	0.004	0.317	0.004	0.222	0.003	0.142	0.003	0.059	0.002	0.029	0.002
-19	0.305	0.004	0.298	0.004	0.209	0.003	0.134	0.003	0.056	0.002	0.027	0.002
-20	0.290	0.004	0.283	0.003	0.198	0.003	0.127	0.002	0.053	0.002	0.025	0.001

施設区分		補償区分	集団割引	補強割引
61	プラスチックハウスⅣ類甲(鉄骨中・軟)	内作一般	無	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	1.831	-	1.828	-	1.767	-	1.594	-	1.017	-	0.512	-
20	3.738	-	3.732	-	3.607	-	3.254	-	2.076	-	1.045	-
19	3.359	-	3.353	-	3.242	-	2.924	-	1.866	-	0.939	-
18	3.296	-	3.290	-	3.181	-	2.869	-	1.831	-	0.922	-
17	3.233	-	3.228	-	3.120	-	2.814	-	1.796	-	0.904	-
16	3.170	-	3.165	-	3.059	-	2.759	-	1.761	-	0.886	-
15	3.107	-	3.102	-	2.998	-	2.705	-	1.726	-	0.869	-
14	3.044	-	3.039	-	2.937	-	2.650	-	1.691	-	0.851	-
13	2.981	-	2.976	-	2.876	-	2.595	-	1.656	-	0.833	-
12	2.918	-	2.913	-	2.816	-	2.540	-	1.621	-	0.816	-
11	2.854	-	2.850	-	2.755	-	2.485	-	1.585	-	0.798	-
10	2.791	-	2.787	-	2.694	-	2.430	-	1.550	-	0.781	-
9	2.728	-	2.724	-	2.633	-	2.375	-	1.515	-	0.763	-
8	2.665	-	2.661	-	2.572	-	2.320	-	1.480	-	0.745	-
7	2.602	-	2.598	-	2.511	-	2.265	-	1.445	-	0.728	-
6	2.539	-	2.535	-	2.450	-	2.211	-	1.410	-	0.710	-
5	2.476	-	2.472	-	2.390	-	2.156	-	1.375	-	0.692	-
4	2.413	-	2.409	-	2.329	-	2.101	-	1.340	-	0.675	-
3	2.350	-	2.346	-	2.268	-	2.046	-	1.305	-	0.657	-
2	2.287	-	2.283	-	2.207	-	1.991	-	1.270	-	0.640	-
1	2.224	-	2.220	-	2.146	-	1.936	-	1.235	-	0.622	-
0	2.161	-	2.157	-	2.085	-	1.881	-	1.200	-	0.604	-
-1	2.098	-	2.094	-	2.024	-	1.826	-	1.165	-	0.587	-
-2	2.035	-	2.031	-	1.964	-	1.771	-	1.130	-	0.569	-
-3	1.972	-	1.968	-	1.903	-	1.716	-	1.095	-	0.551	-
-4	1.909	-	1.906	-	1.842	-	1.662	-	1.060	-	0.534	-
-5	1.846	-	1.843	-	1.781	-	1.607	-	1.025	-	0.516	-
-6	1.783	-	1.780	-	1.720	-	1.552	-	0.990	-	0.498	-
-7	1.719	-	1.717	-	1.659	-	1.497	-	0.955	-	0.481	-
-8	1.656	-	1.654	-	1.599	-	1.442	-	0.920	-	0.463	-
-9	1.593	-	1.591	-	1.538	-	1.387	-	0.885	-	0.446	-
-10	1.530	-	1.528	-	1.477	-	1.332	-	0.850	-	0.428	-
-11	1.467	-	1.465	-	1.416	-	1.277	-	0.815	-	0.410	-
-12	1.404	-	1.402	-	1.355	-	1.222	-	0.780	-	0.393	-
-13	1.341	-	1.339	-	1.294	-	1.168	-	0.745	-	0.375	-
-14	1.278	-	1.276	-	1.233	-	1.113	-	0.710	-	0.357	-
-15	1.215	-	1.213	-	1.173	-	1.058	-	0.675	-	0.340	-
-16	1.152	-	1.150	-	1.112	-	1.003	-	0.640	-	0.322	-
-17	1.089	-	1.087	-	1.051	-	0.948	-	0.605	-	0.304	-
-18	1.026	-	1.024	-	0.990	-	0.893	-	0.570	-	0.287	-
-19	0.963	-	0.961	-	0.929	-	0.838	-	0.535	-	0.269	-
-20	0.915	-	0.914	-	0.883	-	0.797	-	0.508	-	0.256	-

施設区分		補償区分	集団割引	補強割引
61	プラスチックハウスⅣ類甲(鉄骨中・軟)	内作一般	有	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	1.739	-	1.737	-	1.679	-	1.514	-	0.966	-	0.486	-
20	3.550	-	3.546	-	3.428	-	3.091	-	1.972	-	0.992	-
19	3.190	-	3.186	-	3.080	-	2.777	-	1.772	-	0.892	-
18	3.130	-	3.127	-	3.022	-	2.725	-	1.739	-	0.875	-
17	3.070	-	3.067	-	2.964	-	2.673	-	1.706	-	0.858	-
16	3.010	-	3.007	-	2.907	-	2.621	-	1.672	-	0.841	-
15	2.951	-	2.947	-	2.849	-	2.569	-	1.639	-	0.825	-
14	2.891	-	2.887	-	2.791	-	2.517	-	1.606	-	0.808	-
13	2.831	-	2.828	-	2.733	-	2.465	-	1.573	-	0.791	-
12	2.771	-	2.768	-	2.675	-	2.412	-	1.539	-	0.774	-
11	2.711	-	2.708	-	2.618	-	2.360	-	1.506	-	0.758	-
10	2.651	-	2.648	-	2.560	-	2.308	-	1.473	-	0.741	-
9	2.591	-	2.588	-	2.502	-	2.256	-	1.439	-	0.724	-
8	2.531	-	2.528	-	2.444	-	2.204	-	1.406	-	0.707	-
7	2.472	-	2.469	-	2.386	-	2.152	-	1.373	-	0.691	-
6	2.412	-	2.409	-	2.328	-	2.100	-	1.340	-	0.674	-
5	2.352	-	2.349	-	2.271	-	2.047	-	1.306	-	0.657	-
4	2.292	-	2.289	-	2.213	-	1.995	-	1.273	-	0.641	-
3	2.232	-	2.229	-	2.155	-	1.943	-	1.240	-	0.624	-
2	2.172	-	2.170	-	2.097	-	1.891	-	1.207	-	0.607	-
1	2.112	-	2.110	-	2.039	-	1.839	-	1.173	-	0.590	-
0	2.052	-	2.050	-	1.981	-	1.787	-	1.140	-	0.574	-
-1	1.992	-	1.990	-	1.924	-	1.735	-	1.107	-	0.557	-
-2	1.933	-	1.930	-	1.866	-	1.682	-	1.073	-	0.540	-
-3	1.873	-	1.870	-	1.808	-	1.630	-	1.040	-	0.523	-
-4	1.813	-	1.811	-	1.750	-	1.578	-	1.007	-	0.507	-
-5	1.753	-	1.751	-	1.692	-	1.526	-	0.974	-	0.490	-
-6	1.693	-	1.691	-	1.635	-	1.474	-	0.940	-	0.473	-
-7	1.633	-	1.631	-	1.577	-	1.422	-	0.907	-	0.456	-
-8	1.573	-	1.571	-	1.519	-	1.370	-	0.874	-	0.440	-
-9	1.513	-	1.512	-	1.461	-	1.317	-	0.841	-	0.423	-
-10	1.453	-	1.452	-	1.403	-	1.265	-	0.807	-	0.406	-
-11	1.394	-	1.392	-	1.345	-	1.213	-	0.774	-	0.389	-
-12	1.334	-	1.332	-	1.288	-	1.161	-	0.741	-	0.373	-
-13	1.274	-	1.272	-	1.230	-	1.109	-	0.708	-	0.356	-
-14	1.214	-	1.212	-	1.172	-	1.057	-	0.674	-	0.339	-
-15	1.154	-	1.153	-	1.114	-	1.005	-	0.641	-	0.322	-
-16	1.094	-	1.093	-	1.056	-	0.953	-	0.608	-	0.306	-
-17	1.034	-	1.033	-	0.999	-	0.900	-	0.574	-	0.289	-
-18	0.974	-	0.973	-	0.941	-	0.848	-	0.541	-	0.272	-
-19	0.914	-	0.913	-	0.883	-	0.796	-	0.508	-	0.256	-
-20	0.869	-	0.868	-	0.839	-	0.757	-	0.483	-	0.243	-

施設区分		補償区分	集団割引	補強割引
61	プラスチックハウスⅣ類甲(鉄骨中・軟)	内作事故除外	無	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.822	-	0.821	-	0.813	-	0.785	-	0.630	-	0.392	-
20	1.678	-	1.676	-	1.660	-	1.602	-	1.286	-	0.800	-
19	1.508	-	1.506	-	1.491	-	1.440	-	1.156	-	0.719	-
18	1.480	-	1.478	-	1.463	-	1.413	-	1.134	-	0.706	-
17	1.451	-	1.450	-	1.435	-	1.386	-	1.112	-	0.692	-
16	1.423	-	1.421	-	1.407	-	1.359	-	1.091	-	0.679	-
15	1.395	-	1.393	-	1.379	-	1.332	-	1.069	-	0.665	-
14	1.366	-	1.365	-	1.351	-	1.305	-	1.047	-	0.652	-
13	1.338	-	1.336	-	1.323	-	1.278	-	1.026	-	0.638	-
12	1.310	-	1.308	-	1.295	-	1.251	-	1.004	-	0.625	-
11	1.281	-	1.280	-	1.267	-	1.224	-	0.982	-	0.611	-
10	1.253	-	1.252	-	1.239	-	1.197	-	0.960	-	0.598	-
9	1.225	-	1.223	-	1.211	-	1.170	-	0.939	-	0.584	-
8	1.197	-	1.195	-	1.183	-	1.143	-	0.917	-	0.571	-
7	1.168	-	1.167	-	1.155	-	1.116	-	0.895	-	0.557	-
6	1.140	-	1.139	-	1.127	-	1.089	-	0.874	-	0.544	-
5	1.112	-	1.110	-	1.099	-	1.062	-	0.852	-	0.530	-
4	1.083	-	1.082	-	1.071	-	1.035	-	0.830	-	0.517	-
3	1.055	-	1.054	-	1.043	-	1.008	-	0.809	-	0.503	-
2	1.027	-	1.025	-	1.015	-	0.980	-	0.787	-	0.490	-
1	0.998	-	0.997	-	0.987	-	0.953	-	0.765	-	0.476	-
0	0.970	-	0.969	-	0.959	-	0.926	-	0.743	-	0.463	-
-1	0.942	-	0.941	-	0.931	-	0.899	-	0.722	-	0.449	-
-2	0.913	-	0.912	-	0.903	-	0.872	-	0.700	-	0.436	-
-3	0.885	-	0.884	-	0.875	-	0.845	-	0.678	-	0.422	-
-4	0.857	-	0.856	-	0.847	-	0.818	-	0.657	-	0.409	-
-5	0.829	-	0.828	-	0.819	-	0.791	-	0.635	-	0.395	-
-6	0.800	-	0.799	-	0.791	-	0.764	-	0.613	-	0.382	-
-7	0.772	-	0.771	-	0.763	-	0.737	-	0.592	-	0.368	-
-8	0.744	-	0.743	-	0.735	-	0.710	-	0.570	-	0.355	-
-9	0.715	-	0.714	-	0.707	-	0.683	-	0.548	-	0.341	-
-10	0.687	-	0.686	-	0.679	-	0.656	-	0.527	-	0.328	-
-11	0.659	-	0.658	-	0.651	-	0.629	-	0.505	-	0.314	-
-12	0.630	-	0.630	-	0.623	-	0.602	-	0.483	-	0.301	-
-13	0.602	-	0.601	-	0.595	-	0.575	-	0.461	-	0.287	-
-14	0.574	-	0.573	-	0.567	-	0.548	-	0.440	-	0.274	-
-15	0.545	-	0.545	-	0.539	-	0.521	-	0.418	-	0.260	-
-16	0.517	-	0.517	-	0.511	-	0.494	-	0.396	-	0.247	-
-17	0.489	-	0.488	-	0.483	-	0.467	-	0.375	-	0.233	-
-18	0.461	-	0.460	-	0.455	-	0.440	-	0.353	-	0.220	-
-19	0.432	-	0.432	-	0.427	-	0.413	-	0.331	-	0.206	-
-20	0.411	-	0.410	-	0.406	-	0.392	-	0.315	-	0.196	-

施設区分		補償区分	集団割引	補強割引
61	プラスチックハウスⅣ類甲(鉄骨中・軟)	内作事故除外	有	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.781	-	0.780	-	0.772	-	0.746	-	0.599	-	0.372	-
20	1.594	-	1.592	-	1.576	-	1.523	-	1.223	-	0.759	-
19	1.433	-	1.431	-	1.416	-	1.369	-	1.099	-	0.682	-
18	1.406	-	1.404	-	1.390	-	1.343	-	1.078	-	0.670	-
17	1.379	-	1.377	-	1.363	-	1.317	-	1.058	-	0.657	-
16	1.352	-	1.350	-	1.336	-	1.291	-	1.037	-	0.644	-
15	1.325	-	1.323	-	1.310	-	1.266	-	1.016	-	0.631	-
14	1.298	-	1.297	-	1.283	-	1.240	-	0.996	-	0.618	-
13	1.271	-	1.270	-	1.257	-	1.214	-	0.975	-	0.606	-
12	1.244	-	1.243	-	1.230	-	1.189	-	0.954	-	0.593	-
11	1.218	-	1.216	-	1.204	-	1.163	-	0.934	-	0.580	-
10	1.191	-	1.189	-	1.177	-	1.137	-	0.913	-	0.567	-
9	1.164	-	1.162	-	1.150	-	1.112	-	0.893	-	0.554	-
8	1.137	-	1.135	-	1.124	-	1.086	-	0.872	-	0.542	-
7	1.110	-	1.109	-	1.097	-	1.060	-	0.851	-	0.529	-
6	1.083	-	1.082	-	1.071	-	1.035	-	0.831	-	0.516	-
5	1.056	-	1.055	-	1.044	-	1.009	-	0.810	-	0.503	-
4	1.029	-	1.028	-	1.017	-	0.983	-	0.789	-	0.490	-
3	1.002	-	1.001	-	0.991	-	0.957	-	0.769	-	0.477	-
2	0.975	-	0.974	-	0.964	-	0.932	-	0.748	-	0.465	-
1	0.949	-	0.947	-	0.938	-	0.906	-	0.728	-	0.452	-
0	0.922	-	0.921	-	0.911	-	0.880	-	0.707	-	0.439	-
-1	0.895	-	0.894	-	0.884	-	0.855	-	0.686	-	0.426	-
-2	0.868	-	0.867	-	0.858	-	0.829	-	0.666	-	0.413	-
-3	0.841	-	0.840	-	0.831	-	0.803	-	0.645	-	0.401	-
-4	0.814	-	0.813	-	0.805	-	0.778	-	0.624	-	0.388	-
-5	0.787	-	0.786	-	0.778	-	0.752	-	0.604	-	0.375	-
-6	0.760	-	0.759	-	0.752	-	0.726	-	0.583	-	0.362	-
-7	0.733	-	0.732	-	0.725	-	0.701	-	0.563	-	0.349	-
-8	0.707	-	0.706	-	0.698	-	0.675	-	0.542	-	0.337	-
-9	0.680	-	0.679	-	0.672	-	0.649	-	0.521	-	0.324	-
-10	0.653	-	0.652	-	0.645	-	0.623	-	0.501	-	0.311	-
-11	0.626	-	0.625	-	0.619	-	0.598	-	0.480	-	0.298	-
-12	0.599	-	0.598	-	0.592	-	0.572	-	0.459	-	0.285	-
-13	0.572	-	0.571	-	0.565	-	0.546	-	0.439	-	0.272	-
-14	0.545	-	0.544	-	0.539	-	0.521	-	0.418	-	0.260	-
-15	0.518	-	0.518	-	0.512	-	0.495	-	0.397	-	0.247	-
-16	0.491	-	0.491	-	0.486	-	0.469	-	0.377	-	0.234	-
-17	0.464	-	0.464	-	0.459	-	0.444	-	0.356	-	0.221	-
-18	0.438	-	0.437	-	0.433	-	0.418	-	0.336	-	0.208	-
-19	0.411	-	0.410	-	0.406	-	0.392	-	0.315	-	0.196	-
-20	0.390	-	0.390	-	0.386	-	0.373	-	0.299	-	0.186	-

施設区分		補償区分	集団割引	補強割引
61	プラスチックハウスⅣ類甲(鉄骨中・軟)	撤去費用	無	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003
20	0.018	0.016	0.016	0.014	0.014	0.012	0.012	0.010	0.010	0.008	0.008	0.006
19	0.017	0.015	0.015	0.013	0.013	0.011	0.011	0.009	0.009	0.007	0.007	0.006
18	0.016	0.014	0.014	0.013	0.013	0.011	0.011	0.009	0.009	0.007	0.007	0.005
17	0.016	0.014	0.014	0.012	0.012	0.011	0.011	0.009	0.009	0.007	0.007	0.005
16	0.016	0.014	0.014	0.012	0.012	0.010	0.010	0.009	0.009	0.007	0.007	0.005
15	0.015	0.014	0.014	0.012	0.012	0.010	0.010	0.008	0.008	0.007	0.007	0.005
14	0.015	0.013	0.013	0.012	0.012	0.010	0.010	0.008	0.008	0.007	0.007	0.005
13	0.015	0.013	0.013	0.011	0.011	0.010	0.010	0.008	0.008	0.007	0.007	0.005
12	0.014	0.013	0.013	0.011	0.011	0.010	0.010	0.008	0.008	0.006	0.006	0.005
11	0.014	0.012	0.012	0.011	0.011	0.009	0.009	0.008	0.008	0.006	0.006	0.005
10	0.014	0.012	0.012	0.011	0.011	0.009	0.009	0.008	0.008	0.006	0.006	0.005
9	0.013	0.012	0.012	0.010	0.010	0.009	0.009	0.007	0.007	0.006	0.006	0.004
8	0.013	0.012	0.012	0.010	0.010	0.009	0.009	0.007	0.007	0.006	0.006	0.004
7	0.013	0.011	0.011	0.010	0.010	0.009	0.009	0.007	0.007	0.006	0.006	0.004
6	0.012	0.011	0.011	0.010	0.010	0.008	0.008	0.007	0.007	0.006	0.006	0.004
5	0.012	0.011	0.011	0.009	0.009	0.008	0.008	0.007	0.007	0.005	0.005	0.004
4	0.012	0.011	0.011	0.009	0.009	0.008	0.008	0.007	0.007	0.005	0.005	0.004
3	0.012	0.010	0.010	0.009	0.009	0.008	0.008	0.006	0.006	0.005	0.005	0.004
2	0.011	0.010	0.010	0.009	0.009	0.007	0.007	0.006	0.006	0.005	0.005	0.004
1	0.011	0.010	0.010	0.009	0.009	0.007	0.007	0.006	0.006	0.005	0.005	0.004
0	0.011	0.009	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004
-1	0.010	0.009	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.003
-2	0.010	0.009	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.004	0.004	0.003
-3	0.010	0.009	0.009	0.008	0.008	0.006	0.006	0.005	0.005	0.004	0.004	0.003
-4	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003
-5	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003
-6	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003
-7	0.008	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003
-8	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.005	0.005	0.004	0.004	0.003
-9	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003	0.003	0.003
-10	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003	0.003	0.003
-11	0.007	0.006	0.006	0.006	0.006	0.005	0.005	0.004	0.004	0.003	0.003	0.002
-12	0.007	0.006	0.006	0.005	0.005	0.005	0.005	0.004	0.004	0.003	0.003	0.002
-13	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.004	0.004	0.003	0.003	0.002
-14	0.006	0.006	0.006	0.005	0.005	0.004	0.004	0.003	0.003	0.003	0.003	0.002
-15	0.006	0.005	0.005	0.005	0.005	0.004	0.004	0.003	0.003	0.003	0.003	0.002
-16	0.006	0.005	0.005	0.004	0.004	0.004	0.004	0.003	0.003	0.003	0.003	0.002
-17	0.005	0.005	0.005	0.004	0.004	0.004	0.004	0.003	0.003	0.002	0.002	0.002
-18	0.005	0.004	0.004	0.004	0.004	0.003	0.003	0.003	0.003	0.002	0.002	0.002
-19	0.005	0.004	0.004	0.004	0.004	0.003	0.003	0.003	0.003	0.002	0.002	0.002
-20	0.004	0.004	0.004	0.003	0.003	0.003	0.003	0.002	0.002	0.002	0.002	0.001

施設区分		補償区分	集団割引	補強割引
61	プラスチックハウスⅣ類甲(鉄骨中・軟)	撤去費用	有	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003
20	0.018	0.016	0.016	0.014	0.014	0.012	0.012	0.010	0.010	0.008	0.008	0.006
19	0.017	0.015	0.015	0.013	0.013	0.011	0.011	0.009	0.009	0.007	0.007	0.006
18	0.016	0.014	0.014	0.013	0.013	0.011	0.011	0.009	0.009	0.007	0.007	0.005
17	0.016	0.014	0.014	0.012	0.012	0.011	0.011	0.009	0.009	0.007	0.007	0.005
16	0.016	0.014	0.014	0.012	0.012	0.010	0.010	0.009	0.009	0.007	0.007	0.005
15	0.015	0.014	0.014	0.012	0.012	0.010	0.010	0.008	0.008	0.007	0.007	0.005
14	0.015	0.013	0.013	0.012	0.012	0.010	0.010	0.008	0.008	0.007	0.007	0.005
13	0.015	0.013	0.013	0.011	0.011	0.010	0.010	0.008	0.008	0.007	0.007	0.005
12	0.014	0.013	0.013	0.011	0.011	0.010	0.010	0.008	0.008	0.006	0.006	0.005
11	0.014	0.012	0.012	0.011	0.011	0.009	0.009	0.008	0.008	0.006	0.006	0.005
10	0.014	0.012	0.012	0.011	0.011	0.009	0.009	0.008	0.008	0.006	0.006	0.005
9	0.013	0.012	0.012	0.010	0.010	0.009	0.009	0.007	0.007	0.006	0.006	0.004
8	0.013	0.012	0.012	0.010	0.010	0.009	0.009	0.007	0.007	0.006	0.006	0.004
7	0.013	0.011	0.011	0.010	0.010	0.009	0.009	0.007	0.007	0.006	0.006	0.004
6	0.012	0.011	0.011	0.010	0.010	0.008	0.008	0.007	0.007	0.006	0.006	0.004
5	0.012	0.011	0.011	0.009	0.009	0.008	0.008	0.007	0.007	0.005	0.005	0.004
4	0.012	0.011	0.011	0.009	0.009	0.008	0.008	0.007	0.007	0.005	0.005	0.004
3	0.012	0.010	0.010	0.009	0.009	0.008	0.008	0.006	0.006	0.005	0.005	0.004
2	0.011	0.010	0.010	0.009	0.009	0.007	0.007	0.006	0.006	0.005	0.005	0.004
1	0.011	0.010	0.010	0.009	0.009	0.007	0.007	0.006	0.006	0.005	0.005	0.004
0	0.011	0.009	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004
-1	0.010	0.009	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.003
-2	0.010	0.009	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.004	0.004	0.003
-3	0.010	0.009	0.009	0.008	0.008	0.006	0.006	0.005	0.005	0.004	0.004	0.003
-4	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003
-5	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003
-6	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003
-7	0.008	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003
-8	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.005	0.005	0.004	0.004	0.003
-9	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003	0.003	0.003
-10	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003	0.003	0.003
-11	0.007	0.006	0.006	0.006	0.006	0.005	0.005	0.004	0.004	0.003	0.003	0.002
-12	0.007	0.006	0.006	0.005	0.005	0.005	0.005	0.004	0.004	0.003	0.003	0.002
-13	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.004	0.004	0.003	0.003	0.002
-14	0.006	0.006	0.006	0.005	0.005	0.004	0.004	0.003	0.003	0.003	0.003	0.002
-15	0.006	0.005	0.005	0.005	0.005	0.004	0.004	0.003	0.003	0.003	0.003	0.002
-16	0.006	0.005	0.005	0.004	0.004	0.004	0.004	0.003	0.003	0.003	0.003	0.002
-17	0.005	0.005	0.005	0.004	0.004	0.004	0.004	0.003	0.003	0.002	0.002	0.002
-18	0.005	0.004	0.004	0.004	0.004	0.003	0.003	0.003	0.003	0.002	0.002	0.002
-19	0.005	0.004	0.004	0.004	0.004	0.003	0.003	0.003	0.003	0.002	0.002	0.002
-20	0.004	0.004	0.004	0.003	0.003	0.003	0.003	0.002	0.002	0.002	0.002	0.001

施設区分		補償区分	集団割引	補強割引
61	プラスチックハウスⅣ類甲(鉄骨中・軟)	復旧費用	無	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.228	0.008	0.220	0.007	0.172	0.006	0.136	0.005	0.054	0.004	0.024	0.003
20	0.465	0.016	0.449	0.014	0.351	0.012	0.278	0.010	0.110	0.008	0.049	0.006
19	0.418	0.015	0.404	0.013	0.316	0.011	0.249	0.009	0.099	0.007	0.044	0.006
18	0.410	0.014	0.396	0.013	0.310	0.011	0.245	0.009	0.097	0.007	0.043	0.005
17	0.403	0.014	0.388	0.012	0.304	0.011	0.240	0.009	0.095	0.007	0.042	0.005
16	0.395	0.014	0.381	0.012	0.298	0.010	0.235	0.009	0.093	0.007	0.042	0.005
15	0.387	0.014	0.373	0.012	0.292	0.010	0.231	0.008	0.092	0.007	0.041	0.005
14	0.379	0.013	0.366	0.012	0.286	0.010	0.226	0.008	0.090	0.007	0.040	0.005
13	0.371	0.013	0.358	0.011	0.280	0.010	0.221	0.008	0.088	0.007	0.039	0.005
12	0.363	0.013	0.351	0.011	0.274	0.010	0.217	0.008	0.086	0.006	0.038	0.005
11	0.355	0.012	0.343	0.011	0.268	0.009	0.212	0.008	0.084	0.006	0.037	0.005
10	0.348	0.012	0.335	0.011	0.262	0.009	0.207	0.008	0.082	0.006	0.037	0.005
9	0.340	0.012	0.328	0.010	0.256	0.009	0.203	0.007	0.080	0.006	0.036	0.004
8	0.332	0.012	0.320	0.010	0.250	0.009	0.198	0.007	0.079	0.006	0.035	0.004
7	0.324	0.011	0.313	0.010	0.244	0.009	0.193	0.007	0.077	0.006	0.034	0.004
6	0.316	0.011	0.305	0.010	0.239	0.008	0.189	0.007	0.075	0.006	0.033	0.004
5	0.308	0.011	0.298	0.009	0.233	0.008	0.184	0.007	0.073	0.005	0.032	0.004
4	0.300	0.011	0.290	0.009	0.227	0.008	0.179	0.007	0.071	0.005	0.032	0.004
3	0.293	0.010	0.282	0.009	0.221	0.008	0.175	0.006	0.069	0.005	0.031	0.004
2	0.285	0.010	0.275	0.009	0.215	0.007	0.170	0.006	0.067	0.005	0.030	0.004
1	0.277	0.010	0.267	0.009	0.209	0.007	0.165	0.006	0.066	0.005	0.029	0.004
0	0.269	0.009	0.260	0.008	0.203	0.007	0.161	0.006	0.064	0.005	0.028	0.004
-1	0.261	0.009	0.252	0.008	0.197	0.007	0.156	0.006	0.062	0.005	0.027	0.003
-2	0.253	0.009	0.244	0.008	0.191	0.007	0.151	0.006	0.060	0.004	0.027	0.003
-3	0.246	0.009	0.237	0.008	0.185	0.006	0.146	0.005	0.058	0.004	0.026	0.003
-4	0.238	0.008	0.229	0.007	0.179	0.006	0.142	0.005	0.056	0.004	0.025	0.003
-5	0.230	0.008	0.222	0.007	0.173	0.006	0.137	0.005	0.054	0.004	0.024	0.003
-6	0.222	0.008	0.214	0.007	0.167	0.006	0.132	0.005	0.053	0.004	0.023	0.003
-7	0.214	0.008	0.207	0.007	0.162	0.006	0.128	0.005	0.051	0.004	0.023	0.003
-8	0.206	0.007	0.199	0.006	0.156	0.005	0.123	0.005	0.049	0.004	0.022	0.003
-9	0.198	0.007	0.191	0.006	0.150	0.005	0.118	0.004	0.047	0.003	0.021	0.003
-10	0.191	0.007	0.184	0.006	0.144	0.005	0.114	0.004	0.045	0.003	0.020	0.003
-11	0.183	0.006	0.176	0.006	0.138	0.005	0.109	0.004	0.043	0.003	0.019	0.002
-12	0.175	0.006	0.169	0.005	0.132	0.005	0.104	0.004	0.041	0.003	0.018	0.002
-13	0.167	0.006	0.161	0.005	0.126	0.004	0.100	0.004	0.040	0.003	0.018	0.002
-14	0.159	0.006	0.154	0.005	0.120	0.004	0.095	0.003	0.038	0.003	0.017	0.002
-15	0.151	0.005	0.146	0.005	0.114	0.004	0.090	0.003	0.036	0.003	0.016	0.002
-16	0.143	0.005	0.138	0.004	0.108	0.004	0.086	0.003	0.034	0.003	0.015	0.002
-17	0.136	0.005	0.131	0.004	0.102	0.004	0.081	0.003	0.032	0.002	0.014	0.002
-18	0.128	0.004	0.123	0.004	0.096	0.003	0.076	0.003	0.030	0.002	0.013	0.002
-19	0.120	0.004	0.116	0.004	0.090	0.003	0.072	0.003	0.028	0.002	0.013	0.002
-20	0.114	0.004	0.110	0.003	0.086	0.003	0.068	0.002	0.027	0.002	0.012	0.001

施設区分		補償区分	集団割引	補強割引
61	プラスチックハウスⅣ類甲(鉄骨中・軟)	復旧費用	有	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.217	0.008	0.209	0.007	0.163	0.006	0.129	0.005	0.051	0.004	0.023	0.003
20	0.443	0.016	0.427	0.014	0.333	0.012	0.263	0.010	0.104	0.008	0.047	0.006
19	0.398	0.015	0.383	0.013	0.299	0.011	0.237	0.009	0.094	0.007	0.042	0.006
18	0.391	0.014	0.376	0.013	0.293	0.011	0.232	0.009	0.092	0.007	0.041	0.005
17	0.383	0.014	0.369	0.012	0.288	0.011	0.228	0.009	0.090	0.007	0.041	0.005
16	0.376	0.014	0.362	0.012	0.282	0.010	0.223	0.009	0.088	0.007	0.040	0.005
15	0.368	0.014	0.355	0.012	0.277	0.010	0.219	0.008	0.087	0.007	0.039	0.005
14	0.361	0.013	0.347	0.012	0.271	0.010	0.214	0.008	0.085	0.007	0.038	0.005
13	0.353	0.013	0.340	0.011	0.265	0.010	0.210	0.008	0.083	0.007	0.037	0.005
12	0.346	0.013	0.333	0.011	0.260	0.010	0.206	0.008	0.081	0.006	0.037	0.005
11	0.338	0.012	0.326	0.011	0.254	0.009	0.201	0.008	0.080	0.006	0.036	0.005
10	0.331	0.012	0.319	0.011	0.249	0.009	0.197	0.008	0.078	0.006	0.035	0.005
9	0.323	0.012	0.311	0.010	0.243	0.009	0.192	0.007	0.076	0.006	0.034	0.004
8	0.316	0.012	0.304	0.010	0.237	0.009	0.188	0.007	0.074	0.006	0.033	0.004
7	0.308	0.011	0.297	0.010	0.232	0.009	0.183	0.007	0.072	0.006	0.033	0.004
6	0.301	0.011	0.290	0.010	0.226	0.008	0.179	0.007	0.071	0.006	0.032	0.004
5	0.293	0.011	0.283	0.009	0.220	0.008	0.174	0.007	0.069	0.005	0.031	0.004
4	0.286	0.011	0.275	0.009	0.215	0.008	0.170	0.007	0.067	0.005	0.030	0.004
3	0.279	0.010	0.268	0.009	0.209	0.008	0.166	0.006	0.065	0.005	0.030	0.004
2	0.271	0.010	0.261	0.009	0.204	0.007	0.161	0.006	0.064	0.005	0.029	0.004
1	0.264	0.010	0.254	0.009	0.198	0.007	0.157	0.006	0.062	0.005	0.028	0.004
0	0.256	0.009	0.247	0.008	0.192	0.007	0.152	0.006	0.060	0.005	0.027	0.004
-1	0.249	0.009	0.239	0.008	0.187	0.007	0.148	0.006	0.058	0.005	0.026	0.003
-2	0.241	0.009	0.232	0.008	0.181	0.007	0.143	0.006	0.057	0.004	0.026	0.003
-3	0.234	0.009	0.225	0.008	0.176	0.006	0.139	0.005	0.055	0.004	0.025	0.003
-4	0.226	0.008	0.218	0.007	0.170	0.006	0.134	0.005	0.053	0.004	0.024	0.003
-5	0.219	0.008	0.211	0.007	0.164	0.006	0.130	0.005	0.051	0.004	0.023	0.003
-6	0.211	0.008	0.203	0.007	0.159	0.006	0.126	0.005	0.050	0.004	0.022	0.003
-7	0.204	0.008	0.196	0.007	0.153	0.006	0.121	0.005	0.048	0.004	0.022	0.003
-8	0.196	0.007	0.189	0.006	0.147	0.005	0.117	0.005	0.046	0.004	0.021	0.003
-9	0.189	0.007	0.182	0.006	0.142	0.005	0.112	0.004	0.044	0.003	0.020	0.003
-10	0.181	0.007	0.175	0.006	0.136	0.005	0.108	0.004	0.043	0.003	0.019	0.003
-11	0.174	0.006	0.167	0.006	0.131	0.005	0.103	0.004	0.041	0.003	0.018	0.002
-12	0.166	0.006	0.160	0.005	0.125	0.005	0.099	0.004	0.039	0.003	0.018	0.002
-13	0.159	0.006	0.153	0.005	0.119	0.004	0.094	0.004	0.037	0.003	0.017	0.002
-14	0.151	0.006	0.146	0.005	0.114	0.004	0.090	0.003	0.036	0.003	0.016	0.002
-15	0.144	0.005	0.139	0.005	0.108	0.004	0.086	0.003	0.034	0.003	0.015	0.002
-16	0.137	0.005	0.131	0.004	0.103	0.004	0.081	0.003	0.032	0.003	0.014	0.002
-17	0.129	0.005	0.124	0.004	0.097	0.004	0.077	0.003	0.030	0.002	0.014	0.002
-18	0.122	0.004	0.117	0.004	0.091	0.003	0.072	0.003	0.029	0.002	0.013	0.002
-19	0.114	0.004	0.110	0.004	0.086	0.003	0.068	0.003	0.027	0.002	0.012	0.002
-20	0.108	0.004	0.104	0.003	0.081	0.003	0.064	0.002	0.025	0.002	0.011	0.001

施設区分		補償区分	集団割引	補強割引
62	プラスチックハウスⅣ類乙(鉄骨中・硬)	特定附帯	無	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.267	0.008	0.259	0.007	0.190	0.006	0.146	0.005	0.077	0.004	0.054	0.003
20	0.483	0.014	0.469	0.013	0.344	0.011	0.264	0.009	0.139	0.007	0.098	0.005
19	0.434	0.013	0.421	0.011	0.309	0.010	0.237	0.008	0.125	0.007	0.088	0.005
18	0.426	0.013	0.413	0.011	0.303	0.010	0.233	0.008	0.123	0.006	0.086	0.005
17	0.418	0.013	0.406	0.011	0.298	0.009	0.229	0.008	0.121	0.006	0.085	0.005
16	0.411	0.012	0.398	0.011	0.292	0.009	0.225	0.008	0.118	0.006	0.083	0.005
15	0.403	0.012	0.391	0.011	0.287	0.009	0.220	0.008	0.116	0.006	0.082	0.005
14	0.395	0.012	0.383	0.010	0.281	0.009	0.216	0.007	0.114	0.006	0.080	0.004
13	0.387	0.012	0.376	0.010	0.276	0.009	0.212	0.007	0.112	0.006	0.078	0.004
12	0.380	0.011	0.368	0.010	0.270	0.009	0.208	0.007	0.110	0.006	0.077	0.004
11	0.372	0.011	0.361	0.010	0.265	0.008	0.203	0.007	0.107	0.006	0.075	0.004
10	0.364	0.011	0.353	0.010	0.259	0.008	0.199	0.007	0.105	0.005	0.074	0.004
9	0.356	0.011	0.346	0.009	0.254	0.008	0.195	0.007	0.103	0.005	0.072	0.004
8	0.349	0.010	0.338	0.009	0.248	0.008	0.191	0.007	0.101	0.005	0.071	0.004
7	0.341	0.010	0.331	0.009	0.243	0.008	0.186	0.006	0.098	0.005	0.069	0.004
6	0.333	0.010	0.323	0.009	0.237	0.007	0.182	0.006	0.096	0.005	0.067	0.004
5	0.325	0.010	0.316	0.009	0.232	0.007	0.178	0.006	0.094	0.005	0.066	0.004
4	0.318	0.010	0.308	0.008	0.226	0.007	0.174	0.006	0.092	0.005	0.064	0.004
3	0.310	0.009	0.301	0.008	0.221	0.007	0.169	0.006	0.089	0.005	0.063	0.003
2	0.302	0.009	0.293	0.008	0.215	0.007	0.165	0.006	0.087	0.005	0.061	0.003
1	0.294	0.009	0.286	0.008	0.210	0.007	0.161	0.006	0.085	0.004	0.060	0.003
0	0.287	0.009	0.278	0.008	0.204	0.006	0.157	0.005	0.083	0.004	0.058	0.003
-1	0.279	0.008	0.271	0.007	0.198	0.006	0.153	0.005	0.080	0.004	0.056	0.003
-2	0.271	0.008	0.263	0.007	0.193	0.006	0.148	0.005	0.078	0.004	0.055	0.003
-3	0.263	0.008	0.255	0.007	0.187	0.006	0.144	0.005	0.076	0.004	0.053	0.003
-4	0.256	0.008	0.248	0.007	0.182	0.006	0.140	0.005	0.074	0.004	0.052	0.003
-5	0.248	0.007	0.240	0.006	0.176	0.006	0.136	0.005	0.071	0.004	0.050	0.003
-6	0.240	0.007	0.233	0.006	0.171	0.005	0.131	0.004	0.069	0.004	0.049	0.003
-7	0.232	0.007	0.225	0.006	0.165	0.005	0.127	0.004	0.067	0.003	0.047	0.003
-8	0.225	0.007	0.218	0.006	0.160	0.005	0.123	0.004	0.065	0.003	0.045	0.003
-9	0.217	0.006	0.210	0.006	0.154	0.005	0.119	0.004	0.063	0.003	0.044	0.002
-10	0.209	0.006	0.203	0.005	0.149	0.005	0.114	0.004	0.060	0.003	0.042	0.002
-11	0.201	0.006	0.195	0.005	0.143	0.005	0.110	0.004	0.058	0.003	0.041	0.002
-12	0.194	0.006	0.188	0.005	0.138	0.004	0.106	0.004	0.056	0.003	0.039	0.002
-13	0.186	0.006	0.180	0.005	0.132	0.004	0.102	0.003	0.054	0.003	0.038	0.002
-14	0.178	0.005	0.173	0.005	0.127	0.004	0.097	0.003	0.051	0.003	0.036	0.002
-15	0.170	0.005	0.165	0.004	0.121	0.004	0.093	0.003	0.049	0.003	0.034	0.002
-16	0.163	0.005	0.158	0.004	0.116	0.004	0.089	0.003	0.047	0.002	0.033	0.002
-17	0.155	0.005	0.150	0.004	0.110	0.003	0.085	0.003	0.045	0.002	0.031	0.002
-18	0.147	0.004	0.143	0.004	0.105	0.003	0.080	0.003	0.042	0.002	0.030	0.002
-19	0.139	0.004	0.135	0.004	0.099	0.003	0.076	0.003	0.040	0.002	0.028	0.002
-20	0.133	0.004	0.129	0.003	0.095	0.003	0.073	0.002	0.038	0.002	0.027	0.001

施設区分		補償区分	集団割引	補強割引
62	プラスチックハウスⅣ類乙(鉄骨中・硬)	特定附帯	有	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.254	0.008	0.246	0.007	0.181	0.006	0.139	0.005	0.073	0.004	0.051	0.003
20	0.460	0.014	0.445	0.013	0.328	0.011	0.252	0.009	0.132	0.007	0.092	0.005
19	0.413	0.013	0.400	0.011	0.294	0.010	0.226	0.008	0.119	0.007	0.083	0.005
18	0.405	0.013	0.393	0.011	0.289	0.010	0.222	0.008	0.117	0.006	0.081	0.005
17	0.398	0.013	0.386	0.011	0.284	0.009	0.218	0.008	0.114	0.006	0.080	0.005
16	0.391	0.012	0.378	0.011	0.278	0.009	0.214	0.008	0.112	0.006	0.078	0.005
15	0.383	0.012	0.371	0.011	0.273	0.009	0.210	0.008	0.110	0.006	0.077	0.005
14	0.376	0.012	0.364	0.010	0.268	0.009	0.206	0.007	0.108	0.006	0.075	0.004
13	0.369	0.012	0.357	0.010	0.263	0.009	0.202	0.007	0.106	0.006	0.074	0.004
12	0.361	0.011	0.350	0.010	0.257	0.009	0.198	0.007	0.104	0.006	0.073	0.004
11	0.354	0.011	0.343	0.010	0.252	0.008	0.194	0.007	0.102	0.006	0.071	0.004
10	0.346	0.011	0.336	0.010	0.247	0.008	0.190	0.007	0.100	0.005	0.070	0.004
9	0.339	0.011	0.328	0.009	0.242	0.008	0.186	0.007	0.097	0.005	0.068	0.004
8	0.332	0.010	0.321	0.009	0.236	0.008	0.182	0.007	0.095	0.005	0.067	0.004
7	0.324	0.010	0.314	0.009	0.231	0.008	0.177	0.006	0.093	0.005	0.065	0.004
6	0.317	0.010	0.307	0.009	0.226	0.007	0.173	0.006	0.091	0.005	0.064	0.004
5	0.310	0.010	0.300	0.009	0.221	0.007	0.169	0.006	0.089	0.005	0.062	0.004
4	0.302	0.010	0.293	0.008	0.215	0.007	0.165	0.006	0.087	0.005	0.061	0.004
3	0.295	0.009	0.286	0.008	0.210	0.007	0.161	0.006	0.085	0.005	0.059	0.003
2	0.287	0.009	0.278	0.008	0.205	0.007	0.157	0.006	0.083	0.005	0.058	0.003
1	0.280	0.009	0.271	0.008	0.200	0.007	0.153	0.006	0.080	0.004	0.056	0.003
0	0.273	0.009	0.264	0.008	0.194	0.006	0.149	0.005	0.078	0.004	0.055	0.003
-1	0.265	0.008	0.257	0.007	0.189	0.006	0.145	0.005	0.076	0.004	0.053	0.003
-2	0.258	0.008	0.250	0.007	0.184	0.006	0.141	0.005	0.074	0.004	0.052	0.003
-3	0.251	0.008	0.243	0.007	0.179	0.006	0.137	0.005	0.072	0.004	0.050	0.003
-4	0.243	0.008	0.236	0.007	0.173	0.006	0.133	0.005	0.070	0.004	0.049	0.003
-5	0.236	0.007	0.228	0.006	0.168	0.006	0.129	0.005	0.068	0.004	0.047	0.003
-6	0.228	0.007	0.221	0.006	0.163	0.005	0.125	0.004	0.066	0.004	0.046	0.003
-7	0.221	0.007	0.214	0.006	0.158	0.005	0.121	0.004	0.064	0.003	0.044	0.003
-8	0.214	0.007	0.207	0.006	0.152	0.005	0.117	0.004	0.061	0.003	0.043	0.003
-9	0.206	0.006	0.200	0.006	0.147	0.005	0.113	0.004	0.059	0.003	0.041	0.002
-10	0.199	0.006	0.193	0.005	0.142	0.005	0.109	0.004	0.057	0.003	0.040	0.002
-11	0.192	0.006	0.186	0.005	0.136	0.005	0.105	0.004	0.055	0.003	0.038	0.002
-12	0.184	0.006	0.178	0.005	0.131	0.004	0.101	0.004	0.053	0.003	0.037	0.002
-13	0.177	0.006	0.171	0.005	0.126	0.004	0.097	0.003	0.051	0.003	0.035	0.002
-14	0.169	0.005	0.164	0.005	0.121	0.004	0.093	0.003	0.049	0.003	0.034	0.002
-15	0.162	0.005	0.157	0.004	0.115	0.004	0.089	0.003	0.047	0.003	0.033	0.002
-16	0.155	0.005	0.150	0.004	0.110	0.004	0.085	0.003	0.044	0.002	0.031	0.002
-17	0.147	0.005	0.143	0.004	0.105	0.003	0.081	0.003	0.042	0.002	0.030	0.002
-18	0.140	0.004	0.136	0.004	0.100	0.003	0.077	0.003	0.040	0.002	0.028	0.002
-19	0.133	0.004	0.128	0.004	0.094	0.003	0.073	0.003	0.038	0.002	0.027	0.002
-20	0.127	0.004	0.123	0.003	0.090	0.003	0.069	0.002	0.036	0.002	0.025	0.001

施設区分		補償区分	集団割引	補強割引
62	プラスチックハウスⅣ類乙(鉄骨中・硬)	内作一般	無	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	1.273	-	1.272	-	1.242	-	1.126	-	0.655	-	0.294	-
20	2.304	-	2.302	-	2.247	-	2.038	-	1.185	-	0.532	-
19	2.069	-	2.068	-	2.019	-	1.830	-	1.065	-	0.478	-
18	2.032	-	2.031	-	1.983	-	1.798	-	1.046	-	0.469	-
17	1.995	-	1.994	-	1.947	-	1.765	-	1.027	-	0.461	-
16	1.958	-	1.957	-	1.911	-	1.732	-	1.008	-	0.452	-
15	1.921	-	1.920	-	1.875	-	1.699	-	0.989	-	0.444	-
14	1.884	-	1.883	-	1.838	-	1.667	-	0.970	-	0.435	-
13	1.847	-	1.846	-	1.802	-	1.634	-	0.951	-	0.427	-
12	1.810	-	1.809	-	1.766	-	1.601	-	0.932	-	0.418	-
11	1.773	-	1.772	-	1.730	-	1.569	-	0.912	-	0.410	-
10	1.736	-	1.735	-	1.694	-	1.536	-	0.893	-	0.401	-
9	1.699	-	1.698	-	1.658	-	1.503	-	0.874	-	0.392	-
8	1.662	-	1.661	-	1.622	-	1.471	-	0.855	-	0.384	-
7	1.626	-	1.624	-	1.586	-	1.438	-	0.836	-	0.375	-
6	1.589	-	1.587	-	1.550	-	1.405	-	0.817	-	0.367	-
5	1.552	-	1.550	-	1.514	-	1.372	-	0.798	-	0.358	-
4	1.515	-	1.513	-	1.478	-	1.340	-	0.779	-	0.350	-
3	1.478	-	1.476	-	1.442	-	1.307	-	0.760	-	0.341	-
2	1.441	-	1.440	-	1.406	-	1.274	-	0.741	-	0.333	-
1	1.404	-	1.403	-	1.370	-	1.242	-	0.722	-	0.324	-
0	1.367	-	1.366	-	1.333	-	1.209	-	0.703	-	0.316	-
-1	1.330	-	1.329	-	1.297	-	1.176	-	0.684	-	0.307	-
-2	1.293	-	1.292	-	1.261	-	1.143	-	0.665	-	0.299	-
-3	1.256	-	1.255	-	1.225	-	1.111	-	0.646	-	0.290	-
-4	1.219	-	1.218	-	1.189	-	1.078	-	0.627	-	0.281	-
-5	1.182	-	1.181	-	1.153	-	1.045	-	0.608	-	0.273	-
-6	1.145	-	1.144	-	1.117	-	1.013	-	0.589	-	0.264	-
-7	1.108	-	1.107	-	1.081	-	0.980	-	0.570	-	0.256	-
-8	1.071	-	1.070	-	1.045	-	0.947	-	0.551	-	0.247	-
-9	1.034	-	1.033	-	1.009	-	0.915	-	0.532	-	0.239	-
-10	0.997	-	0.996	-	0.973	-	0.882	-	0.513	-	0.230	-
-11	0.960	-	0.959	-	0.937	-	0.849	-	0.494	-	0.222	-
-12	0.923	-	0.922	-	0.901	-	0.816	-	0.475	-	0.213	-
-13	0.886	-	0.885	-	0.864	-	0.784	-	0.456	-	0.205	-
-14	0.849	-	0.848	-	0.828	-	0.751	-	0.437	-	0.196	-
-15	0.812	-	0.811	-	0.792	-	0.718	-	0.418	-	0.188	-
-16	0.775	-	0.775	-	0.756	-	0.686	-	0.399	-	0.179	-
-17	0.738	-	0.738	-	0.720	-	0.653	-	0.380	-	0.170	-
-18	0.701	-	0.701	-	0.684	-	0.620	-	0.361	-	0.162	-
-19	0.664	-	0.664	-	0.648	-	0.588	-	0.342	-	0.153	-
-20	0.636	-	0.636	-	0.621	-	0.563	-	0.327	-	0.147	-

施設区分		補償区分	集団割引	補強割引
62	プラスチックハウスⅣ類乙(鉄骨中・硬)	内作一般	有	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	1.209	-	1.208	-	1.180	-	1.070	-	0.622	-	0.279	-
20	2.188	-	2.186	-	2.135	-	1.936	-	1.126	-	0.505	-
19	1.965	-	1.964	-	1.918	-	1.739	-	1.011	-	0.453	-
18	1.930	-	1.928	-	1.884	-	1.708	-	0.993	-	0.445	-
17	1.895	-	1.893	-	1.849	-	1.677	-	0.975	-	0.437	-
16	1.860	-	1.858	-	1.815	-	1.646	-	0.957	-	0.429	-
15	1.825	-	1.823	-	1.781	-	1.615	-	0.939	-	0.421	-
14	1.790	-	1.788	-	1.747	-	1.584	-	0.921	-	0.413	-
13	1.754	-	1.753	-	1.712	-	1.553	-	0.903	-	0.405	-
12	1.719	-	1.718	-	1.678	-	1.522	-	0.885	-	0.397	-
11	1.684	-	1.683	-	1.644	-	1.491	-	0.867	-	0.389	-
10	1.649	-	1.648	-	1.610	-	1.460	-	0.848	-	0.381	-
9	1.614	-	1.613	-	1.575	-	1.428	-	0.830	-	0.372	-
8	1.579	-	1.578	-	1.541	-	1.397	-	0.812	-	0.364	-
7	1.544	-	1.543	-	1.507	-	1.366	-	0.794	-	0.356	-
6	1.509	-	1.507	-	1.472	-	1.335	-	0.776	-	0.348	-
5	1.474	-	1.472	-	1.438	-	1.304	-	0.758	-	0.340	-
4	1.438	-	1.437	-	1.404	-	1.273	-	0.740	-	0.332	-
3	1.403	-	1.402	-	1.370	-	1.242	-	0.722	-	0.324	-
2	1.368	-	1.367	-	1.335	-	1.211	-	0.704	-	0.316	-
1	1.333	-	1.332	-	1.301	-	1.180	-	0.686	-	0.308	-
0	1.298	-	1.297	-	1.267	-	1.149	-	0.668	-	0.300	-
-1	1.263	-	1.262	-	1.233	-	1.118	-	0.650	-	0.291	-
-2	1.228	-	1.227	-	1.198	-	1.087	-	0.632	-	0.283	-
-3	1.193	-	1.192	-	1.164	-	1.056	-	0.614	-	0.275	-
-4	1.158	-	1.157	-	1.130	-	1.024	-	0.596	-	0.267	-
-5	1.122	-	1.122	-	1.096	-	0.993	-	0.577	-	0.259	-
-6	1.087	-	1.086	-	1.061	-	0.962	-	0.559	-	0.251	-
-7	1.052	-	1.051	-	1.027	-	0.931	-	0.541	-	0.243	-
-8	1.017	-	1.016	-	0.993	-	0.900	-	0.523	-	0.235	-
-9	0.982	-	0.981	-	0.958	-	0.869	-	0.505	-	0.227	-
-10	0.947	-	0.946	-	0.924	-	0.838	-	0.487	-	0.219	-
-11	0.912	-	0.911	-	0.890	-	0.807	-	0.469	-	0.210	-
-12	0.877	-	0.876	-	0.856	-	0.776	-	0.451	-	0.202	-
-13	0.842	-	0.841	-	0.821	-	0.745	-	0.433	-	0.194	-
-14	0.806	-	0.806	-	0.787	-	0.714	-	0.415	-	0.186	-
-15	0.771	-	0.771	-	0.753	-	0.683	-	0.397	-	0.178	-
-16	0.736	-	0.736	-	0.719	-	0.652	-	0.379	-	0.170	-
-17	0.701	-	0.700	-	0.684	-	0.620	-	0.361	-	0.162	-
-18	0.666	-	0.665	-	0.650	-	0.589	-	0.343	-	0.154	-
-19	0.631	-	0.630	-	0.616	-	0.558	-	0.325	-	0.146	-
-20	0.604	-	0.604	-	0.590	-	0.535	-	0.311	-	0.139	-

施設区分		補償区分	集団割引	補強割引
62	プラスチックハウスⅣ類乙(鉄骨中・硬)	内作事故除外	無	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.329	-	0.328	-	0.326	-	0.316	-	0.260	-	0.195	-
20	0.595	-	0.594	-	0.590	-	0.572	-	0.470	-	0.353	-
19	0.535	-	0.533	-	0.530	-	0.514	-	0.423	-	0.317	-
18	0.525	-	0.524	-	0.520	-	0.504	-	0.415	-	0.311	-
17	0.516	-	0.514	-	0.511	-	0.495	-	0.408	-	0.306	-
16	0.506	-	0.505	-	0.501	-	0.486	-	0.400	-	0.300	-
15	0.497	-	0.495	-	0.492	-	0.477	-	0.392	-	0.294	-
14	0.487	-	0.486	-	0.483	-	0.468	-	0.385	-	0.289	-
13	0.477	-	0.476	-	0.473	-	0.459	-	0.377	-	0.283	-
12	0.468	-	0.466	-	0.464	-	0.449	-	0.370	-	0.277	-
11	0.458	-	0.457	-	0.454	-	0.440	-	0.362	-	0.272	-
10	0.449	-	0.447	-	0.445	-	0.431	-	0.355	-	0.266	-
9	0.439	-	0.438	-	0.435	-	0.422	-	0.347	-	0.260	-
8	0.430	-	0.428	-	0.426	-	0.413	-	0.340	-	0.255	-
7	0.420	-	0.419	-	0.416	-	0.404	-	0.332	-	0.249	-
6	0.411	-	0.409	-	0.407	-	0.394	-	0.324	-	0.243	-
5	0.401	-	0.400	-	0.397	-	0.385	-	0.317	-	0.238	-
4	0.391	-	0.390	-	0.388	-	0.376	-	0.309	-	0.232	-
3	0.382	-	0.381	-	0.378	-	0.367	-	0.302	-	0.226	-
2	0.372	-	0.371	-	0.369	-	0.358	-	0.294	-	0.221	-
1	0.363	-	0.362	-	0.359	-	0.348	-	0.287	-	0.215	-
0	0.353	-	0.352	-	0.350	-	0.339	-	0.279	-	0.209	-
-1	0.344	-	0.343	-	0.341	-	0.330	-	0.272	-	0.204	-
-2	0.334	-	0.333	-	0.331	-	0.321	-	0.264	-	0.198	-
-3	0.325	-	0.324	-	0.322	-	0.312	-	0.256	-	0.192	-
-4	0.315	-	0.314	-	0.312	-	0.303	-	0.249	-	0.187	-
-5	0.305	-	0.305	-	0.303	-	0.293	-	0.241	-	0.181	-
-6	0.296	-	0.295	-	0.293	-	0.284	-	0.234	-	0.175	-
-7	0.286	-	0.285	-	0.284	-	0.275	-	0.226	-	0.170	-
-8	0.277	-	0.276	-	0.274	-	0.266	-	0.219	-	0.164	-
-9	0.267	-	0.266	-	0.265	-	0.257	-	0.211	-	0.158	-
-10	0.258	-	0.257	-	0.255	-	0.247	-	0.204	-	0.153	-
-11	0.248	-	0.247	-	0.246	-	0.238	-	0.196	-	0.147	-
-12	0.239	-	0.238	-	0.236	-	0.229	-	0.189	-	0.141	-
-13	0.229	-	0.228	-	0.227	-	0.220	-	0.181	-	0.136	-
-14	0.219	-	0.219	-	0.217	-	0.211	-	0.173	-	0.130	-
-15	0.210	-	0.209	-	0.208	-	0.202	-	0.166	-	0.124	-
-16	0.200	-	0.200	-	0.199	-	0.192	-	0.158	-	0.119	-
-17	0.191	-	0.190	-	0.189	-	0.183	-	0.151	-	0.113	-
-18	0.181	-	0.181	-	0.180	-	0.174	-	0.143	-	0.107	-
-19	0.172	-	0.171	-	0.170	-	0.165	-	0.136	-	0.102	-
-20	0.164	-	0.164	-	0.163	-	0.158	-	0.130	-	0.097	-

施設区分		補償区分	集団割引	補強割引
62	プラスチックハウスⅣ類乙(鉄骨中・硬)	内作事故除外	有	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.313	-	0.312	-	0.310	-	0.300	-	0.247	-	0.185	-
20	0.566	-	0.565	-	0.561	-	0.543	-	0.447	-	0.335	-
19	0.509	-	0.507	-	0.504	-	0.488	-	0.401	-	0.301	-
18	0.500	-	0.498	-	0.495	-	0.479	-	0.394	-	0.295	-
17	0.491	-	0.489	-	0.486	-	0.470	-	0.387	-	0.290	-
16	0.481	-	0.480	-	0.477	-	0.461	-	0.380	-	0.285	-
15	0.472	-	0.471	-	0.468	-	0.453	-	0.373	-	0.279	-
14	0.463	-	0.462	-	0.459	-	0.444	-	0.366	-	0.274	-
13	0.454	-	0.453	-	0.450	-	0.435	-	0.358	-	0.268	-
12	0.445	-	0.444	-	0.441	-	0.427	-	0.351	-	0.263	-
11	0.436	-	0.435	-	0.432	-	0.418	-	0.344	-	0.258	-
10	0.427	-	0.426	-	0.423	-	0.409	-	0.337	-	0.252	-
9	0.418	-	0.417	-	0.414	-	0.401	-	0.330	-	0.247	-
8	0.409	-	0.407	-	0.405	-	0.392	-	0.323	-	0.242	-
7	0.400	-	0.398	-	0.396	-	0.383	-	0.315	-	0.236	-
6	0.391	-	0.389	-	0.387	-	0.374	-	0.308	-	0.231	-
5	0.381	-	0.380	-	0.378	-	0.366	-	0.301	-	0.225	-
4	0.372	-	0.371	-	0.369	-	0.357	-	0.294	-	0.220	-
3	0.363	-	0.362	-	0.360	-	0.348	-	0.287	-	0.215	-
2	0.354	-	0.353	-	0.351	-	0.340	-	0.280	-	0.209	-
1	0.345	-	0.344	-	0.342	-	0.331	-	0.272	-	0.204	-
0	0.336	-	0.335	-	0.333	-	0.322	-	0.265	-	0.199	-
-1	0.327	-	0.326	-	0.324	-	0.313	-	0.258	-	0.193	-
-2	0.318	-	0.317	-	0.315	-	0.305	-	0.251	-	0.188	-
-3	0.309	-	0.308	-	0.306	-	0.296	-	0.244	-	0.182	-
-4	0.300	-	0.299	-	0.297	-	0.287	-	0.236	-	0.177	-
-5	0.291	-	0.290	-	0.288	-	0.279	-	0.229	-	0.172	-
-6	0.281	-	0.281	-	0.279	-	0.270	-	0.222	-	0.166	-
-7	0.272	-	0.272	-	0.270	-	0.261	-	0.215	-	0.161	-
-8	0.263	-	0.262	-	0.261	-	0.252	-	0.208	-	0.156	-
-9	0.254	-	0.253	-	0.252	-	0.244	-	0.201	-	0.150	-
-10	0.245	-	0.244	-	0.243	-	0.235	-	0.193	-	0.145	-
-11	0.236	-	0.235	-	0.234	-	0.226	-	0.186	-	0.140	-
-12	0.227	-	0.226	-	0.225	-	0.218	-	0.179	-	0.134	-
-13	0.218	-	0.217	-	0.216	-	0.209	-	0.172	-	0.129	-
-14	0.209	-	0.208	-	0.207	-	0.200	-	0.165	-	0.123	-
-15	0.200	-	0.199	-	0.198	-	0.191	-	0.158	-	0.118	-
-16	0.191	-	0.190	-	0.189	-	0.183	-	0.150	-	0.113	-
-17	0.181	-	0.181	-	0.180	-	0.174	-	0.143	-	0.107	-
-18	0.172	-	0.172	-	0.171	-	0.165	-	0.136	-	0.102	-
-19	0.163	-	0.163	-	0.162	-	0.157	-	0.129	-	0.097	-
-20	0.156	-	0.156	-	0.155	-	0.150	-	0.123	-	0.092	-

施設区分		補償区分	集団割引	補強割引
62	プラスチックハウスⅣ類乙(鉄骨中・硬)	撤去費用	無	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003
20	0.016	0.014	0.014	0.013	0.013	0.011	0.011	0.009	0.009	0.007	0.007	0.005
19	0.015	0.013	0.013	0.011	0.011	0.010	0.010	0.008	0.008	0.007	0.007	0.005
18	0.014	0.013	0.013	0.011	0.011	0.010	0.010	0.008	0.008	0.006	0.006	0.005
17	0.014	0.013	0.013	0.011	0.011	0.009	0.009	0.008	0.008	0.006	0.006	0.005
16	0.014	0.012	0.012	0.011	0.011	0.009	0.009	0.008	0.008	0.006	0.006	0.005
15	0.014	0.012	0.012	0.011	0.011	0.009	0.009	0.008	0.008	0.006	0.006	0.005
14	0.013	0.012	0.012	0.010	0.010	0.009	0.009	0.007	0.007	0.006	0.006	0.004
13	0.013	0.012	0.012	0.010	0.010	0.009	0.009	0.007	0.007	0.006	0.006	0.004
12	0.013	0.011	0.011	0.010	0.010	0.009	0.009	0.007	0.007	0.006	0.006	0.004
11	0.013	0.011	0.011	0.010	0.010	0.008	0.008	0.007	0.007	0.006	0.006	0.004
10	0.012	0.011	0.011	0.010	0.010	0.008	0.008	0.007	0.007	0.005	0.005	0.004
9	0.012	0.011	0.011	0.009	0.009	0.008	0.008	0.007	0.007	0.005	0.005	0.004
8	0.012	0.010	0.010	0.009	0.009	0.008	0.008	0.007	0.007	0.005	0.005	0.004
7	0.011	0.010	0.010	0.009	0.009	0.008	0.008	0.006	0.006	0.005	0.005	0.004
6	0.011	0.010	0.010	0.009	0.009	0.007	0.007	0.006	0.006	0.005	0.005	0.004
5	0.011	0.010	0.010	0.009	0.009	0.007	0.007	0.006	0.006	0.005	0.005	0.004
4	0.011	0.010	0.010	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004
3	0.010	0.009	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.003
2	0.010	0.009	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.003
1	0.010	0.009	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.004	0.004	0.003
0	0.010	0.009	0.009	0.008	0.008	0.006	0.006	0.005	0.005	0.004	0.004	0.003
-1	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003
-2	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003
-3	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003
-4	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003
-5	0.008	0.007	0.007	0.006	0.006	0.006	0.006	0.005	0.005	0.004	0.004	0.003
-6	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.004	0.004	0.003
-7	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003	0.003	0.003
-8	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003	0.003	0.003
-9	0.007	0.006	0.006	0.006	0.006	0.005	0.005	0.004	0.004	0.003	0.003	0.002
-10	0.007	0.006	0.006	0.005	0.005	0.005	0.005	0.004	0.004	0.003	0.003	0.002
-11	0.007	0.006	0.006	0.005	0.005	0.005	0.005	0.004	0.004	0.003	0.003	0.002
-12	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.004	0.004	0.003	0.003	0.002
-13	0.006	0.006	0.006	0.005	0.005	0.004	0.004	0.003	0.003	0.003	0.003	0.002
-14	0.006	0.005	0.005	0.005	0.005	0.004	0.004	0.003	0.003	0.003	0.003	0.002
-15	0.006	0.005	0.005	0.004	0.004	0.004	0.004	0.003	0.003	0.003	0.003	0.002
-16	0.005	0.005	0.005	0.004	0.004	0.004	0.004	0.003	0.003	0.002	0.002	0.002
-17	0.005	0.005	0.005	0.004	0.004	0.003	0.003	0.003	0.003	0.002	0.002	0.002
-18	0.005	0.004	0.004	0.004	0.004	0.003	0.003	0.003	0.003	0.002	0.002	0.002
-19	0.005	0.004	0.004	0.004	0.004	0.003	0.003	0.003	0.003	0.002	0.002	0.002
-20	0.004	0.004	0.004	0.003	0.003	0.003	0.003	0.002	0.002	0.002	0.002	0.001

施設区分		補償区分	集団割引	補強割引
62	プラスチックハウスⅣ類乙(鉄骨中・硬)	撤去費用	有	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003
20	0.016	0.014	0.014	0.013	0.013	0.011	0.011	0.009	0.009	0.007	0.007	0.005
19	0.015	0.013	0.013	0.011	0.011	0.010	0.010	0.008	0.008	0.007	0.007	0.005
18	0.014	0.013	0.013	0.011	0.011	0.010	0.010	0.008	0.008	0.006	0.006	0.005
17	0.014	0.013	0.013	0.011	0.011	0.009	0.009	0.008	0.008	0.006	0.006	0.005
16	0.014	0.012	0.012	0.011	0.011	0.009	0.009	0.008	0.008	0.006	0.006	0.005
15	0.014	0.012	0.012	0.011	0.011	0.009	0.009	0.008	0.008	0.006	0.006	0.005
14	0.013	0.012	0.012	0.010	0.010	0.009	0.009	0.007	0.007	0.006	0.006	0.004
13	0.013	0.012	0.012	0.010	0.010	0.009	0.009	0.007	0.007	0.006	0.006	0.004
12	0.013	0.011	0.011	0.010	0.010	0.009	0.009	0.007	0.007	0.006	0.006	0.004
11	0.013	0.011	0.011	0.010	0.010	0.008	0.008	0.007	0.007	0.006	0.006	0.004
10	0.012	0.011	0.011	0.010	0.010	0.008	0.008	0.007	0.007	0.005	0.005	0.004
9	0.012	0.011	0.011	0.009	0.009	0.008	0.008	0.007	0.007	0.005	0.005	0.004
8	0.012	0.010	0.010	0.009	0.009	0.008	0.008	0.007	0.007	0.005	0.005	0.004
7	0.011	0.010	0.010	0.009	0.009	0.008	0.008	0.006	0.006	0.005	0.005	0.004
6	0.011	0.010	0.010	0.009	0.009	0.007	0.007	0.006	0.006	0.005	0.005	0.004
5	0.011	0.010	0.010	0.009	0.009	0.007	0.007	0.006	0.006	0.005	0.005	0.004
4	0.011	0.010	0.010	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004
3	0.010	0.009	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.003
2	0.010	0.009	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.003
1	0.010	0.009	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.004	0.004	0.003
0	0.010	0.009	0.009	0.008	0.008	0.006	0.006	0.005	0.005	0.004	0.004	0.003
-1	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003
-2	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003
-3	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003
-4	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003
-5	0.008	0.007	0.007	0.006	0.006	0.006	0.006	0.005	0.005	0.004	0.004	0.003
-6	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.004	0.004	0.003
-7	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003	0.003	0.003
-8	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003	0.003	0.003
-9	0.007	0.006	0.006	0.006	0.006	0.005	0.005	0.004	0.004	0.003	0.003	0.002
-10	0.007	0.006	0.006	0.005	0.005	0.005	0.005	0.004	0.004	0.003	0.003	0.002
-11	0.007	0.006	0.006	0.005	0.005	0.005	0.005	0.004	0.004	0.003	0.003	0.002
-12	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.004	0.004	0.003	0.003	0.002
-13	0.006	0.006	0.006	0.005	0.005	0.004	0.004	0.003	0.003	0.003	0.003	0.002
-14	0.006	0.005	0.005	0.005	0.005	0.004	0.004	0.003	0.003	0.003	0.003	0.002
-15	0.006	0.005	0.005	0.004	0.004	0.004	0.004	0.003	0.003	0.003	0.003	0.002
-16	0.005	0.005	0.005	0.004	0.004	0.004	0.004	0.003	0.003	0.002	0.002	0.002
-17	0.005	0.005	0.005	0.004	0.004	0.003	0.003	0.003	0.003	0.002	0.002	0.002
-18	0.005	0.004	0.004	0.004	0.004	0.003	0.003	0.003	0.003	0.002	0.002	0.002
-19	0.005	0.004	0.004	0.004	0.004	0.003	0.003	0.003	0.003	0.002	0.002	0.002
-20	0.004	0.004	0.004	0.003	0.003	0.003	0.003	0.002	0.002	0.002	0.002	0.001

施設区分		補償区分	集団割引	補強割引
62	プラスチックハウスⅣ類乙(鉄骨中・硬)	復旧費用	無	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.130	0.008	0.122	0.007	0.087	0.006	0.061	0.005	0.032	0.004	0.031	0.003
20	0.235	0.014	0.221	0.013	0.157	0.011	0.110	0.009	0.058	0.007	0.056	0.005
19	0.211	0.013	0.198	0.011	0.141	0.010	0.099	0.008	0.052	0.007	0.050	0.005
18	0.208	0.013	0.195	0.011	0.139	0.010	0.097	0.008	0.051	0.006	0.049	0.005
17	0.204	0.013	0.191	0.011	0.136	0.009	0.096	0.008	0.050	0.006	0.049	0.005
16	0.200	0.012	0.188	0.011	0.134	0.009	0.094	0.008	0.049	0.006	0.048	0.005
15	0.196	0.012	0.184	0.011	0.131	0.009	0.092	0.008	0.048	0.006	0.047	0.005
14	0.192	0.012	0.181	0.010	0.129	0.009	0.090	0.007	0.047	0.006	0.046	0.004
13	0.189	0.012	0.177	0.010	0.126	0.009	0.089	0.007	0.046	0.006	0.045	0.004
12	0.185	0.011	0.174	0.010	0.124	0.009	0.087	0.007	0.046	0.006	0.044	0.004
11	0.181	0.011	0.170	0.010	0.121	0.008	0.085	0.007	0.045	0.006	0.043	0.004
10	0.177	0.011	0.166	0.010	0.119	0.008	0.083	0.007	0.044	0.005	0.042	0.004
9	0.174	0.011	0.163	0.009	0.116	0.008	0.081	0.007	0.043	0.005	0.041	0.004
8	0.170	0.010	0.159	0.009	0.114	0.008	0.080	0.007	0.042	0.005	0.040	0.004
7	0.166	0.010	0.156	0.009	0.111	0.008	0.078	0.006	0.041	0.005	0.040	0.004
6	0.162	0.010	0.152	0.009	0.109	0.007	0.076	0.006	0.040	0.005	0.039	0.004
5	0.158	0.010	0.149	0.009	0.106	0.007	0.074	0.006	0.039	0.005	0.038	0.004
4	0.155	0.010	0.145	0.008	0.104	0.007	0.073	0.006	0.038	0.005	0.037	0.004
3	0.151	0.009	0.142	0.008	0.101	0.007	0.071	0.006	0.037	0.005	0.036	0.003
2	0.147	0.009	0.138	0.008	0.098	0.007	0.069	0.006	0.036	0.005	0.035	0.003
1	0.143	0.009	0.135	0.008	0.096	0.007	0.067	0.006	0.035	0.004	0.034	0.003
0	0.140	0.009	0.131	0.008	0.093	0.006	0.065	0.005	0.034	0.004	0.033	0.003
-1	0.136	0.008	0.127	0.007	0.091	0.006	0.064	0.005	0.033	0.004	0.032	0.003
-2	0.132	0.008	0.124	0.007	0.088	0.006	0.062	0.005	0.032	0.004	0.031	0.003
-3	0.128	0.008	0.120	0.007	0.086	0.006	0.060	0.005	0.032	0.004	0.031	0.003
-4	0.124	0.008	0.117	0.007	0.083	0.006	0.058	0.005	0.031	0.004	0.030	0.003
-5	0.121	0.007	0.113	0.006	0.081	0.006	0.057	0.005	0.030	0.004	0.029	0.003
-6	0.117	0.007	0.110	0.006	0.078	0.005	0.055	0.004	0.029	0.004	0.028	0.003
-7	0.113	0.007	0.106	0.006	0.076	0.005	0.053	0.004	0.028	0.003	0.027	0.003
-8	0.109	0.007	0.103	0.006	0.073	0.005	0.051	0.004	0.027	0.003	0.026	0.003
-9	0.106	0.006	0.099	0.006	0.071	0.005	0.050	0.004	0.026	0.003	0.025	0.002
-10	0.102	0.006	0.096	0.005	0.068	0.005	0.048	0.004	0.025	0.003	0.024	0.002
-11	0.098	0.006	0.092	0.005	0.066	0.005	0.046	0.004	0.024	0.003	0.023	0.002
-12	0.094	0.006	0.088	0.005	0.063	0.004	0.044	0.004	0.023	0.003	0.022	0.002
-13	0.090	0.006	0.085	0.005	0.061	0.004	0.042	0.003	0.022	0.003	0.022	0.002
-14	0.087	0.005	0.081	0.005	0.058	0.004	0.041	0.003	0.021	0.003	0.021	0.002
-15	0.083	0.005	0.078	0.004	0.056	0.004	0.039	0.003	0.020	0.003	0.020	0.002
-16	0.079	0.005	0.074	0.004	0.053	0.004	0.037	0.003	0.019	0.002	0.019	0.002
-17	0.075	0.005	0.071	0.004	0.050	0.003	0.035	0.003	0.019	0.002	0.018	0.002
-18	0.072	0.004	0.067	0.004	0.048	0.003	0.034	0.003	0.018	0.002	0.017	0.002
-19	0.068	0.004	0.064	0.004	0.045	0.003	0.032	0.003	0.017	0.002	0.016	0.002
-20	0.065	0.004	0.061	0.003	0.043	0.003	0.030	0.002	0.016	0.002	0.015	0.001

施設区分		補償区分	集団割引	補強割引
62	プラスチックハウスⅣ類乙(鉄骨中・硬)	復旧費用	有	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.124	0.008	0.116	0.007	0.083	0.006	0.058	0.005	0.030	0.004	0.029	0.003
20	0.224	0.014	0.210	0.013	0.150	0.011	0.105	0.009	0.054	0.007	0.052	0.005
19	0.202	0.013	0.189	0.011	0.135	0.010	0.094	0.008	0.049	0.007	0.047	0.005
18	0.198	0.013	0.185	0.011	0.133	0.010	0.093	0.008	0.048	0.006	0.046	0.005
17	0.194	0.013	0.182	0.011	0.130	0.009	0.091	0.008	0.047	0.006	0.045	0.005
16	0.191	0.012	0.178	0.011	0.128	0.009	0.089	0.008	0.046	0.006	0.045	0.005
15	0.187	0.012	0.175	0.011	0.125	0.009	0.088	0.008	0.045	0.006	0.044	0.005
14	0.184	0.012	0.172	0.010	0.123	0.009	0.086	0.007	0.044	0.006	0.043	0.004
13	0.180	0.012	0.168	0.010	0.120	0.009	0.084	0.007	0.044	0.006	0.042	0.004
12	0.176	0.011	0.165	0.010	0.118	0.009	0.082	0.007	0.043	0.006	0.041	0.004
11	0.173	0.011	0.162	0.010	0.116	0.008	0.081	0.007	0.042	0.006	0.040	0.004
10	0.169	0.011	0.158	0.010	0.113	0.008	0.079	0.007	0.041	0.005	0.040	0.004
9	0.166	0.011	0.155	0.009	0.111	0.008	0.077	0.007	0.040	0.005	0.039	0.004
8	0.162	0.010	0.151	0.009	0.108	0.008	0.076	0.007	0.039	0.005	0.038	0.004
7	0.158	0.010	0.148	0.009	0.106	0.008	0.074	0.006	0.038	0.005	0.037	0.004
6	0.155	0.010	0.145	0.009	0.104	0.007	0.072	0.006	0.037	0.005	0.036	0.004
5	0.151	0.010	0.141	0.009	0.101	0.007	0.071	0.006	0.037	0.005	0.035	0.004
4	0.148	0.010	0.138	0.008	0.099	0.007	0.069	0.006	0.036	0.005	0.035	0.004
3	0.144	0.009	0.135	0.008	0.096	0.007	0.067	0.006	0.035	0.005	0.034	0.003
2	0.140	0.009	0.131	0.008	0.094	0.007	0.066	0.006	0.034	0.005	0.033	0.003
1	0.137	0.009	0.128	0.008	0.092	0.007	0.064	0.006	0.033	0.004	0.032	0.003
0	0.133	0.009	0.125	0.008	0.089	0.006	0.062	0.005	0.032	0.004	0.031	0.003
-1	0.130	0.008	0.121	0.007	0.087	0.006	0.061	0.005	0.031	0.004	0.030	0.003
-2	0.126	0.008	0.118	0.007	0.084	0.006	0.059	0.005	0.030	0.004	0.029	0.003
-3	0.122	0.008	0.114	0.007	0.082	0.006	0.057	0.005	0.030	0.004	0.029	0.003
-4	0.119	0.008	0.111	0.007	0.079	0.006	0.056	0.005	0.029	0.004	0.028	0.003
-5	0.115	0.007	0.108	0.006	0.077	0.006	0.054	0.005	0.028	0.004	0.027	0.003
-6	0.112	0.007	0.104	0.006	0.075	0.005	0.052	0.004	0.027	0.004	0.026	0.003
-7	0.108	0.007	0.101	0.006	0.072	0.005	0.050	0.004	0.026	0.003	0.025	0.003
-8	0.104	0.007	0.098	0.006	0.070	0.005	0.049	0.004	0.025	0.003	0.024	0.003
-9	0.101	0.006	0.094	0.006	0.067	0.005	0.047	0.004	0.024	0.003	0.024	0.002
-10	0.097	0.006	0.091	0.005	0.065	0.005	0.045	0.004	0.023	0.003	0.023	0.002
-11	0.094	0.006	0.087	0.005	0.063	0.005	0.044	0.004	0.023	0.003	0.022	0.002
-12	0.090	0.006	0.084	0.005	0.060	0.004	0.042	0.004	0.022	0.003	0.021	0.002
-13	0.086	0.006	0.081	0.005	0.058	0.004	0.040	0.003	0.021	0.003	0.020	0.002
-14	0.083	0.005	0.077	0.005	0.055	0.004	0.039	0.003	0.020	0.003	0.019	0.002
-15	0.079	0.005	0.074	0.004	0.053	0.004	0.037	0.003	0.019	0.003	0.019	0.002
-16	0.076	0.005	0.071	0.004	0.051	0.004	0.035	0.003	0.018	0.002	0.018	0.002
-17	0.072	0.005	0.067	0.004	0.048	0.003	0.034	0.003	0.017	0.002	0.017	0.002
-18	0.068	0.004	0.064	0.004	0.046	0.003	0.032	0.003	0.017	0.002	0.016	0.002
-19	0.065	0.004	0.061	0.004	0.043	0.003	0.030	0.003	0.016	0.002	0.015	0.002
-20	0.062	0.004	0.058	0.003	0.041	0.003	0.029	0.002	0.015	0.002	0.014	0.001

施設区分		補償区分	集団割引	補強割引
70	プラスチックハウスV類(鉄骨上)	特定附帯	無	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.186	0.008	0.182	0.007	0.172	0.006	0.159	0.005	0.111	0.004	0.110	0.003
20	0.353	0.015	0.345	0.013	0.326	0.011	0.301	0.009	0.210	0.008	0.208	0.006
19	0.346	0.015	0.339	0.013	0.320	0.011	0.296	0.009	0.206	0.007	0.205	0.006
18	0.339	0.015	0.332	0.013	0.314	0.011	0.290	0.009	0.203	0.007	0.201	0.005
17	0.333	0.014	0.326	0.013	0.308	0.011	0.285	0.009	0.199	0.007	0.197	0.005
16	0.326	0.014	0.319	0.012	0.302	0.011	0.279	0.009	0.195	0.007	0.193	0.005
15	0.320	0.014	0.313	0.012	0.296	0.010	0.273	0.009	0.191	0.007	0.189	0.005
14	0.313	0.013	0.307	0.012	0.290	0.010	0.268	0.008	0.187	0.007	0.185	0.005
13	0.307	0.013	0.300	0.012	0.284	0.010	0.262	0.008	0.183	0.007	0.181	0.005
12	0.300	0.013	0.294	0.011	0.278	0.010	0.257	0.008	0.179	0.006	0.178	0.005
11	0.294	0.013	0.287	0.011	0.272	0.009	0.251	0.008	0.175	0.006	0.174	0.005
10	0.287	0.012	0.281	0.011	0.266	0.009	0.246	0.008	0.171	0.006	0.170	0.005
9	0.281	0.012	0.275	0.011	0.260	0.009	0.240	0.008	0.168	0.006	0.166	0.005
8	0.274	0.012	0.268	0.010	0.254	0.009	0.234	0.007	0.164	0.006	0.162	0.004
7	0.268	0.012	0.262	0.010	0.247	0.009	0.229	0.007	0.160	0.006	0.158	0.004
6	0.261	0.011	0.255	0.010	0.241	0.008	0.223	0.007	0.156	0.006	0.154	0.004
5	0.255	0.011	0.249	0.010	0.235	0.008	0.218	0.007	0.152	0.005	0.151	0.004
4	0.248	0.011	0.243	0.009	0.229	0.008	0.212	0.007	0.148	0.005	0.147	0.004
3	0.242	0.010	0.236	0.009	0.223	0.008	0.206	0.006	0.144	0.005	0.143	0.004
2	0.235	0.010	0.230	0.009	0.217	0.008	0.201	0.006	0.140	0.005	0.139	0.004
1	0.228	0.010	0.224	0.009	0.211	0.007	0.195	0.006	0.136	0.005	0.135	0.004
0	0.222	0.010	0.217	0.008	0.205	0.007	0.190	0.006	0.132	0.005	0.131	0.004
-1	0.215	0.009	0.211	0.008	0.199	0.007	0.184	0.006	0.129	0.005	0.127	0.003
-2	0.209	0.009	0.204	0.008	0.193	0.007	0.179	0.006	0.125	0.004	0.124	0.003
-3	0.202	0.009	0.198	0.008	0.187	0.007	0.173	0.005	0.121	0.004	0.120	0.003
-4	0.196	0.008	0.192	0.007	0.181	0.006	0.167	0.005	0.117	0.004	0.116	0.003
-5	0.189	0.008	0.185	0.007	0.175	0.006	0.162	0.005	0.113	0.004	0.112	0.003
-6	0.183	0.008	0.179	0.007	0.169	0.006	0.156	0.005	0.109	0.004	0.108	0.003
-7	0.176	0.008	0.172	0.007	0.163	0.006	0.151	0.005	0.105	0.004	0.104	0.003
-8	0.170	0.007	0.166	0.006	0.157	0.005	0.145	0.005	0.101	0.004	0.100	0.003
-9	0.163	0.007	0.160	0.006	0.151	0.005	0.139	0.004	0.097	0.004	0.097	0.003
-10	0.157	0.007	0.153	0.006	0.145	0.005	0.134	0.004	0.093	0.003	0.093	0.003
-11	0.150	0.006	0.147	0.006	0.139	0.005	0.128	0.004	0.090	0.003	0.089	0.002
-12	0.144	0.006	0.141	0.005	0.133	0.005	0.123	0.004	0.086	0.003	0.085	0.002
-13	0.137	0.006	0.134	0.005	0.127	0.004	0.117	0.004	0.082	0.003	0.081	0.002
-14	0.131	0.006	0.128	0.005	0.121	0.004	0.112	0.004	0.078	0.003	0.077	0.002
-15	0.124	0.005	0.121	0.005	0.115	0.004	0.106	0.003	0.074	0.003	0.073	0.002
-16	0.117	0.005	0.115	0.004	0.109	0.004	0.100	0.003	0.070	0.003	0.069	0.002
-17	0.111	0.005	0.109	0.004	0.103	0.004	0.095	0.003	0.066	0.002	0.066	0.002
-18	0.104	0.004	0.102	0.004	0.097	0.003	0.089	0.003	0.062	0.002	0.062	0.002
-19	0.098	0.004	0.096	0.004	0.091	0.003	0.084	0.003	0.058	0.002	0.058	0.002
-20	0.093	0.004	0.091	0.003	0.086	0.003	0.079	0.002	0.055	0.002	0.055	0.001

施設区分		補償区分	集団割引	補強割引
70	プラスチックハウスV類(鉄骨上)	特定附帯	有	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.177	0.008	0.173	0.007	0.163	0.006	0.151	0.005	0.105	0.004	0.105	0.003
20	0.335	0.015	0.328	0.013	0.309	0.011	0.286	0.009	0.199	0.008	0.199	0.006
19	0.329	0.015	0.322	0.013	0.303	0.011	0.281	0.009	0.195	0.007	0.195	0.006
18	0.323	0.015	0.316	0.013	0.297	0.011	0.276	0.009	0.192	0.007	0.192	0.005
17	0.317	0.014	0.310	0.013	0.292	0.011	0.270	0.009	0.188	0.007	0.188	0.005
16	0.311	0.014	0.304	0.012	0.286	0.011	0.265	0.009	0.184	0.007	0.184	0.005
15	0.304	0.014	0.298	0.012	0.280	0.010	0.260	0.009	0.181	0.007	0.181	0.005
14	0.298	0.013	0.291	0.012	0.275	0.010	0.254	0.008	0.177	0.007	0.177	0.005
13	0.292	0.013	0.285	0.012	0.269	0.010	0.249	0.008	0.173	0.007	0.173	0.005
12	0.286	0.013	0.279	0.011	0.263	0.010	0.244	0.008	0.170	0.006	0.170	0.005
11	0.280	0.013	0.273	0.011	0.257	0.009	0.238	0.008	0.166	0.006	0.166	0.005
10	0.273	0.012	0.267	0.011	0.252	0.009	0.233	0.008	0.162	0.006	0.162	0.005
9	0.267	0.012	0.261	0.011	0.246	0.009	0.228	0.008	0.158	0.006	0.158	0.005
8	0.261	0.012	0.255	0.010	0.240	0.009	0.223	0.007	0.155	0.006	0.155	0.004
7	0.255	0.012	0.249	0.010	0.235	0.009	0.217	0.007	0.151	0.006	0.151	0.004
6	0.248	0.011	0.243	0.010	0.229	0.008	0.212	0.007	0.147	0.006	0.147	0.004
5	0.242	0.011	0.237	0.010	0.223	0.008	0.207	0.007	0.144	0.005	0.144	0.004
4	0.236	0.011	0.231	0.009	0.217	0.008	0.201	0.007	0.140	0.005	0.140	0.004
3	0.230	0.010	0.225	0.009	0.212	0.008	0.196	0.006	0.136	0.005	0.136	0.004
2	0.224	0.010	0.219	0.009	0.206	0.008	0.191	0.006	0.133	0.005	0.133	0.004
1	0.217	0.010	0.213	0.009	0.200	0.007	0.185	0.006	0.129	0.005	0.129	0.004
0	0.211	0.010	0.206	0.008	0.194	0.007	0.180	0.006	0.125	0.005	0.125	0.004
-1	0.205	0.009	0.200	0.008	0.189	0.007	0.175	0.006	0.122	0.005	0.122	0.003
-2	0.199	0.009	0.194	0.008	0.183	0.007	0.170	0.006	0.118	0.004	0.118	0.003
-3	0.193	0.009	0.188	0.008	0.177	0.007	0.164	0.005	0.114	0.004	0.114	0.003
-4	0.186	0.008	0.182	0.007	0.172	0.006	0.159	0.005	0.111	0.004	0.111	0.003
-5	0.180	0.008	0.176	0.007	0.166	0.006	0.154	0.005	0.107	0.004	0.107	0.003
-6	0.174	0.008	0.170	0.007	0.160	0.006	0.148	0.005	0.103	0.004	0.103	0.003
-7	0.168	0.008	0.164	0.007	0.154	0.006	0.143	0.005	0.099	0.004	0.099	0.003
-8	0.162	0.007	0.158	0.006	0.149	0.005	0.138	0.005	0.096	0.004	0.096	0.003
-9	0.155	0.007	0.152	0.006	0.143	0.005	0.132	0.004	0.092	0.004	0.092	0.003
-10	0.149	0.007	0.146	0.006	0.137	0.005	0.127	0.004	0.088	0.003	0.088	0.003
-11	0.143	0.006	0.140	0.006	0.132	0.005	0.122	0.004	0.085	0.003	0.085	0.002
-12	0.137	0.006	0.134	0.005	0.126	0.005	0.117	0.004	0.081	0.003	0.081	0.002
-13	0.130	0.006	0.127	0.005	0.120	0.004	0.111	0.004	0.077	0.003	0.077	0.002
-14	0.124	0.006	0.121	0.005	0.114	0.004	0.106	0.004	0.074	0.003	0.074	0.002
-15	0.118	0.005	0.115	0.005	0.109	0.004	0.101	0.003	0.070	0.003	0.070	0.002
-16	0.112	0.005	0.109	0.004	0.103	0.004	0.095	0.003	0.066	0.003	0.066	0.002
-17	0.106	0.005	0.103	0.004	0.097	0.004	0.090	0.003	0.063	0.002	0.063	0.002
-18	0.099	0.004	0.097	0.004	0.092	0.003	0.085	0.003	0.059	0.002	0.059	0.002
-19	0.093	0.004	0.091	0.004	0.086	0.003	0.079	0.003	0.055	0.002	0.055	0.002
-20	0.088	0.004	0.086	0.003	0.081	0.003	0.075	0.002	0.052	0.002	0.052	0.001

施設区分		補償区分	集団割引	補強割引
70	プラスチックハウスV類(鉄骨上)	内作一般	無	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	1.659	-	1.658	-	1.559	-	1.417	-	0.948	-	0.575	-
20	3.144	-	3.142	-	2.955	-	2.686	-	1.797	-	1.090	-
19	3.086	-	3.084	-	2.900	-	2.636	-	1.763	-	1.070	-
18	3.028	-	3.026	-	2.845	-	2.586	-	1.730	-	1.049	-
17	2.970	-	2.968	-	2.791	-	2.536	-	1.697	-	1.029	-
16	2.911	-	2.910	-	2.736	-	2.487	-	1.664	-	1.009	-
15	2.853	-	2.851	-	2.681	-	2.437	-	1.630	-	0.989	-
14	2.795	-	2.793	-	2.626	-	2.387	-	1.597	-	0.969	-
13	2.737	-	2.735	-	2.572	-	2.337	-	1.564	-	0.948	-
12	2.678	-	2.677	-	2.517	-	2.288	-	1.530	-	0.928	-
11	2.620	-	2.619	-	2.462	-	2.238	-	1.497	-	0.908	-
10	2.562	-	2.560	-	2.407	-	2.188	-	1.464	-	0.888	-
9	2.504	-	2.502	-	2.353	-	2.138	-	1.431	-	0.868	-
8	2.445	-	2.444	-	2.298	-	2.089	-	1.397	-	0.848	-
7	2.387	-	2.386	-	2.243	-	2.039	-	1.364	-	0.827	-
6	2.329	-	2.328	-	2.189	-	1.989	-	1.331	-	0.807	-
5	2.271	-	2.269	-	2.134	-	1.939	-	1.298	-	0.787	-
4	2.212	-	2.211	-	2.079	-	1.890	-	1.264	-	0.767	-
3	2.154	-	2.153	-	2.024	-	1.840	-	1.231	-	0.747	-
2	2.096	-	2.095	-	1.970	-	1.790	-	1.198	-	0.726	-
1	2.038	-	2.037	-	1.915	-	1.741	-	1.164	-	0.706	-
0	1.980	-	1.978	-	1.860	-	1.691	-	1.131	-	0.686	-
-1	1.921	-	1.920	-	1.806	-	1.641	-	1.098	-	0.666	-
-2	1.863	-	1.862	-	1.751	-	1.591	-	1.065	-	0.646	-
-3	1.805	-	1.804	-	1.696	-	1.542	-	1.031	-	0.626	-
-4	1.747	-	1.746	-	1.641	-	1.492	-	0.998	-	0.605	-
-5	1.688	-	1.687	-	1.587	-	1.442	-	0.965	-	0.585	-
-6	1.630	-	1.629	-	1.532	-	1.392	-	0.932	-	0.565	-
-7	1.572	-	1.571	-	1.477	-	1.343	-	0.898	-	0.545	-
-8	1.514	-	1.513	-	1.422	-	1.293	-	0.865	-	0.525	-
-9	1.455	-	1.455	-	1.368	-	1.243	-	0.832	-	0.504	-
-10	1.397	-	1.396	-	1.313	-	1.193	-	0.798	-	0.484	-
-11	1.339	-	1.338	-	1.258	-	1.144	-	0.765	-	0.464	-
-12	1.281	-	1.280	-	1.204	-	1.094	-	0.732	-	0.444	-
-13	1.223	-	1.222	-	1.149	-	1.044	-	0.699	-	0.424	-
-14	1.164	-	1.164	-	1.094	-	0.994	-	0.665	-	0.404	-
-15	1.106	-	1.105	-	1.039	-	0.945	-	0.632	-	0.383	-
-16	1.048	-	1.047	-	0.985	-	0.895	-	0.599	-	0.363	-
-17	0.990	-	0.989	-	0.930	-	0.845	-	0.566	-	0.343	-
-18	0.931	-	0.931	-	0.875	-	0.796	-	0.532	-	0.323	-
-19	0.873	-	0.873	-	0.821	-	0.746	-	0.499	-	0.303	-
-20	0.829	-	0.829	-	0.779	-	0.708	-	0.474	-	0.287	-

施設区分		補償区分	集団割引	補強割引
70	プラスチックハウスV類(鉄骨上)	内作一般	有	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	1.576	-	1.575	-	1.481	-	1.346	-	0.901	-	0.546	-
20	2.987	-	2.985	-	2.807	-	2.551	-	1.708	-	1.035	-
19	2.932	-	2.930	-	2.755	-	2.504	-	1.676	-	1.016	-
18	2.876	-	2.874	-	2.703	-	2.456	-	1.644	-	0.996	-
17	2.821	-	2.819	-	2.651	-	2.409	-	1.613	-	0.977	-
16	2.766	-	2.764	-	2.599	-	2.362	-	1.581	-	0.958	-
15	2.710	-	2.709	-	2.547	-	2.315	-	1.549	-	0.939	-
14	2.655	-	2.653	-	2.495	-	2.268	-	1.518	-	0.920	-
13	2.600	-	2.598	-	2.443	-	2.220	-	1.486	-	0.901	-
12	2.544	-	2.543	-	2.391	-	2.173	-	1.455	-	0.881	-
11	2.489	-	2.487	-	2.339	-	2.126	-	1.423	-	0.862	-
10	2.434	-	2.432	-	2.287	-	2.079	-	1.391	-	0.843	-
9	2.378	-	2.377	-	2.235	-	2.031	-	1.360	-	0.824	-
8	2.323	-	2.322	-	2.183	-	1.984	-	1.328	-	0.805	-
7	2.268	-	2.266	-	2.131	-	1.937	-	1.296	-	0.786	-
6	2.212	-	2.211	-	2.079	-	1.890	-	1.265	-	0.766	-
5	2.157	-	2.156	-	2.027	-	1.842	-	1.233	-	0.747	-
4	2.102	-	2.100	-	1.975	-	1.795	-	1.202	-	0.728	-
3	2.046	-	2.045	-	1.923	-	1.748	-	1.170	-	0.709	-
2	1.991	-	1.990	-	1.871	-	1.701	-	1.138	-	0.690	-
1	1.936	-	1.935	-	1.819	-	1.653	-	1.107	-	0.671	-
0	1.881	-	1.879	-	1.767	-	1.606	-	1.075	-	0.652	-
-1	1.825	-	1.824	-	1.715	-	1.559	-	1.043	-	0.632	-
-2	1.770	-	1.769	-	1.663	-	1.512	-	1.012	-	0.613	-
-3	1.715	-	1.713	-	1.611	-	1.464	-	0.980	-	0.594	-
-4	1.659	-	1.658	-	1.559	-	1.417	-	0.949	-	0.575	-
-5	1.604	-	1.603	-	1.507	-	1.370	-	0.917	-	0.556	-
-6	1.549	-	1.548	-	1.455	-	1.323	-	0.885	-	0.537	-
-7	1.493	-	1.492	-	1.403	-	1.275	-	0.854	-	0.517	-
-8	1.438	-	1.437	-	1.351	-	1.228	-	0.822	-	0.498	-
-9	1.383	-	1.382	-	1.299	-	1.181	-	0.790	-	0.479	-
-10	1.327	-	1.327	-	1.247	-	1.134	-	0.759	-	0.460	-
-11	1.272	-	1.271	-	1.195	-	1.086	-	0.727	-	0.441	-
-12	1.217	-	1.216	-	1.143	-	1.039	-	0.696	-	0.422	-
-13	1.161	-	1.161	-	1.091	-	0.992	-	0.664	-	0.402	-
-14	1.106	-	1.105	-	1.039	-	0.945	-	0.632	-	0.383	-
-15	1.051	-	1.050	-	0.987	-	0.897	-	0.601	-	0.364	-
-16	0.995	-	0.995	-	0.935	-	0.850	-	0.569	-	0.345	-
-17	0.940	-	0.940	-	0.883	-	0.803	-	0.537	-	0.326	-
-18	0.885	-	0.884	-	0.831	-	0.756	-	0.506	-	0.307	-
-19	0.829	-	0.829	-	0.779	-	0.708	-	0.474	-	0.287	-
-20	0.788	-	0.787	-	0.740	-	0.673	-	0.450	-	0.273	-

施設区分		補償区分	集団割引	補強割引
70	プラスチックハウスV類(鉄骨上)	内作事故除外	無	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.601	-	0.600	-	0.533	-	0.487	-	0.401	-	0.300	-
20	1.139	-	1.137	-	1.010	-	0.923	-	0.760	-	0.569	-
19	1.118	-	1.116	-	0.991	-	0.906	-	0.746	-	0.558	-
18	1.097	-	1.095	-	0.973	-	0.889	-	0.732	-	0.548	-
17	1.076	-	1.074	-	0.954	-	0.872	-	0.718	-	0.537	-
16	1.055	-	1.053	-	0.935	-	0.855	-	0.704	-	0.526	-
15	1.034	-	1.032	-	0.917	-	0.838	-	0.690	-	0.516	-
14	1.012	-	1.011	-	0.898	-	0.820	-	0.676	-	0.505	-
13	0.991	-	0.990	-	0.879	-	0.803	-	0.661	-	0.495	-
12	0.970	-	0.969	-	0.860	-	0.786	-	0.647	-	0.484	-
11	0.949	-	0.948	-	0.842	-	0.769	-	0.633	-	0.474	-
10	0.928	-	0.927	-	0.823	-	0.752	-	0.619	-	0.463	-
9	0.907	-	0.905	-	0.804	-	0.735	-	0.605	-	0.453	-
8	0.886	-	0.884	-	0.786	-	0.718	-	0.591	-	0.442	-
7	0.865	-	0.863	-	0.767	-	0.701	-	0.577	-	0.432	-
6	0.844	-	0.842	-	0.748	-	0.684	-	0.563	-	0.421	-
5	0.823	-	0.821	-	0.730	-	0.667	-	0.549	-	0.411	-
4	0.802	-	0.800	-	0.711	-	0.649	-	0.535	-	0.400	-
3	0.780	-	0.779	-	0.692	-	0.632	-	0.521	-	0.390	-
2	0.759	-	0.758	-	0.673	-	0.615	-	0.507	-	0.379	-
1	0.738	-	0.737	-	0.655	-	0.598	-	0.493	-	0.368	-
0	0.717	-	0.716	-	0.636	-	0.581	-	0.478	-	0.358	-
-1	0.696	-	0.695	-	0.617	-	0.564	-	0.464	-	0.347	-
-2	0.675	-	0.674	-	0.599	-	0.547	-	0.450	-	0.337	-
-3	0.654	-	0.653	-	0.580	-	0.530	-	0.436	-	0.326	-
-4	0.633	-	0.632	-	0.561	-	0.513	-	0.422	-	0.316	-
-5	0.612	-	0.611	-	0.542	-	0.496	-	0.408	-	0.305	-
-6	0.591	-	0.590	-	0.524	-	0.479	-	0.394	-	0.295	-
-7	0.569	-	0.569	-	0.505	-	0.461	-	0.380	-	0.284	-
-8	0.548	-	0.547	-	0.486	-	0.444	-	0.366	-	0.274	-
-9	0.527	-	0.526	-	0.468	-	0.427	-	0.352	-	0.263	-
-10	0.506	-	0.505	-	0.449	-	0.410	-	0.338	-	0.253	-
-11	0.485	-	0.484	-	0.430	-	0.393	-	0.324	-	0.242	-
-12	0.464	-	0.463	-	0.411	-	0.376	-	0.310	-	0.232	-
-13	0.443	-	0.442	-	0.393	-	0.359	-	0.296	-	0.221	-
-14	0.422	-	0.421	-	0.374	-	0.342	-	0.281	-	0.211	-
-15	0.401	-	0.400	-	0.355	-	0.325	-	0.267	-	0.200	-
-16	0.380	-	0.379	-	0.337	-	0.308	-	0.253	-	0.189	-
-17	0.359	-	0.358	-	0.318	-	0.291	-	0.239	-	0.179	-
-18	0.337	-	0.337	-	0.299	-	0.273	-	0.225	-	0.168	-
-19	0.316	-	0.316	-	0.281	-	0.256	-	0.211	-	0.158	-
-20	0.300	-	0.300	-	0.266	-	0.243	-	0.200	-	0.150	-

施設区分		補償区分	集団割引	補強割引
70	プラスチックハウスV類(鉄骨上)	内作事故除外	有	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.571	-	0.570	-	0.506	-	0.463	-	0.381	-	0.285	-
20	1.082	-	1.080	-	0.959	-	0.877	-	0.722	-	0.540	-
19	1.062	-	1.060	-	0.941	-	0.861	-	0.709	-	0.530	-
18	1.042	-	1.040	-	0.923	-	0.845	-	0.695	-	0.520	-
17	1.022	-	1.020	-	0.906	-	0.829	-	0.682	-	0.510	-
16	1.002	-	1.000	-	0.888	-	0.812	-	0.669	-	0.500	-
15	0.982	-	0.980	-	0.870	-	0.796	-	0.655	-	0.490	-
14	0.962	-	0.960	-	0.852	-	0.780	-	0.642	-	0.480	-
13	0.942	-	0.940	-	0.835	-	0.764	-	0.628	-	0.470	-
12	0.922	-	0.920	-	0.817	-	0.747	-	0.615	-	0.460	-
11	0.902	-	0.900	-	0.799	-	0.731	-	0.602	-	0.450	-
10	0.882	-	0.880	-	0.781	-	0.715	-	0.588	-	0.440	-
9	0.862	-	0.860	-	0.764	-	0.699	-	0.575	-	0.430	-
8	0.842	-	0.840	-	0.746	-	0.682	-	0.562	-	0.420	-
7	0.822	-	0.820	-	0.728	-	0.666	-	0.548	-	0.410	-
6	0.802	-	0.800	-	0.710	-	0.650	-	0.535	-	0.400	-
5	0.782	-	0.780	-	0.693	-	0.634	-	0.521	-	0.390	-
4	0.762	-	0.760	-	0.675	-	0.617	-	0.508	-	0.380	-
3	0.741	-	0.740	-	0.657	-	0.601	-	0.495	-	0.370	-
2	0.721	-	0.720	-	0.639	-	0.585	-	0.481	-	0.360	-
1	0.701	-	0.700	-	0.622	-	0.569	-	0.468	-	0.350	-
0	0.681	-	0.680	-	0.604	-	0.552	-	0.455	-	0.340	-
-1	0.661	-	0.660	-	0.586	-	0.536	-	0.441	-	0.330	-
-2	0.641	-	0.640	-	0.568	-	0.520	-	0.428	-	0.320	-
-3	0.621	-	0.620	-	0.550	-	0.504	-	0.415	-	0.310	-
-4	0.601	-	0.600	-	0.533	-	0.487	-	0.401	-	0.300	-
-5	0.581	-	0.580	-	0.515	-	0.471	-	0.388	-	0.290	-
-6	0.561	-	0.560	-	0.497	-	0.455	-	0.374	-	0.280	-
-7	0.541	-	0.540	-	0.479	-	0.439	-	0.361	-	0.270	-
-8	0.521	-	0.520	-	0.462	-	0.422	-	0.348	-	0.260	-
-9	0.501	-	0.500	-	0.444	-	0.406	-	0.334	-	0.250	-
-10	0.481	-	0.480	-	0.426	-	0.390	-	0.321	-	0.240	-
-11	0.461	-	0.460	-	0.408	-	0.374	-	0.308	-	0.230	-
-12	0.441	-	0.440	-	0.391	-	0.357	-	0.294	-	0.220	-
-13	0.421	-	0.420	-	0.373	-	0.341	-	0.281	-	0.210	-
-14	0.401	-	0.400	-	0.355	-	0.325	-	0.267	-	0.200	-
-15	0.381	-	0.380	-	0.337	-	0.309	-	0.254	-	0.190	-
-16	0.361	-	0.360	-	0.320	-	0.292	-	0.241	-	0.180	-
-17	0.341	-	0.340	-	0.302	-	0.276	-	0.227	-	0.170	-
-18	0.321	-	0.320	-	0.284	-	0.260	-	0.214	-	0.160	-
-19	0.301	-	0.300	-	0.266	-	0.244	-	0.201	-	0.150	-
-20	0.285	-	0.285	-	0.253	-	0.231	-	0.190	-	0.142	-

施設区分		補償区分	集団割引	補強割引
70	プラスチックハウスV類(鉄骨上)	撤去費用	無	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003
20	0.017	0.015	0.015	0.013	0.013	0.011	0.011	0.009	0.009	0.008	0.008	0.006
19	0.017	0.015	0.015	0.013	0.013	0.011	0.011	0.009	0.009	0.007	0.007	0.006
18	0.016	0.015	0.015	0.013	0.013	0.011	0.011	0.009	0.009	0.007	0.007	0.005
17	0.016	0.014	0.014	0.013	0.013	0.011	0.011	0.009	0.009	0.007	0.007	0.005
16	0.016	0.014	0.014	0.012	0.012	0.011	0.011	0.009	0.009	0.007	0.007	0.005
15	0.015	0.014	0.014	0.012	0.012	0.010	0.010	0.009	0.009	0.007	0.007	0.005
14	0.015	0.013	0.013	0.012	0.012	0.010	0.010	0.008	0.008	0.007	0.007	0.005
13	0.015	0.013	0.013	0.012	0.012	0.010	0.010	0.008	0.008	0.007	0.007	0.005
12	0.015	0.013	0.013	0.011	0.011	0.010	0.010	0.008	0.008	0.006	0.006	0.005
11	0.014	0.013	0.013	0.011	0.011	0.009	0.009	0.008	0.008	0.006	0.006	0.005
10	0.014	0.012	0.012	0.011	0.011	0.009	0.009	0.008	0.008	0.006	0.006	0.005
9	0.014	0.012	0.012	0.011	0.011	0.009	0.009	0.008	0.008	0.006	0.006	0.005
8	0.013	0.012	0.012	0.010	0.010	0.009	0.009	0.007	0.007	0.006	0.006	0.004
7	0.013	0.012	0.012	0.010	0.010	0.009	0.009	0.007	0.007	0.006	0.006	0.004
6	0.013	0.011	0.011	0.010	0.010	0.008	0.008	0.007	0.007	0.006	0.006	0.004
5	0.012	0.011	0.011	0.010	0.010	0.008	0.008	0.007	0.007	0.005	0.005	0.004
4	0.012	0.011	0.011	0.009	0.009	0.008	0.008	0.007	0.007	0.005	0.005	0.004
3	0.012	0.010	0.010	0.009	0.009	0.008	0.008	0.006	0.006	0.005	0.005	0.004
2	0.011	0.010	0.010	0.009	0.009	0.008	0.008	0.006	0.006	0.005	0.005	0.004
1	0.011	0.010	0.010	0.009	0.009	0.007	0.007	0.006	0.006	0.005	0.005	0.004
0	0.011	0.010	0.010	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004
-1	0.010	0.009	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.003
-2	0.010	0.009	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.004	0.004	0.003
-3	0.010	0.009	0.009	0.008	0.008	0.007	0.007	0.005	0.005	0.004	0.004	0.003
-4	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003
-5	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003
-6	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003
-7	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003
-8	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.005	0.005	0.004	0.004	0.003
-9	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.004	0.004	0.003
-10	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003	0.003	0.003
-11	0.007	0.006	0.006	0.006	0.006	0.005	0.005	0.004	0.004	0.003	0.003	0.002
-12	0.007	0.006	0.006	0.005	0.005	0.005	0.005	0.004	0.004	0.003	0.003	0.002
-13	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.004	0.004	0.003	0.003	0.002
-14	0.006	0.006	0.006	0.005	0.005	0.004	0.004	0.004	0.004	0.003	0.003	0.002
-15	0.006	0.005	0.005	0.005	0.005	0.004	0.004	0.003	0.003	0.003	0.003	0.002
-16	0.006	0.005	0.005	0.004	0.004	0.004	0.004	0.003	0.003	0.003	0.003	0.002
-17	0.005	0.005	0.005	0.004	0.004	0.004	0.004	0.003	0.003	0.002	0.002	0.002
-18	0.005	0.004	0.004	0.004	0.004	0.003	0.003	0.003	0.003	0.002	0.002	0.002
-19	0.005	0.004	0.004	0.004	0.004	0.003	0.003	0.003	0.003	0.002	0.002	0.002
-20	0.004	0.004	0.004	0.003	0.003	0.003	0.003	0.002	0.002	0.002	0.002	0.001

施設区分		補償区分	集団割引	補強割引
70	プラスチックハウスV類(鉄骨上)	撤去費用	有	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003
20	0.017	0.015	0.015	0.013	0.013	0.011	0.011	0.009	0.009	0.008	0.008	0.006
19	0.017	0.015	0.015	0.013	0.013	0.011	0.011	0.009	0.009	0.007	0.007	0.006
18	0.016	0.015	0.015	0.013	0.013	0.011	0.011	0.009	0.009	0.007	0.007	0.005
17	0.016	0.014	0.014	0.013	0.013	0.011	0.011	0.009	0.009	0.007	0.007	0.005
16	0.016	0.014	0.014	0.012	0.012	0.011	0.011	0.009	0.009	0.007	0.007	0.005
15	0.015	0.014	0.014	0.012	0.012	0.010	0.010	0.009	0.009	0.007	0.007	0.005
14	0.015	0.013	0.013	0.012	0.012	0.010	0.010	0.008	0.008	0.007	0.007	0.005
13	0.015	0.013	0.013	0.012	0.012	0.010	0.010	0.008	0.008	0.007	0.007	0.005
12	0.015	0.013	0.013	0.011	0.011	0.010	0.010	0.008	0.008	0.006	0.006	0.005
11	0.014	0.013	0.013	0.011	0.011	0.009	0.009	0.008	0.008	0.006	0.006	0.005
10	0.014	0.012	0.012	0.011	0.011	0.009	0.009	0.008	0.008	0.006	0.006	0.005
9	0.014	0.012	0.012	0.011	0.011	0.009	0.009	0.008	0.008	0.006	0.006	0.005
8	0.013	0.012	0.012	0.010	0.010	0.009	0.009	0.007	0.007	0.006	0.006	0.004
7	0.013	0.012	0.012	0.010	0.010	0.009	0.009	0.007	0.007	0.006	0.006	0.004
6	0.013	0.011	0.011	0.010	0.010	0.008	0.008	0.007	0.007	0.006	0.006	0.004
5	0.012	0.011	0.011	0.010	0.010	0.008	0.008	0.007	0.007	0.005	0.005	0.004
4	0.012	0.011	0.011	0.009	0.009	0.008	0.008	0.007	0.007	0.005	0.005	0.004
3	0.012	0.010	0.010	0.009	0.009	0.008	0.008	0.006	0.006	0.005	0.005	0.004
2	0.011	0.010	0.010	0.009	0.009	0.008	0.008	0.006	0.006	0.005	0.005	0.004
1	0.011	0.010	0.010	0.009	0.009	0.007	0.007	0.006	0.006	0.005	0.005	0.004
0	0.011	0.010	0.010	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004
-1	0.010	0.009	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.003
-2	0.010	0.009	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.004	0.004	0.003
-3	0.010	0.009	0.009	0.008	0.008	0.007	0.007	0.005	0.005	0.004	0.004	0.003
-4	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003
-5	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003
-6	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003
-7	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003
-8	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.005	0.005	0.004	0.004	0.003
-9	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.004	0.004	0.003
-10	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003	0.003	0.003
-11	0.007	0.006	0.006	0.006	0.006	0.005	0.005	0.004	0.004	0.003	0.003	0.002
-12	0.007	0.006	0.006	0.005	0.005	0.005	0.005	0.004	0.004	0.003	0.003	0.002
-13	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.004	0.004	0.003	0.003	0.002
-14	0.006	0.006	0.006	0.005	0.005	0.004	0.004	0.004	0.004	0.003	0.003	0.002
-15	0.006	0.005	0.005	0.005	0.005	0.004	0.004	0.003	0.003	0.003	0.003	0.002
-16	0.006	0.005	0.005	0.004	0.004	0.004	0.004	0.003	0.003	0.003	0.003	0.002
-17	0.005	0.005	0.005	0.004	0.004	0.004	0.004	0.003	0.003	0.002	0.002	0.002
-18	0.005	0.004	0.004	0.004	0.004	0.003	0.003	0.003	0.003	0.002	0.002	0.002
-19	0.005	0.004	0.004	0.004	0.004	0.003	0.003	0.003	0.003	0.002	0.002	0.002
-20	0.004	0.004	0.004	0.003	0.003	0.003	0.003	0.002	0.002	0.002	0.002	0.001

施設区分		補償区分	集団割引	補強割引
70	プラスチックハウスV類(鉄骨上)	復旧費用	無	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.103	0.008	0.102	0.007	0.090	0.006	0.077	0.005	0.046	0.004	0.037	0.003
20	0.195	0.015	0.193	0.013	0.171	0.011	0.146	0.009	0.087	0.008	0.070	0.006
19	0.192	0.015	0.190	0.013	0.167	0.011	0.143	0.009	0.086	0.007	0.069	0.006
18	0.188	0.015	0.186	0.013	0.164	0.011	0.141	0.009	0.084	0.007	0.068	0.005
17	0.184	0.014	0.183	0.013	0.161	0.011	0.138	0.009	0.082	0.007	0.066	0.005
16	0.181	0.014	0.179	0.012	0.158	0.011	0.135	0.009	0.081	0.007	0.065	0.005
15	0.177	0.014	0.175	0.012	0.155	0.010	0.132	0.009	0.079	0.007	0.064	0.005
14	0.174	0.013	0.172	0.012	0.152	0.010	0.130	0.008	0.077	0.007	0.062	0.005
13	0.170	0.013	0.168	0.012	0.148	0.010	0.127	0.008	0.076	0.007	0.061	0.005
12	0.166	0.013	0.165	0.011	0.145	0.010	0.124	0.008	0.074	0.006	0.060	0.005
11	0.163	0.013	0.161	0.011	0.142	0.009	0.122	0.008	0.073	0.006	0.058	0.005
10	0.159	0.012	0.158	0.011	0.139	0.009	0.119	0.008	0.071	0.006	0.057	0.005
9	0.155	0.012	0.154	0.011	0.136	0.009	0.116	0.008	0.069	0.006	0.056	0.005
8	0.152	0.012	0.150	0.010	0.133	0.009	0.114	0.007	0.068	0.006	0.055	0.004
7	0.148	0.012	0.147	0.010	0.130	0.009	0.111	0.007	0.066	0.006	0.053	0.004
6	0.145	0.011	0.143	0.010	0.126	0.008	0.108	0.007	0.065	0.006	0.052	0.004
5	0.141	0.011	0.140	0.010	0.123	0.008	0.105	0.007	0.063	0.005	0.051	0.004
4	0.137	0.011	0.136	0.009	0.120	0.008	0.103	0.007	0.061	0.005	0.049	0.004
3	0.134	0.010	0.132	0.009	0.117	0.008	0.100	0.006	0.060	0.005	0.048	0.004
2	0.130	0.010	0.129	0.009	0.114	0.008	0.097	0.006	0.058	0.005	0.047	0.004
1	0.127	0.010	0.125	0.009	0.111	0.007	0.095	0.006	0.057	0.005	0.045	0.004
0	0.123	0.010	0.122	0.008	0.107	0.007	0.092	0.006	0.055	0.005	0.044	0.004
-1	0.119	0.009	0.118	0.008	0.104	0.007	0.089	0.006	0.053	0.005	0.043	0.003
-2	0.116	0.009	0.115	0.008	0.101	0.007	0.086	0.006	0.052	0.004	0.042	0.003
-3	0.112	0.009	0.111	0.008	0.098	0.007	0.084	0.005	0.050	0.004	0.040	0.003
-4	0.108	0.008	0.107	0.007	0.095	0.006	0.081	0.005	0.048	0.004	0.039	0.003
-5	0.105	0.008	0.104	0.007	0.092	0.006	0.078	0.005	0.047	0.004	0.038	0.003
-6	0.101	0.008	0.100	0.007	0.088	0.006	0.076	0.005	0.045	0.004	0.036	0.003
-7	0.098	0.008	0.097	0.007	0.085	0.006	0.073	0.005	0.044	0.004	0.035	0.003
-8	0.094	0.007	0.093	0.006	0.082	0.005	0.070	0.005	0.042	0.004	0.034	0.003
-9	0.090	0.007	0.089	0.006	0.079	0.005	0.068	0.004	0.040	0.004	0.032	0.003
-10	0.087	0.007	0.086	0.006	0.076	0.005	0.065	0.004	0.039	0.003	0.031	0.003
-11	0.083	0.006	0.082	0.006	0.073	0.005	0.062	0.004	0.037	0.003	0.030	0.002
-12	0.080	0.006	0.079	0.005	0.069	0.005	0.059	0.004	0.036	0.003	0.029	0.002
-13	0.076	0.006	0.075	0.005	0.066	0.004	0.057	0.004	0.034	0.003	0.027	0.002
-14	0.072	0.006	0.072	0.005	0.063	0.004	0.054	0.004	0.032	0.003	0.026	0.002
-15	0.069	0.005	0.068	0.005	0.060	0.004	0.051	0.003	0.031	0.003	0.025	0.002
-16	0.065	0.005	0.064	0.004	0.057	0.004	0.049	0.003	0.029	0.003	0.023	0.002
-17	0.061	0.005	0.061	0.004	0.054	0.004	0.046	0.003	0.027	0.002	0.022	0.002
-18	0.058	0.004	0.057	0.004	0.051	0.003	0.043	0.003	0.026	0.002	0.021	0.002
-19	0.054	0.004	0.054	0.004	0.047	0.003	0.041	0.003	0.024	0.002	0.019	0.002
-20	0.051	0.004	0.051	0.003	0.045	0.003	0.038	0.002	0.023	0.002	0.018	0.001

施設区分		補償区分	集団割引	補強割引
70	プラスチックハウスV類(鉄骨上)	復旧費用	有	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.098	0.008	0.097	0.007	0.086	0.006	0.073	0.005	0.044	0.004	0.035	0.003
20	0.186	0.015	0.184	0.013	0.163	0.011	0.138	0.009	0.083	0.008	0.066	0.006
19	0.182	0.015	0.180	0.013	0.160	0.011	0.136	0.009	0.082	0.007	0.065	0.006
18	0.179	0.015	0.177	0.013	0.157	0.011	0.133	0.009	0.080	0.007	0.064	0.005
17	0.175	0.014	0.174	0.013	0.154	0.011	0.131	0.009	0.079	0.007	0.063	0.005
16	0.172	0.014	0.170	0.012	0.151	0.011	0.128	0.009	0.077	0.007	0.061	0.005
15	0.169	0.014	0.167	0.012	0.148	0.010	0.126	0.009	0.076	0.007	0.060	0.005
14	0.165	0.013	0.163	0.012	0.145	0.010	0.123	0.008	0.074	0.007	0.059	0.005
13	0.162	0.013	0.160	0.012	0.142	0.010	0.120	0.008	0.073	0.007	0.058	0.005
12	0.158	0.013	0.157	0.011	0.139	0.010	0.118	0.008	0.071	0.006	0.057	0.005
11	0.155	0.013	0.153	0.011	0.136	0.009	0.115	0.008	0.069	0.006	0.055	0.005
10	0.151	0.012	0.150	0.011	0.133	0.009	0.113	0.008	0.068	0.006	0.054	0.005
9	0.148	0.012	0.146	0.011	0.130	0.009	0.110	0.008	0.066	0.006	0.053	0.005
8	0.144	0.012	0.143	0.010	0.127	0.009	0.108	0.007	0.065	0.006	0.052	0.004
7	0.141	0.012	0.140	0.010	0.124	0.009	0.105	0.007	0.063	0.006	0.050	0.004
6	0.138	0.011	0.136	0.010	0.121	0.008	0.102	0.007	0.062	0.006	0.049	0.004
5	0.134	0.011	0.133	0.010	0.118	0.008	0.100	0.007	0.060	0.005	0.048	0.004
4	0.131	0.011	0.129	0.009	0.115	0.008	0.097	0.007	0.059	0.005	0.047	0.004
3	0.127	0.010	0.126	0.009	0.112	0.008	0.095	0.006	0.057	0.005	0.045	0.004
2	0.124	0.010	0.123	0.009	0.109	0.008	0.092	0.006	0.056	0.005	0.044	0.004
1	0.120	0.010	0.119	0.009	0.106	0.007	0.090	0.006	0.054	0.005	0.043	0.004
0	0.117	0.010	0.116	0.008	0.103	0.007	0.087	0.006	0.053	0.005	0.042	0.004
-1	0.113	0.009	0.112	0.008	0.100	0.007	0.085	0.006	0.051	0.005	0.041	0.003
-2	0.110	0.009	0.109	0.008	0.097	0.007	0.082	0.006	0.049	0.004	0.039	0.003
-3	0.107	0.009	0.106	0.008	0.094	0.007	0.079	0.005	0.048	0.004	0.038	0.003
-4	0.103	0.008	0.102	0.007	0.091	0.006	0.077	0.005	0.046	0.004	0.037	0.003
-5	0.100	0.008	0.099	0.007	0.088	0.006	0.074	0.005	0.045	0.004	0.036	0.003
-6	0.096	0.008	0.095	0.007	0.085	0.006	0.072	0.005	0.043	0.004	0.034	0.003
-7	0.093	0.008	0.092	0.007	0.081	0.006	0.069	0.005	0.042	0.004	0.033	0.003
-8	0.089	0.007	0.089	0.006	0.078	0.005	0.067	0.005	0.040	0.004	0.032	0.003
-9	0.086	0.007	0.085	0.006	0.075	0.005	0.064	0.004	0.039	0.004	0.031	0.003
-10	0.083	0.007	0.082	0.006	0.072	0.005	0.061	0.004	0.037	0.003	0.029	0.003
-11	0.079	0.006	0.078	0.006	0.069	0.005	0.059	0.004	0.036	0.003	0.028	0.002
-12	0.076	0.006	0.075	0.005	0.066	0.005	0.056	0.004	0.034	0.003	0.027	0.002
-13	0.072	0.006	0.071	0.005	0.063	0.004	0.054	0.004	0.032	0.003	0.026	0.002
-14	0.069	0.006	0.068	0.005	0.060	0.004	0.051	0.004	0.031	0.003	0.025	0.002
-15	0.065	0.005	0.065	0.005	0.057	0.004	0.049	0.003	0.029	0.003	0.023	0.002
-16	0.062	0.005	0.061	0.004	0.054	0.004	0.046	0.003	0.028	0.003	0.022	0.002
-17	0.058	0.005	0.058	0.004	0.051	0.004	0.044	0.003	0.026	0.002	0.021	0.002
-18	0.055	0.004	0.054	0.004	0.048	0.003	0.041	0.003	0.025	0.002	0.020	0.002
-19	0.052	0.004	0.051	0.004	0.045	0.003	0.038	0.003	0.023	0.002	0.018	0.002
-20	0.049	0.004	0.048	0.003	0.043	0.003	0.036	0.002	0.022	0.002	0.017	0.001

施設区分		補償区分	集団割引	補強割引
80	プラスチックハウスⅥ類(雨よけ等)	特定附帯	無	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	3.545	0.036	3.537	0.035	0.430	0.010	0.161	0.005	0.054	0.004	0.033	0.003
20	10.432	0.106	10.409	0.103	1.265	0.029	0.474	0.015	0.159	0.012	0.097	0.009
19	7.027	0.071	7.011	0.069	0.852	0.020	0.319	0.010	0.107	0.008	0.065	0.006
18	6.892	0.070	6.876	0.068	0.836	0.019	0.313	0.010	0.105	0.008	0.064	0.006
17	6.756	0.069	6.741	0.067	0.819	0.019	0.307	0.010	0.103	0.008	0.063	0.006
16	6.620	0.067	6.605	0.065	0.803	0.019	0.301	0.009	0.101	0.007	0.062	0.006
15	6.485	0.066	6.470	0.064	0.787	0.018	0.295	0.009	0.099	0.007	0.060	0.005
14	6.349	0.064	6.335	0.063	0.770	0.018	0.288	0.009	0.097	0.007	0.059	0.005
13	6.214	0.063	6.200	0.061	0.754	0.018	0.282	0.009	0.095	0.007	0.058	0.005
12	6.078	0.062	6.064	0.060	0.737	0.017	0.276	0.009	0.093	0.007	0.057	0.005
11	5.942	0.060	5.929	0.059	0.721	0.017	0.270	0.008	0.091	0.007	0.055	0.005
10	5.807	0.059	5.794	0.057	0.704	0.016	0.264	0.008	0.088	0.007	0.054	0.005
9	5.671	0.058	5.658	0.056	0.688	0.016	0.258	0.008	0.086	0.006	0.053	0.005
8	5.535	0.056	5.523	0.055	0.671	0.016	0.251	0.008	0.084	0.006	0.052	0.005
7	5.400	0.055	5.388	0.053	0.655	0.015	0.245	0.008	0.082	0.006	0.050	0.005
6	5.264	0.053	5.252	0.052	0.639	0.015	0.239	0.007	0.080	0.006	0.049	0.004
5	5.129	0.052	5.117	0.051	0.622	0.014	0.233	0.007	0.078	0.006	0.048	0.004
4	4.993	0.051	4.982	0.049	0.606	0.014	0.227	0.007	0.076	0.006	0.046	0.004
3	4.857	0.049	4.847	0.048	0.589	0.014	0.221	0.007	0.074	0.005	0.045	0.004
2	4.722	0.048	4.711	0.047	0.573	0.013	0.214	0.007	0.072	0.005	0.044	0.004
1	4.586	0.047	4.576	0.045	0.556	0.013	0.208	0.006	0.070	0.005	0.043	0.004
0	4.451	0.045	4.441	0.044	0.540	0.013	0.202	0.006	0.068	0.005	0.041	0.004
-1	4.315	0.044	4.305	0.043	0.523	0.012	0.196	0.006	0.066	0.005	0.040	0.004
-2	4.179	0.042	4.170	0.041	0.507	0.012	0.190	0.006	0.064	0.005	0.039	0.004
-3	4.044	0.041	4.035	0.040	0.491	0.011	0.184	0.006	0.062	0.005	0.038	0.003
-4	3.908	0.040	3.899	0.039	0.474	0.011	0.177	0.006	0.060	0.004	0.036	0.003
-5	3.773	0.038	3.764	0.037	0.458	0.011	0.171	0.005	0.057	0.004	0.035	0.003
-6	3.637	0.037	3.629	0.036	0.441	0.010	0.165	0.005	0.055	0.004	0.034	0.003
-7	3.501	0.036	3.494	0.035	0.425	0.010	0.159	0.005	0.053	0.004	0.033	0.003
-8	3.366	0.034	3.358	0.033	0.408	0.009	0.153	0.005	0.051	0.004	0.031	0.003
-9	3.230	0.033	3.223	0.032	0.392	0.009	0.147	0.005	0.049	0.004	0.030	0.003
-10	3.095	0.031	3.088	0.031	0.375	0.009	0.141	0.004	0.047	0.003	0.029	0.003
-11	2.959	0.030	2.952	0.029	0.359	0.008	0.134	0.004	0.045	0.003	0.028	0.003
-12	2.823	0.029	2.817	0.028	0.342	0.008	0.128	0.004	0.043	0.003	0.026	0.002
-13	2.688	0.027	2.682	0.027	0.326	0.008	0.122	0.004	0.041	0.003	0.025	0.002
-14	2.552	0.026	2.546	0.025	0.310	0.007	0.116	0.004	0.039	0.003	0.024	0.002
-15	2.417	0.025	2.411	0.024	0.293	0.007	0.110	0.003	0.037	0.003	0.022	0.002
-16	2.281	0.023	2.276	0.023	0.277	0.006	0.104	0.003	0.035	0.003	0.021	0.002
-17	2.145	0.022	2.141	0.021	0.260	0.006	0.097	0.003	0.033	0.002	0.020	0.002
-18	2.010	0.020	2.005	0.020	0.244	0.006	0.091	0.003	0.031	0.002	0.019	0.002
-19	1.874	0.019	1.870	0.019	0.227	0.005	0.085	0.003	0.029	0.002	0.017	0.002
-20	1.772	0.018	1.768	0.017	0.215	0.005	0.080	0.002	0.027	0.002	0.016	0.001

施設区分		補償区分	集団割引	補強割引
80	プラスチックハウスⅥ類(雨よけ等)	特定附帯	有	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	3.368	0.034	3.360	0.033	0.409	0.010	0.153	0.005	0.051	0.004	0.031	0.003
20	9.911	0.100	9.888	0.097	1.204	0.029	0.450	0.015	0.150	0.012	0.091	0.009
19	6.676	0.067	6.660	0.065	0.811	0.020	0.303	0.010	0.101	0.008	0.061	0.006
18	6.547	0.066	6.532	0.064	0.795	0.019	0.297	0.010	0.099	0.008	0.060	0.006
17	6.419	0.065	6.403	0.063	0.779	0.019	0.292	0.010	0.097	0.008	0.059	0.006
16	6.290	0.063	6.275	0.062	0.764	0.019	0.286	0.009	0.095	0.007	0.058	0.006
15	6.161	0.062	6.146	0.060	0.748	0.018	0.280	0.009	0.093	0.007	0.057	0.005
14	6.032	0.061	6.018	0.059	0.733	0.018	0.274	0.009	0.091	0.007	0.056	0.005
13	5.903	0.060	5.889	0.058	0.717	0.018	0.268	0.009	0.089	0.007	0.054	0.005
12	5.774	0.058	5.761	0.057	0.701	0.017	0.262	0.009	0.087	0.007	0.053	0.005
11	5.646	0.057	5.632	0.055	0.686	0.017	0.256	0.008	0.085	0.007	0.052	0.005
10	5.517	0.056	5.504	0.054	0.670	0.016	0.251	0.008	0.084	0.007	0.051	0.005
9	5.388	0.054	5.375	0.053	0.654	0.016	0.245	0.008	0.082	0.006	0.050	0.005
8	5.259	0.053	5.247	0.052	0.639	0.016	0.239	0.008	0.080	0.006	0.048	0.005
7	5.130	0.052	5.118	0.050	0.623	0.015	0.233	0.008	0.078	0.006	0.047	0.005
6	5.001	0.050	4.990	0.049	0.607	0.015	0.227	0.007	0.076	0.006	0.046	0.004
5	4.873	0.049	4.861	0.048	0.592	0.014	0.221	0.007	0.074	0.006	0.045	0.004
4	4.744	0.048	4.733	0.046	0.576	0.014	0.215	0.007	0.072	0.006	0.044	0.004
3	4.615	0.047	4.604	0.045	0.560	0.014	0.210	0.007	0.070	0.005	0.042	0.004
2	4.486	0.045	4.475	0.044	0.545	0.013	0.204	0.007	0.068	0.005	0.041	0.004
1	4.357	0.044	4.347	0.043	0.529	0.013	0.198	0.006	0.066	0.005	0.040	0.004
0	4.228	0.043	4.218	0.041	0.513	0.013	0.192	0.006	0.064	0.005	0.039	0.004
-1	4.100	0.041	4.090	0.040	0.498	0.012	0.186	0.006	0.062	0.005	0.038	0.004
-2	3.971	0.040	3.961	0.039	0.482	0.012	0.180	0.006	0.060	0.005	0.037	0.004
-3	3.842	0.039	3.833	0.038	0.467	0.011	0.175	0.006	0.058	0.005	0.035	0.003
-4	3.713	0.037	3.704	0.036	0.451	0.011	0.169	0.006	0.056	0.004	0.034	0.003
-5	3.584	0.036	3.576	0.035	0.435	0.011	0.163	0.005	0.054	0.004	0.033	0.003
-6	3.455	0.035	3.447	0.034	0.420	0.010	0.157	0.005	0.052	0.004	0.032	0.003
-7	3.327	0.034	3.319	0.033	0.404	0.010	0.151	0.005	0.050	0.004	0.031	0.003
-8	3.198	0.032	3.190	0.031	0.388	0.009	0.145	0.005	0.048	0.004	0.029	0.003
-9	3.069	0.031	3.062	0.030	0.373	0.009	0.139	0.005	0.046	0.004	0.028	0.003
-10	2.940	0.030	2.933	0.029	0.357	0.009	0.134	0.004	0.045	0.003	0.027	0.003
-11	2.811	0.028	2.805	0.028	0.341	0.008	0.128	0.004	0.043	0.003	0.026	0.003
-12	2.682	0.027	2.676	0.026	0.326	0.008	0.122	0.004	0.041	0.003	0.025	0.002
-13	2.554	0.026	2.548	0.025	0.310	0.008	0.116	0.004	0.039	0.003	0.024	0.002
-14	2.425	0.024	2.419	0.024	0.294	0.007	0.110	0.004	0.037	0.003	0.022	0.002
-15	2.296	0.023	2.291	0.022	0.279	0.007	0.104	0.003	0.035	0.003	0.021	0.002
-16	2.167	0.022	2.162	0.021	0.263	0.006	0.098	0.003	0.033	0.003	0.020	0.002
-17	2.038	0.021	2.033	0.020	0.248	0.006	0.093	0.003	0.031	0.002	0.019	0.002
-18	1.909	0.019	1.905	0.019	0.232	0.006	0.087	0.003	0.029	0.002	0.018	0.002
-19	1.781	0.018	1.776	0.017	0.216	0.005	0.081	0.003	0.027	0.002	0.016	0.002
-20	1.684	0.017	1.680	0.016	0.204	0.005	0.076	0.002	0.025	0.002	0.015	0.001

施設区分		補償区分	集団割引	補強割引
80	プラスチックハウスⅥ類(雨よけ等)	内作一般	無	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	5.966	-	5.922	-	3.217	-	1.152	-	0.216	-	0.047	-
20	17.557	-	17.427	-	9.467	-	3.390	-	0.636	-	0.138	-
19	11.826	-	11.739	-	6.377	-	2.284	-	0.428	-	0.093	-
18	11.598	-	11.512	-	6.254	-	2.240	-	0.420	-	0.091	-
17	11.370	-	11.286	-	6.131	-	2.195	-	0.412	-	0.090	-
16	11.142	-	11.059	-	6.008	-	2.151	-	0.403	-	0.088	-
15	10.913	-	10.833	-	5.885	-	2.107	-	0.395	-	0.086	-
14	10.685	-	10.606	-	5.762	-	2.063	-	0.387	-	0.084	-
13	10.457	-	10.380	-	5.639	-	2.019	-	0.379	-	0.082	-
12	10.229	-	10.153	-	5.516	-	1.975	-	0.370	-	0.081	-
11	10.001	-	9.927	-	5.393	-	1.931	-	0.362	-	0.079	-
10	9.772	-	9.700	-	5.269	-	1.887	-	0.354	-	0.077	-
9	9.544	-	9.474	-	5.146	-	1.843	-	0.346	-	0.075	-
8	9.316	-	9.247	-	5.023	-	1.799	-	0.337	-	0.073	-
7	9.088	-	9.021	-	4.900	-	1.755	-	0.329	-	0.072	-
6	8.859	-	8.794	-	4.777	-	1.711	-	0.321	-	0.070	-
5	8.631	-	8.568	-	4.654	-	1.667	-	0.312	-	0.068	-
4	8.403	-	8.341	-	4.531	-	1.623	-	0.304	-	0.066	-
3	8.175	-	8.115	-	4.408	-	1.579	-	0.296	-	0.064	-
2	7.947	-	7.888	-	4.285	-	1.534	-	0.288	-	0.063	-
1	7.718	-	7.661	-	4.162	-	1.490	-	0.279	-	0.061	-
0	7.490	-	7.435	-	4.039	-	1.446	-	0.271	-	0.059	-
-1	7.262	-	7.208	-	3.916	-	1.402	-	0.263	-	0.057	-
-2	7.034	-	6.982	-	3.793	-	1.358	-	0.255	-	0.055	-
-3	6.806	-	6.755	-	3.670	-	1.314	-	0.246	-	0.054	-
-4	6.577	-	6.529	-	3.547	-	1.270	-	0.238	-	0.052	-
-5	6.349	-	6.302	-	3.424	-	1.226	-	0.230	-	0.050	-
-6	6.121	-	6.076	-	3.301	-	1.182	-	0.222	-	0.048	-
-7	5.893	-	5.849	-	3.177	-	1.138	-	0.213	-	0.046	-
-8	5.665	-	5.623	-	3.054	-	1.094	-	0.205	-	0.045	-
-9	5.436	-	5.396	-	2.931	-	1.050	-	0.197	-	0.043	-
-10	5.208	-	5.170	-	2.808	-	1.006	-	0.189	-	0.041	-
-11	4.980	-	4.943	-	2.685	-	0.962	-	0.180	-	0.039	-
-12	4.752	-	4.717	-	2.562	-	0.918	-	0.172	-	0.037	-
-13	4.523	-	4.490	-	2.439	-	0.873	-	0.164	-	0.036	-
-14	4.295	-	4.264	-	2.316	-	0.829	-	0.156	-	0.034	-
-15	4.067	-	4.037	-	2.193	-	0.785	-	0.147	-	0.032	-
-16	3.839	-	3.810	-	2.070	-	0.741	-	0.139	-	0.030	-
-17	3.611	-	3.584	-	1.947	-	0.697	-	0.131	-	0.028	-
-18	3.382	-	3.357	-	1.824	-	0.653	-	0.122	-	0.027	-
-19	3.154	-	3.131	-	1.701	-	0.609	-	0.114	-	0.025	-
-20	2.983	-	2.961	-	1.608	-	0.576	-	0.108	-	0.023	-

施設区分		補償区分	集団割引	補強割引
80	プラスチックハウスⅥ類(雨よけ等)	内作一般	有	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	5.668	-	5.626	-	3.056	-	1.094	-	0.205	-	0.045	-
20	16.680	-	16.556	-	8.993	-	3.219	-	0.603	-	0.132	-
19	11.236	-	11.152	-	6.058	-	2.169	-	0.406	-	0.089	-
18	11.019	-	10.937	-	5.941	-	2.127	-	0.399	-	0.087	-
17	10.802	-	10.722	-	5.824	-	2.085	-	0.391	-	0.086	-
16	10.585	-	10.507	-	5.707	-	2.043	-	0.383	-	0.084	-
15	10.368	-	10.291	-	5.590	-	2.001	-	0.375	-	0.082	-
14	10.151	-	10.076	-	5.473	-	1.959	-	0.367	-	0.081	-
13	9.935	-	9.861	-	5.356	-	1.918	-	0.359	-	0.079	-
12	9.718	-	9.646	-	5.240	-	1.876	-	0.351	-	0.077	-
11	9.501	-	9.431	-	5.123	-	1.834	-	0.344	-	0.075	-
10	9.284	-	9.215	-	5.006	-	1.792	-	0.336	-	0.074	-
9	9.067	-	9.000	-	4.889	-	1.750	-	0.328	-	0.072	-
8	8.851	-	8.785	-	4.772	-	1.708	-	0.320	-	0.070	-
7	8.634	-	8.570	-	4.655	-	1.666	-	0.312	-	0.069	-
6	8.417	-	8.355	-	4.538	-	1.625	-	0.304	-	0.067	-
5	8.200	-	8.139	-	4.421	-	1.583	-	0.297	-	0.065	-
4	7.983	-	7.924	-	4.304	-	1.541	-	0.289	-	0.063	-
3	7.766	-	7.709	-	4.187	-	1.499	-	0.281	-	0.062	-
2	7.550	-	7.494	-	4.071	-	1.457	-	0.273	-	0.060	-
1	7.333	-	7.279	-	3.954	-	1.415	-	0.265	-	0.058	-
0	7.116	-	7.063	-	3.837	-	1.373	-	0.257	-	0.056	-
-1	6.899	-	6.848	-	3.720	-	1.332	-	0.250	-	0.055	-
-2	6.682	-	6.633	-	3.603	-	1.290	-	0.242	-	0.053	-
-3	6.466	-	6.418	-	3.486	-	1.248	-	0.234	-	0.051	-
-4	6.249	-	6.202	-	3.369	-	1.206	-	0.226	-	0.050	-
-5	6.032	-	5.987	-	3.252	-	1.164	-	0.218	-	0.048	-
-6	5.815	-	5.772	-	3.135	-	1.122	-	0.210	-	0.046	-
-7	5.598	-	5.557	-	3.018	-	1.081	-	0.202	-	0.044	-
-8	5.382	-	5.342	-	2.902	-	1.039	-	0.195	-	0.043	-
-9	5.165	-	5.126	-	2.785	-	0.997	-	0.187	-	0.041	-
-10	4.948	-	4.911	-	2.668	-	0.955	-	0.179	-	0.039	-
-11	4.731	-	4.696	-	2.551	-	0.913	-	0.171	-	0.038	-
-12	4.514	-	4.481	-	2.434	-	0.871	-	0.163	-	0.036	-
-13	4.297	-	4.266	-	2.317	-	0.829	-	0.155	-	0.034	-
-14	4.081	-	4.050	-	2.200	-	0.788	-	0.148	-	0.032	-
-15	3.864	-	3.835	-	2.083	-	0.746	-	0.140	-	0.031	-
-16	3.647	-	3.620	-	1.966	-	0.704	-	0.132	-	0.029	-
-17	3.430	-	3.405	-	1.849	-	0.662	-	0.124	-	0.027	-
-18	3.213	-	3.190	-	1.733	-	0.620	-	0.116	-	0.026	-
-19	2.997	-	2.974	-	1.616	-	0.578	-	0.108	-	0.024	-
-20	2.834	-	2.813	-	1.528	-	0.547	-	0.102	-	0.022	-

施設区分		補償区分	集団割引	補強割引
80	プラスチックハウスⅥ類(雨よけ等)	内作事故除外	無	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	3.604	-	3.599	-	2.263	-	1.002	-	0.197	-	0.046	-
20	10.606	-	10.591	-	6.660	-	2.949	-	0.580	-	0.135	-
19	7.144	-	7.134	-	4.486	-	1.986	-	0.391	-	0.091	-
18	7.006	-	6.997	-	4.399	-	1.948	-	0.383	-	0.089	-
17	6.868	-	6.859	-	4.313	-	1.910	-	0.375	-	0.088	-
16	6.731	-	6.721	-	4.226	-	1.871	-	0.368	-	0.086	-
15	6.593	-	6.584	-	4.140	-	1.833	-	0.360	-	0.084	-
14	6.455	-	6.446	-	4.053	-	1.795	-	0.353	-	0.082	-
13	6.317	-	6.308	-	3.966	-	1.756	-	0.345	-	0.081	-
12	6.179	-	6.171	-	3.880	-	1.718	-	0.338	-	0.079	-
11	6.041	-	6.033	-	3.793	-	1.680	-	0.330	-	0.077	-
10	5.903	-	5.895	-	3.707	-	1.641	-	0.323	-	0.075	-
9	5.765	-	5.758	-	3.620	-	1.603	-	0.315	-	0.074	-
8	5.628	-	5.620	-	3.534	-	1.565	-	0.308	-	0.072	-
7	5.490	-	5.482	-	3.447	-	1.526	-	0.300	-	0.070	-
6	5.352	-	5.344	-	3.361	-	1.488	-	0.293	-	0.068	-
5	5.214	-	5.207	-	3.274	-	1.450	-	0.285	-	0.067	-
4	5.076	-	5.069	-	3.187	-	1.411	-	0.277	-	0.065	-
3	4.938	-	4.931	-	3.101	-	1.373	-	0.270	-	0.063	-
2	4.800	-	4.794	-	3.014	-	1.335	-	0.262	-	0.061	-
1	4.663	-	4.656	-	2.928	-	1.296	-	0.255	-	0.060	-
0	4.525	-	4.518	-	2.841	-	1.258	-	0.247	-	0.058	-
-1	4.387	-	4.381	-	2.755	-	1.220	-	0.240	-	0.056	-
-2	4.249	-	4.243	-	2.668	-	1.181	-	0.232	-	0.054	-
-3	4.111	-	4.105	-	2.581	-	1.143	-	0.225	-	0.052	-
-4	3.973	-	3.968	-	2.495	-	1.105	-	0.217	-	0.051	-
-5	3.835	-	3.830	-	2.408	-	1.066	-	0.210	-	0.049	-
-6	3.698	-	3.692	-	2.322	-	1.028	-	0.202	-	0.047	-
-7	3.560	-	3.555	-	2.235	-	0.990	-	0.195	-	0.045	-
-8	3.422	-	3.417	-	2.149	-	0.951	-	0.187	-	0.044	-
-9	3.284	-	3.279	-	2.062	-	0.913	-	0.180	-	0.042	-
-10	3.146	-	3.142	-	1.976	-	0.875	-	0.172	-	0.040	-
-11	3.008	-	3.004	-	1.889	-	0.836	-	0.164	-	0.038	-
-12	2.870	-	2.866	-	1.802	-	0.798	-	0.157	-	0.037	-
-13	2.733	-	2.729	-	1.716	-	0.760	-	0.149	-	0.035	-
-14	2.595	-	2.591	-	1.629	-	0.721	-	0.142	-	0.033	-
-15	2.457	-	2.453	-	1.543	-	0.683	-	0.134	-	0.031	-
-16	2.319	-	2.316	-	1.456	-	0.645	-	0.127	-	0.030	-
-17	2.181	-	2.178	-	1.370	-	0.606	-	0.119	-	0.028	-
-18	2.043	-	2.040	-	1.283	-	0.568	-	0.112	-	0.026	-
-19	1.905	-	1.903	-	1.196	-	0.530	-	0.104	-	0.024	-
-20	1.802	-	1.799	-	1.131	-	0.501	-	0.098	-	0.023	-

施設区分		補償区分	集団割引	補強割引
80	プラスチックハウスⅥ類(雨よけ等)	内作事故除外	有	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	3.424	-	3.419	-	2.150	-	0.952	-	0.187	-	0.044	-
20	10.076	-	10.061	-	6.327	-	2.802	-	0.550	-	0.129	-
19	6.787	-	6.777	-	4.262	-	1.887	-	0.371	-	0.087	-
18	6.656	-	6.647	-	4.180	-	1.851	-	0.364	-	0.086	-
17	6.525	-	6.516	-	4.097	-	1.814	-	0.356	-	0.084	-
16	6.394	-	6.385	-	4.015	-	1.778	-	0.349	-	0.082	-
15	6.263	-	6.254	-	3.933	-	1.741	-	0.342	-	0.080	-
14	6.132	-	6.123	-	3.851	-	1.705	-	0.335	-	0.079	-
13	6.001	-	5.993	-	3.768	-	1.669	-	0.328	-	0.077	-
12	5.870	-	5.862	-	3.686	-	1.632	-	0.321	-	0.075	-
11	5.739	-	5.731	-	3.604	-	1.596	-	0.313	-	0.074	-
10	5.609	-	5.600	-	3.522	-	1.559	-	0.306	-	0.072	-
9	5.478	-	5.470	-	3.439	-	1.523	-	0.299	-	0.070	-
8	5.347	-	5.339	-	3.357	-	1.487	-	0.292	-	0.069	-
7	5.216	-	5.208	-	3.275	-	1.450	-	0.285	-	0.067	-
6	5.085	-	5.077	-	3.193	-	1.414	-	0.278	-	0.065	-
5	4.954	-	4.946	-	3.110	-	1.377	-	0.271	-	0.064	-
4	4.823	-	4.816	-	3.028	-	1.341	-	0.263	-	0.062	-
3	4.692	-	4.685	-	2.946	-	1.304	-	0.256	-	0.060	-
2	4.561	-	4.554	-	2.864	-	1.268	-	0.249	-	0.059	-
1	4.430	-	4.423	-	2.782	-	1.232	-	0.242	-	0.057	-
0	4.299	-	4.292	-	2.699	-	1.195	-	0.235	-	0.055	-
-1	4.168	-	4.162	-	2.617	-	1.159	-	0.228	-	0.054	-
-2	4.037	-	4.031	-	2.535	-	1.122	-	0.220	-	0.052	-
-3	3.906	-	3.900	-	2.453	-	1.086	-	0.213	-	0.050	-
-4	3.775	-	3.769	-	2.370	-	1.050	-	0.206	-	0.049	-
-5	3.644	-	3.639	-	2.288	-	1.013	-	0.199	-	0.047	-
-6	3.513	-	3.508	-	2.206	-	0.977	-	0.192	-	0.045	-
-7	3.382	-	3.377	-	2.124	-	0.940	-	0.185	-	0.043	-
-8	3.251	-	3.246	-	2.041	-	0.904	-	0.178	-	0.042	-
-9	3.120	-	3.115	-	1.959	-	0.867	-	0.170	-	0.040	-
-10	2.989	-	2.985	-	1.877	-	0.831	-	0.163	-	0.038	-
-11	2.858	-	2.854	-	1.795	-	0.795	-	0.156	-	0.037	-
-12	2.727	-	2.723	-	1.712	-	0.758	-	0.149	-	0.035	-
-13	2.596	-	2.592	-	1.630	-	0.722	-	0.142	-	0.033	-
-14	2.465	-	2.462	-	1.548	-	0.685	-	0.135	-	0.032	-
-15	2.334	-	2.331	-	1.466	-	0.649	-	0.127	-	0.030	-
-16	2.203	-	2.200	-	1.383	-	0.613	-	0.120	-	0.028	-
-17	2.072	-	2.069	-	1.301	-	0.576	-	0.113	-	0.027	-
-18	1.941	-	1.938	-	1.219	-	0.540	-	0.106	-	0.025	-
-19	1.810	-	1.808	-	1.137	-	0.503	-	0.099	-	0.023	-
-20	1.712	-	1.709	-	1.075	-	0.476	-	0.093	-	0.022	-

施設区分		補償区分	集団割引	補強割引
80	プラスチックハウスⅥ類(雨よけ等)	撤去費用	無	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003
20	0.026	0.024	0.024	0.021	0.021	0.018	0.018	0.015	0.015	0.012	0.012	0.009
19	0.018	0.016	0.016	0.014	0.014	0.012	0.012	0.010	0.010	0.008	0.008	0.006
18	0.017	0.016	0.016	0.014	0.014	0.012	0.012	0.010	0.010	0.008	0.008	0.006
17	0.017	0.015	0.015	0.013	0.013	0.011	0.011	0.010	0.010	0.008	0.008	0.006
16	0.017	0.015	0.015	0.013	0.013	0.011	0.011	0.009	0.009	0.007	0.007	0.006
15	0.016	0.015	0.015	0.013	0.013	0.011	0.011	0.009	0.009	0.007	0.007	0.005
14	0.016	0.014	0.014	0.013	0.013	0.011	0.011	0.009	0.009	0.007	0.007	0.005
13	0.016	0.014	0.014	0.012	0.012	0.011	0.011	0.009	0.009	0.007	0.007	0.005
12	0.015	0.014	0.014	0.012	0.012	0.010	0.010	0.009	0.009	0.007	0.007	0.005
11	0.015	0.013	0.013	0.012	0.012	0.010	0.010	0.008	0.008	0.007	0.007	0.005
10	0.015	0.013	0.013	0.011	0.011	0.010	0.010	0.008	0.008	0.007	0.007	0.005
9	0.014	0.013	0.013	0.011	0.011	0.010	0.010	0.008	0.008	0.006	0.006	0.005
8	0.014	0.012	0.012	0.011	0.011	0.009	0.009	0.008	0.008	0.006	0.006	0.005
7	0.014	0.012	0.012	0.011	0.011	0.009	0.009	0.008	0.008	0.006	0.006	0.005
6	0.013	0.012	0.012	0.010	0.010	0.009	0.009	0.007	0.007	0.006	0.006	0.004
5	0.013	0.012	0.012	0.010	0.010	0.009	0.009	0.007	0.007	0.006	0.006	0.004
4	0.013	0.011	0.011	0.010	0.010	0.008	0.008	0.007	0.007	0.006	0.006	0.004
3	0.012	0.011	0.011	0.010	0.010	0.008	0.008	0.007	0.007	0.005	0.005	0.004
2	0.012	0.011	0.011	0.009	0.009	0.008	0.008	0.007	0.007	0.005	0.005	0.004
1	0.012	0.010	0.010	0.009	0.009	0.008	0.008	0.006	0.006	0.005	0.005	0.004
0	0.011	0.010	0.010	0.009	0.009	0.008	0.008	0.006	0.006	0.005	0.005	0.004
-1	0.011	0.010	0.010	0.009	0.009	0.007	0.007	0.006	0.006	0.005	0.005	0.004
-2	0.011	0.009	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004
-3	0.010	0.009	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.003
-4	0.010	0.009	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.004	0.004	0.003
-5	0.010	0.009	0.009	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003
-6	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003
-7	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003
-8	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003
-9	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.005	0.005	0.004	0.004	0.003
-10	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003	0.003	0.003
-11	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003	0.003	0.003
-12	0.007	0.006	0.006	0.006	0.006	0.005	0.005	0.004	0.004	0.003	0.003	0.002
-13	0.007	0.006	0.006	0.005	0.005	0.005	0.005	0.004	0.004	0.003	0.003	0.002
-14	0.006	0.006	0.006	0.005	0.005	0.004	0.004	0.004	0.004	0.003	0.003	0.002
-15	0.006	0.005	0.005	0.005	0.005	0.004	0.004	0.003	0.003	0.003	0.003	0.002
-16	0.006	0.005	0.005	0.005	0.005	0.004	0.004	0.003	0.003	0.003	0.003	0.002
-17	0.005	0.005	0.005	0.004	0.004	0.004	0.004	0.003	0.003	0.002	0.002	0.002
-18	0.005	0.005	0.005	0.004	0.004	0.003	0.003	0.003	0.003	0.002	0.002	0.002
-19	0.005	0.004	0.004	0.004	0.004	0.003	0.003	0.003	0.003	0.002	0.002	0.002
-20	0.004	0.004	0.004	0.003	0.003	0.003	0.003	0.002	0.002	0.002	0.002	0.001

施設区分		補償区分	集団割引	補強割引
80	プラスチックハウスⅥ類(雨よけ等)	撤去費用	有	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003
20	0.026	0.024	0.024	0.021	0.021	0.018	0.018	0.015	0.015	0.012	0.012	0.009
19	0.018	0.016	0.016	0.014	0.014	0.012	0.012	0.010	0.010	0.008	0.008	0.006
18	0.017	0.016	0.016	0.014	0.014	0.012	0.012	0.010	0.010	0.008	0.008	0.006
17	0.017	0.015	0.015	0.013	0.013	0.011	0.011	0.010	0.010	0.008	0.008	0.006
16	0.017	0.015	0.015	0.013	0.013	0.011	0.011	0.009	0.009	0.007	0.007	0.006
15	0.016	0.015	0.015	0.013	0.013	0.011	0.011	0.009	0.009	0.007	0.007	0.005
14	0.016	0.014	0.014	0.013	0.013	0.011	0.011	0.009	0.009	0.007	0.007	0.005
13	0.016	0.014	0.014	0.012	0.012	0.011	0.011	0.009	0.009	0.007	0.007	0.005
12	0.015	0.014	0.014	0.012	0.012	0.010	0.010	0.009	0.009	0.007	0.007	0.005
11	0.015	0.013	0.013	0.012	0.012	0.010	0.010	0.008	0.008	0.007	0.007	0.005
10	0.015	0.013	0.013	0.011	0.011	0.010	0.010	0.008	0.008	0.007	0.007	0.005
9	0.014	0.013	0.013	0.011	0.011	0.010	0.010	0.008	0.008	0.006	0.006	0.005
8	0.014	0.012	0.012	0.011	0.011	0.009	0.009	0.008	0.008	0.006	0.006	0.005
7	0.014	0.012	0.012	0.011	0.011	0.009	0.009	0.008	0.008	0.006	0.006	0.005
6	0.013	0.012	0.012	0.010	0.010	0.009	0.009	0.007	0.007	0.006	0.006	0.004
5	0.013	0.012	0.012	0.010	0.010	0.009	0.009	0.007	0.007	0.006	0.006	0.004
4	0.013	0.011	0.011	0.010	0.010	0.008	0.008	0.007	0.007	0.006	0.006	0.004
3	0.012	0.011	0.011	0.010	0.010	0.008	0.008	0.007	0.007	0.005	0.005	0.004
2	0.012	0.011	0.011	0.009	0.009	0.008	0.008	0.007	0.007	0.005	0.005	0.004
1	0.012	0.010	0.010	0.009	0.009	0.008	0.008	0.006	0.006	0.005	0.005	0.004
0	0.011	0.010	0.010	0.009	0.009	0.008	0.008	0.006	0.006	0.005	0.005	0.004
-1	0.011	0.010	0.010	0.009	0.009	0.007	0.007	0.006	0.006	0.005	0.005	0.004
-2	0.011	0.009	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004
-3	0.010	0.009	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.003
-4	0.010	0.009	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.004	0.004	0.003
-5	0.010	0.009	0.009	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003
-6	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003
-7	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003
-8	0.009	0.008	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003
-9	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.005	0.005	0.004	0.004	0.003
-10	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003	0.003	0.003
-11	0.008	0.007	0.007	0.006	0.006	0.005	0.005	0.004	0.004	0.003	0.003	0.003
-12	0.007	0.006	0.006	0.006	0.006	0.005	0.005	0.004	0.004	0.003	0.003	0.002
-13	0.007	0.006	0.006	0.005	0.005	0.005	0.005	0.004	0.004	0.003	0.003	0.002
-14	0.006	0.006	0.006	0.005	0.005	0.004	0.004	0.004	0.004	0.003	0.003	0.002
-15	0.006	0.005	0.005	0.005	0.005	0.004	0.004	0.003	0.003	0.003	0.003	0.002
-16	0.006	0.005	0.005	0.005	0.005	0.004	0.004	0.003	0.003	0.003	0.003	0.002
-17	0.005	0.005	0.005	0.004	0.004	0.004	0.004	0.003	0.003	0.002	0.002	0.002
-18	0.005	0.005	0.005	0.004	0.004	0.003	0.003	0.003	0.003	0.002	0.002	0.002
-19	0.005	0.004	0.004	0.004	0.004	0.003	0.003	0.003	0.003	0.002	0.002	0.002
-20	0.004	0.004	0.004	0.003	0.003	0.003	0.003	0.002	0.002	0.002	0.002	0.001

施設区分		補償区分	集団割引	補強割引
80	プラスチックハウスⅥ類(雨よけ等)	復旧費用	無	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	1.413	0.009	1.411	0.007	0.184	0.006	0.056	0.005	0.015	0.004	0.008	0.003
20	4.158	0.026	4.152	0.021	0.541	0.018	0.165	0.015	0.044	0.012	0.024	0.009
19	2.801	0.018	2.797	0.014	0.365	0.012	0.111	0.010	0.030	0.008	0.016	0.006
18	2.747	0.017	2.743	0.014	0.358	0.012	0.109	0.010	0.029	0.008	0.016	0.006
17	2.693	0.017	2.689	0.013	0.351	0.011	0.107	0.010	0.029	0.008	0.015	0.006
16	2.639	0.017	2.635	0.013	0.344	0.011	0.105	0.009	0.028	0.007	0.015	0.006
15	2.585	0.016	2.581	0.013	0.337	0.011	0.102	0.009	0.027	0.007	0.015	0.005
14	2.531	0.016	2.527	0.013	0.330	0.011	0.100	0.009	0.027	0.007	0.014	0.005
13	2.477	0.016	2.473	0.012	0.323	0.011	0.098	0.009	0.026	0.007	0.014	0.005
12	2.423	0.015	2.419	0.012	0.315	0.010	0.096	0.009	0.026	0.007	0.014	0.005
11	2.369	0.015	2.365	0.012	0.308	0.010	0.094	0.008	0.025	0.007	0.013	0.005
10	2.314	0.015	2.311	0.011	0.301	0.010	0.092	0.008	0.025	0.007	0.013	0.005
9	2.260	0.014	2.257	0.011	0.294	0.010	0.090	0.008	0.024	0.006	0.013	0.005
8	2.206	0.014	2.203	0.011	0.287	0.009	0.087	0.008	0.023	0.006	0.012	0.005
7	2.152	0.014	2.149	0.011	0.280	0.009	0.085	0.008	0.023	0.006	0.012	0.005
6	2.098	0.013	2.095	0.010	0.273	0.009	0.083	0.007	0.022	0.006	0.012	0.004
5	2.044	0.013	2.041	0.010	0.266	0.009	0.081	0.007	0.022	0.006	0.012	0.004
4	1.990	0.013	1.987	0.010	0.259	0.008	0.079	0.007	0.021	0.006	0.011	0.004
3	1.936	0.012	1.933	0.010	0.252	0.008	0.077	0.007	0.021	0.005	0.011	0.004
2	1.882	0.012	1.879	0.009	0.245	0.008	0.075	0.007	0.020	0.005	0.011	0.004
1	1.828	0.012	1.825	0.009	0.238	0.008	0.072	0.006	0.019	0.005	0.010	0.004
0	1.774	0.011	1.771	0.009	0.231	0.008	0.070	0.006	0.019	0.005	0.010	0.004
-1	1.720	0.011	1.718	0.009	0.224	0.007	0.068	0.006	0.018	0.005	0.010	0.004
-2	1.666	0.011	1.664	0.008	0.217	0.007	0.066	0.006	0.018	0.005	0.009	0.004
-3	1.612	0.010	1.610	0.008	0.210	0.007	0.064	0.006	0.017	0.005	0.009	0.003
-4	1.558	0.010	1.556	0.008	0.203	0.007	0.062	0.006	0.017	0.004	0.009	0.003
-5	1.504	0.010	1.502	0.007	0.196	0.006	0.060	0.005	0.016	0.004	0.009	0.003
-6	1.450	0.009	1.448	0.007	0.189	0.006	0.057	0.005	0.015	0.004	0.008	0.003
-7	1.396	0.009	1.394	0.007	0.182	0.006	0.055	0.005	0.015	0.004	0.008	0.003
-8	1.342	0.009	1.340	0.007	0.175	0.006	0.053	0.005	0.014	0.004	0.008	0.003
-9	1.288	0.008	1.286	0.006	0.168	0.005	0.051	0.005	0.014	0.004	0.007	0.003
-10	1.233	0.008	1.232	0.006	0.161	0.005	0.049	0.004	0.013	0.003	0.007	0.003
-11	1.179	0.008	1.178	0.006	0.154	0.005	0.047	0.004	0.013	0.003	0.007	0.003
-12	1.125	0.007	1.124	0.006	0.147	0.005	0.045	0.004	0.012	0.003	0.006	0.002
-13	1.071	0.007	1.070	0.005	0.140	0.005	0.042	0.004	0.011	0.003	0.006	0.002
-14	1.017	0.006	1.016	0.005	0.132	0.004	0.040	0.004	0.011	0.003	0.006	0.002
-15	0.963	0.006	0.962	0.005	0.125	0.004	0.038	0.003	0.010	0.003	0.005	0.002
-16	0.909	0.006	0.908	0.005	0.118	0.004	0.036	0.003	0.010	0.003	0.005	0.002
-17	0.855	0.005	0.854	0.004	0.111	0.004	0.034	0.003	0.009	0.002	0.005	0.002
-18	0.801	0.005	0.800	0.004	0.104	0.003	0.032	0.003	0.009	0.002	0.005	0.002
-19	0.747	0.005	0.746	0.004	0.097	0.003	0.030	0.003	0.008	0.002	0.004	0.002
-20	0.706	0.004	0.705	0.003	0.092	0.003	0.028	0.002	0.007	0.002	0.004	0.001

施設区分		補償区分	集団割引	補強割引
80	プラスチックハウスⅥ類(雨よけ等)	復旧費用	有	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	1.342	0.009	1.340	0.007	0.175	0.006	0.053	0.005	0.014	0.004	0.008	0.003
20	3.949	0.026	3.943	0.021	0.515	0.018	0.156	0.015	0.041	0.012	0.024	0.009
19	2.660	0.018	2.656	0.014	0.347	0.012	0.105	0.010	0.028	0.008	0.016	0.006
18	2.609	0.017	2.605	0.014	0.340	0.012	0.103	0.010	0.027	0.008	0.016	0.006
17	2.558	0.017	2.554	0.013	0.334	0.011	0.101	0.010	0.027	0.008	0.015	0.006
16	2.506	0.017	2.502	0.013	0.327	0.011	0.099	0.009	0.026	0.007	0.015	0.006
15	2.455	0.016	2.451	0.013	0.320	0.011	0.097	0.009	0.026	0.007	0.015	0.005
14	2.404	0.016	2.400	0.013	0.313	0.011	0.095	0.009	0.025	0.007	0.014	0.005
13	2.352	0.016	2.349	0.012	0.307	0.011	0.093	0.009	0.025	0.007	0.014	0.005
12	2.301	0.015	2.297	0.012	0.300	0.010	0.091	0.009	0.024	0.007	0.014	0.005
11	2.250	0.015	2.246	0.012	0.293	0.010	0.089	0.008	0.023	0.007	0.013	0.005
10	2.198	0.015	2.195	0.011	0.287	0.010	0.087	0.008	0.023	0.007	0.013	0.005
9	2.147	0.014	2.144	0.011	0.280	0.010	0.085	0.008	0.022	0.006	0.013	0.005
8	2.096	0.014	2.092	0.011	0.273	0.009	0.083	0.008	0.022	0.006	0.012	0.005
7	2.044	0.014	2.041	0.011	0.267	0.009	0.081	0.008	0.021	0.006	0.012	0.005
6	1.993	0.013	1.990	0.010	0.260	0.009	0.079	0.007	0.021	0.006	0.012	0.004
5	1.942	0.013	1.939	0.010	0.253	0.009	0.077	0.007	0.020	0.006	0.012	0.004
4	1.890	0.013	1.887	0.010	0.246	0.008	0.075	0.007	0.020	0.006	0.011	0.004
3	1.839	0.012	1.836	0.010	0.240	0.008	0.073	0.007	0.019	0.005	0.011	0.004
2	1.788	0.012	1.785	0.009	0.233	0.008	0.071	0.007	0.019	0.005	0.011	0.004
1	1.736	0.012	1.734	0.009	0.226	0.008	0.069	0.006	0.018	0.005	0.010	0.004
0	1.685	0.011	1.682	0.009	0.220	0.008	0.067	0.006	0.018	0.005	0.010	0.004
-1	1.634	0.011	1.631	0.009	0.213	0.007	0.065	0.006	0.017	0.005	0.010	0.004
-2	1.582	0.011	1.580	0.008	0.206	0.007	0.062	0.006	0.017	0.005	0.009	0.004
-3	1.531	0.010	1.529	0.008	0.200	0.007	0.060	0.006	0.016	0.005	0.009	0.003
-4	1.480	0.010	1.477	0.008	0.193	0.007	0.058	0.006	0.015	0.004	0.009	0.003
-5	1.428	0.010	1.426	0.007	0.186	0.006	0.056	0.005	0.015	0.004	0.009	0.003
-6	1.377	0.009	1.375	0.007	0.180	0.006	0.054	0.005	0.014	0.004	0.008	0.003
-7	1.326	0.009	1.324	0.007	0.173	0.006	0.052	0.005	0.014	0.004	0.008	0.003
-8	1.274	0.009	1.272	0.007	0.166	0.006	0.050	0.005	0.013	0.004	0.008	0.003
-9	1.223	0.008	1.221	0.006	0.159	0.005	0.048	0.005	0.013	0.004	0.007	0.003
-10	1.172	0.008	1.170	0.006	0.153	0.005	0.046	0.004	0.012	0.003	0.007	0.003
-11	1.120	0.008	1.119	0.006	0.146	0.005	0.044	0.004	0.012	0.003	0.007	0.003
-12	1.069	0.007	1.067	0.006	0.139	0.005	0.042	0.004	0.011	0.003	0.006	0.002
-13	1.018	0.007	1.016	0.005	0.133	0.005	0.040	0.004	0.011	0.003	0.006	0.002
-14	0.966	0.006	0.965	0.005	0.126	0.004	0.038	0.004	0.010	0.003	0.006	0.002
-15	0.915	0.006	0.913	0.005	0.119	0.004	0.036	0.003	0.010	0.003	0.005	0.002
-16	0.864	0.006	0.862	0.005	0.113	0.004	0.034	0.003	0.009	0.003	0.005	0.002
-17	0.812	0.005	0.811	0.004	0.106	0.004	0.032	0.003	0.008	0.002	0.005	0.002
-18	0.761	0.005	0.760	0.004	0.099	0.003	0.030	0.003	0.008	0.002	0.005	0.002
-19	0.710	0.005	0.708	0.004	0.093	0.003	0.028	0.003	0.007	0.002	0.004	0.002
-20	0.671	0.004	0.670	0.003	0.087	0.003	0.026	0.002	0.007	0.002	0.004	0.001

施設区分		補償区分	集団割引	補強割引
90	プラスチックハウスⅦ類(多目的ネット)	特定附帯	無	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	1.634	0.019	1.627	0.018	1.251	0.013	0.912	0.009	0.433	0.008	0.196	0.007
20	3.482	0.040	3.467	0.038	2.665	0.028	1.943	0.019	0.923	0.017	0.418	0.015
19	3.415	0.040	3.400	0.038	2.614	0.027	1.906	0.019	0.905	0.017	0.410	0.015
18	3.347	0.039	3.333	0.037	2.563	0.027	1.868	0.018	0.887	0.016	0.402	0.014
17	3.280	0.038	3.266	0.036	2.512	0.026	1.831	0.018	0.869	0.016	0.393	0.014
16	3.213	0.037	3.200	0.035	2.460	0.026	1.794	0.018	0.852	0.016	0.385	0.014
15	3.146	0.037	3.133	0.035	2.409	0.025	1.756	0.017	0.834	0.015	0.377	0.013
14	3.079	0.036	3.066	0.034	2.358	0.024	1.719	0.017	0.816	0.015	0.369	0.013
13	3.012	0.035	2.999	0.033	2.306	0.024	1.681	0.017	0.798	0.015	0.361	0.013
12	2.945	0.034	2.933	0.032	2.255	0.023	1.644	0.016	0.780	0.014	0.353	0.013
11	2.878	0.033	2.866	0.032	2.204	0.023	1.606	0.016	0.763	0.014	0.345	0.012
10	2.811	0.033	2.799	0.031	2.152	0.022	1.569	0.015	0.745	0.014	0.337	0.012
9	2.744	0.032	2.732	0.030	2.101	0.022	1.532	0.015	0.727	0.013	0.329	0.012
8	2.677	0.031	2.666	0.029	2.050	0.021	1.494	0.015	0.709	0.013	0.321	0.011
7	2.610	0.030	2.599	0.029	1.998	0.021	1.457	0.014	0.692	0.013	0.313	0.011
6	2.543	0.030	2.532	0.028	1.947	0.020	1.419	0.014	0.674	0.012	0.305	0.011
5	2.476	0.029	2.465	0.027	1.896	0.020	1.382	0.014	0.656	0.012	0.297	0.011
4	2.409	0.028	2.399	0.027	1.844	0.019	1.345	0.013	0.638	0.012	0.289	0.010
3	2.342	0.027	2.332	0.026	1.793	0.019	1.307	0.013	0.621	0.011	0.281	0.010
2	2.275	0.026	2.265	0.025	1.742	0.018	1.270	0.013	0.603	0.011	0.273	0.010
1	2.208	0.026	2.198	0.024	1.690	0.018	1.232	0.012	0.585	0.011	0.265	0.009
0	2.141	0.025	2.132	0.024	1.639	0.017	1.195	0.012	0.567	0.010	0.257	0.009
-1	2.074	0.024	2.065	0.023	1.588	0.016	1.158	0.011	0.550	0.010	0.249	0.009
-2	2.007	0.023	1.998	0.022	1.536	0.016	1.120	0.011	0.532	0.010	0.241	0.009
-3	1.940	0.023	1.931	0.021	1.485	0.015	1.083	0.011	0.514	0.009	0.233	0.008
-4	1.873	0.022	1.865	0.021	1.434	0.015	1.045	0.010	0.496	0.009	0.225	0.008
-5	1.806	0.021	1.798	0.020	1.382	0.014	1.008	0.010	0.479	0.009	0.217	0.008
-6	1.739	0.020	1.731	0.019	1.331	0.014	0.970	0.010	0.461	0.009	0.209	0.007
-7	1.672	0.019	1.665	0.018	1.280	0.013	0.933	0.009	0.443	0.008	0.201	0.007
-8	1.605	0.019	1.598	0.018	1.229	0.013	0.896	0.009	0.425	0.008	0.192	0.007
-9	1.538	0.018	1.531	0.017	1.177	0.012	0.858	0.008	0.407	0.008	0.184	0.007
-10	1.471	0.017	1.464	0.016	1.126	0.012	0.821	0.008	0.390	0.007	0.176	0.006
-11	1.404	0.016	1.398	0.015	1.075	0.011	0.783	0.008	0.372	0.007	0.168	0.006
-12	1.337	0.016	1.331	0.015	1.023	0.011	0.746	0.007	0.354	0.007	0.160	0.006
-13	1.269	0.015	1.264	0.014	0.972	0.010	0.709	0.007	0.336	0.006	0.152	0.005
-14	1.202	0.014	1.197	0.013	0.921	0.010	0.671	0.007	0.319	0.006	0.144	0.005
-15	1.135	0.013	1.131	0.013	0.869	0.009	0.634	0.006	0.301	0.006	0.136	0.005
-16	1.068	0.012	1.064	0.012	0.818	0.008	0.596	0.006	0.283	0.005	0.128	0.005
-17	1.001	0.012	0.997	0.011	0.767	0.008	0.559	0.006	0.265	0.005	0.120	0.004
-18	0.934	0.011	0.930	0.010	0.715	0.007	0.521	0.005	0.248	0.005	0.112	0.004
-19	0.867	0.010	0.864	0.010	0.664	0.007	0.484	0.005	0.230	0.004	0.104	0.004
-20	0.817	0.009	0.813	0.009	0.625	0.006	0.456	0.004	0.216	0.004	0.098	0.003

施設区分		補償区分	集団割引	補強割引
90	プラスチックハウスⅦ類(多目的ネット)	特定附帯	有	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	1.552	0.018	1.546	0.017	1.188	0.012	0.866	0.009	0.411	0.008	0.186	0.007
20	3.307	0.038	3.294	0.036	2.531	0.026	1.845	0.019	0.876	0.017	0.396	0.015
19	3.243	0.038	3.231	0.036	2.483	0.025	1.810	0.019	0.859	0.017	0.389	0.015
18	3.179	0.037	3.167	0.035	2.434	0.025	1.774	0.018	0.842	0.016	0.381	0.014
17	3.116	0.036	3.104	0.034	2.385	0.024	1.739	0.018	0.825	0.016	0.373	0.014
16	3.052	0.035	3.040	0.033	2.336	0.024	1.703	0.018	0.808	0.016	0.366	0.014
15	2.988	0.035	2.977	0.033	2.288	0.023	1.668	0.017	0.791	0.015	0.358	0.013
14	2.925	0.034	2.914	0.032	2.239	0.023	1.632	0.017	0.775	0.015	0.351	0.013
13	2.861	0.033	2.850	0.031	2.190	0.022	1.596	0.017	0.758	0.015	0.343	0.013
12	2.797	0.032	2.787	0.031	2.141	0.022	1.561	0.016	0.741	0.014	0.335	0.013
11	2.734	0.032	2.723	0.030	2.093	0.021	1.525	0.016	0.724	0.014	0.328	0.012
10	2.670	0.031	2.660	0.029	2.044	0.021	1.490	0.015	0.707	0.014	0.320	0.012
9	2.606	0.030	2.596	0.029	1.995	0.020	1.454	0.015	0.690	0.013	0.312	0.012
8	2.543	0.029	2.533	0.028	1.946	0.020	1.419	0.015	0.673	0.013	0.305	0.011
7	2.479	0.029	2.470	0.027	1.898	0.019	1.383	0.014	0.657	0.013	0.297	0.011
6	2.415	0.028	2.406	0.026	1.849	0.019	1.348	0.014	0.640	0.012	0.289	0.011
5	2.352	0.027	2.343	0.026	1.800	0.018	1.312	0.014	0.623	0.012	0.282	0.011
4	2.288	0.027	2.279	0.025	1.751	0.018	1.277	0.013	0.606	0.012	0.274	0.010
3	2.224	0.026	2.216	0.024	1.703	0.017	1.241	0.013	0.589	0.011	0.267	0.010
2	2.161	0.025	2.152	0.024	1.654	0.017	1.206	0.013	0.572	0.011	0.259	0.010
1	2.097	0.024	2.089	0.023	1.605	0.016	1.170	0.012	0.555	0.011	0.251	0.009
0	2.033	0.024	2.026	0.022	1.557	0.016	1.135	0.012	0.539	0.010	0.244	0.009
-1	1.970	0.023	1.962	0.022	1.508	0.015	1.099	0.011	0.522	0.010	0.236	0.009
-2	1.906	0.022	1.899	0.021	1.459	0.015	1.064	0.011	0.505	0.010	0.228	0.009
-3	1.842	0.021	1.835	0.020	1.410	0.014	1.028	0.011	0.488	0.009	0.221	0.008
-4	1.779	0.021	1.772	0.019	1.362	0.014	0.993	0.010	0.471	0.009	0.213	0.008
-5	1.715	0.020	1.708	0.019	1.313	0.013	0.957	0.010	0.454	0.009	0.206	0.008
-6	1.651	0.019	1.645	0.018	1.264	0.013	0.921	0.010	0.437	0.009	0.198	0.007
-7	1.588	0.018	1.582	0.017	1.215	0.012	0.886	0.009	0.420	0.008	0.190	0.007
-8	1.524	0.018	1.518	0.017	1.167	0.012	0.850	0.009	0.404	0.008	0.183	0.007
-9	1.460	0.017	1.455	0.016	1.118	0.011	0.815	0.008	0.387	0.008	0.175	0.007
-10	1.397	0.016	1.391	0.015	1.069	0.011	0.779	0.008	0.370	0.007	0.167	0.006
-11	1.333	0.015	1.328	0.015	1.020	0.010	0.744	0.008	0.353	0.007	0.160	0.006
-12	1.269	0.015	1.265	0.014	0.972	0.010	0.708	0.007	0.336	0.007	0.152	0.006
-13	1.206	0.014	1.201	0.013	0.923	0.009	0.673	0.007	0.319	0.006	0.145	0.005
-14	1.142	0.013	1.138	0.013	0.874	0.009	0.637	0.007	0.302	0.006	0.137	0.005
-15	1.078	0.013	1.074	0.012	0.825	0.008	0.602	0.006	0.286	0.006	0.129	0.005
-16	1.015	0.012	1.011	0.011	0.777	0.008	0.566	0.006	0.269	0.005	0.122	0.005
-17	0.951	0.011	0.947	0.010	0.728	0.007	0.531	0.006	0.252	0.005	0.114	0.004
-18	0.887	0.010	0.884	0.010	0.679	0.007	0.495	0.005	0.235	0.005	0.106	0.004
-19	0.824	0.010	0.821	0.009	0.631	0.006	0.460	0.005	0.218	0.004	0.099	0.004
-20	0.776	0.009	0.773	0.008	0.594	0.006	0.433	0.004	0.205	0.004	0.093	0.003

施設区分		補償区分	集団割引	補強割引
90	プラスチックハウスⅦ類(多目的ネット)	内作一般	無	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	4.222	-	4.221	-	3.191	-	2.332	-	0.271	-	0.126	-
20	8.996	-	8.994	-	6.799	-	4.969	-	0.577	-	0.268	-
19	8.823	-	8.820	-	6.668	-	4.873	-	0.566	-	0.263	-
18	8.649	-	8.647	-	6.537	-	4.777	-	0.555	-	0.258	-
17	8.476	-	8.474	-	6.406	-	4.682	-	0.544	-	0.253	-
16	8.303	-	8.301	-	6.275	-	4.586	-	0.533	-	0.248	-
15	8.130	-	8.128	-	6.145	-	4.490	-	0.522	-	0.243	-
14	7.957	-	7.955	-	6.014	-	4.395	-	0.511	-	0.237	-
13	7.783	-	7.782	-	5.883	-	4.299	-	0.500	-	0.232	-
12	7.610	-	7.608	-	5.752	-	4.203	-	0.488	-	0.227	-
11	7.437	-	7.435	-	5.621	-	4.108	-	0.477	-	0.222	-
10	7.264	-	7.262	-	5.490	-	4.012	-	0.466	-	0.217	-
9	7.091	-	7.089	-	5.359	-	3.916	-	0.455	-	0.212	-
8	6.917	-	6.916	-	5.228	-	3.821	-	0.444	-	0.206	-
7	6.744	-	6.743	-	5.097	-	3.725	-	0.433	-	0.201	-
6	6.571	-	6.569	-	4.966	-	3.629	-	0.422	-	0.196	-
5	6.398	-	6.396	-	4.835	-	3.534	-	0.411	-	0.191	-
4	6.225	-	6.223	-	4.705	-	3.438	-	0.400	-	0.186	-
3	6.051	-	6.050	-	4.574	-	3.342	-	0.388	-	0.181	-
2	5.878	-	5.877	-	4.443	-	3.247	-	0.377	-	0.175	-
1	5.705	-	5.704	-	4.312	-	3.151	-	0.366	-	0.170	-
0	5.532	-	5.530	-	4.181	-	3.055	-	0.355	-	0.165	-
-1	5.359	-	5.357	-	4.050	-	2.960	-	0.344	-	0.160	-
-2	5.185	-	5.184	-	3.919	-	2.864	-	0.333	-	0.155	-
-3	5.012	-	5.011	-	3.788	-	2.768	-	0.322	-	0.150	-
-4	4.839	-	4.838	-	3.657	-	2.673	-	0.311	-	0.144	-
-5	4.666	-	4.665	-	3.526	-	2.577	-	0.299	-	0.139	-
-6	4.493	-	4.491	-	3.395	-	2.481	-	0.288	-	0.134	-
-7	4.319	-	4.318	-	3.265	-	2.386	-	0.277	-	0.129	-
-8	4.146	-	4.145	-	3.134	-	2.290	-	0.266	-	0.124	-
-9	3.973	-	3.972	-	3.003	-	2.194	-	0.255	-	0.119	-
-10	3.800	-	3.799	-	2.872	-	2.099	-	0.244	-	0.113	-
-11	3.627	-	3.626	-	2.741	-	2.003	-	0.233	-	0.108	-
-12	3.453	-	3.453	-	2.610	-	1.907	-	0.222	-	0.103	-
-13	3.280	-	3.279	-	2.479	-	1.812	-	0.211	-	0.098	-
-14	3.107	-	3.106	-	2.348	-	1.716	-	0.199	-	0.093	-
-15	2.934	-	2.933	-	2.217	-	1.620	-	0.188	-	0.088	-
-16	2.761	-	2.760	-	2.086	-	1.525	-	0.177	-	0.082	-
-17	2.587	-	2.587	-	1.955	-	1.429	-	0.166	-	0.077	-
-18	2.414	-	2.414	-	1.825	-	1.333	-	0.155	-	0.072	-
-19	2.241	-	2.240	-	1.694	-	1.238	-	0.144	-	0.067	-
-20	2.111	-	2.110	-	1.595	-	1.166	-	0.135	-	0.063	-

施設区分		補償区分	集団割引	補強割引
90	プラスチックハウスⅦ類(多目的ネット)	内作一般	有	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	4.011	-	4.010	-	3.031	-	2.215	-	0.257	-	0.120	-
20	8.546	-	8.544	-	6.458	-	4.719	-	0.548	-	0.256	-
19	8.382	-	8.380	-	6.334	-	4.629	-	0.537	-	0.251	-
18	8.217	-	8.215	-	6.209	-	4.538	-	0.527	-	0.246	-
17	8.053	-	8.051	-	6.085	-	4.447	-	0.516	-	0.241	-
16	7.888	-	7.886	-	5.961	-	4.356	-	0.505	-	0.236	-
15	7.723	-	7.722	-	5.836	-	4.265	-	0.495	-	0.231	-
14	7.559	-	7.557	-	5.712	-	4.174	-	0.484	-	0.226	-
13	7.394	-	7.393	-	5.588	-	4.083	-	0.474	-	0.221	-
12	7.230	-	7.228	-	5.463	-	3.993	-	0.463	-	0.216	-
11	7.065	-	7.064	-	5.339	-	3.902	-	0.453	-	0.211	-
10	6.901	-	6.899	-	5.215	-	3.811	-	0.442	-	0.206	-
9	6.736	-	6.735	-	5.090	-	3.720	-	0.432	-	0.202	-
8	6.572	-	6.570	-	4.966	-	3.629	-	0.421	-	0.197	-
7	6.407	-	6.406	-	4.842	-	3.538	-	0.411	-	0.192	-
6	6.243	-	6.241	-	4.717	-	3.447	-	0.400	-	0.187	-
5	6.078	-	6.077	-	4.593	-	3.356	-	0.389	-	0.182	-
4	5.913	-	5.912	-	4.469	-	3.266	-	0.379	-	0.177	-
3	5.749	-	5.747	-	4.344	-	3.175	-	0.368	-	0.172	-
2	5.584	-	5.583	-	4.220	-	3.084	-	0.358	-	0.167	-
1	5.420	-	5.418	-	4.096	-	2.993	-	0.347	-	0.162	-
0	5.255	-	5.254	-	3.971	-	2.902	-	0.337	-	0.157	-
-1	5.091	-	5.089	-	3.847	-	2.811	-	0.326	-	0.152	-
-2	4.926	-	4.925	-	3.723	-	2.720	-	0.316	-	0.147	-
-3	4.762	-	4.760	-	3.598	-	2.630	-	0.305	-	0.142	-
-4	4.597	-	4.596	-	3.474	-	2.539	-	0.295	-	0.138	-
-5	4.433	-	4.431	-	3.350	-	2.448	-	0.284	-	0.133	-
-6	4.268	-	4.267	-	3.225	-	2.357	-	0.273	-	0.128	-
-7	4.103	-	4.102	-	3.101	-	2.266	-	0.263	-	0.123	-
-8	3.939	-	3.938	-	2.977	-	2.175	-	0.252	-	0.118	-
-9	3.774	-	3.773	-	2.852	-	2.084	-	0.242	-	0.113	-
-10	3.610	-	3.609	-	2.728	-	1.993	-	0.231	-	0.108	-
-11	3.445	-	3.444	-	2.604	-	1.903	-	0.221	-	0.103	-
-12	3.281	-	3.280	-	2.479	-	1.812	-	0.210	-	0.098	-
-13	3.116	-	3.115	-	2.355	-	1.721	-	0.200	-	0.093	-
-14	2.952	-	2.951	-	2.230	-	1.630	-	0.189	-	0.088	-
-15	2.787	-	2.786	-	2.106	-	1.539	-	0.179	-	0.083	-
-16	2.623	-	2.622	-	1.982	-	1.448	-	0.168	-	0.078	-
-17	2.458	-	2.457	-	1.857	-	1.357	-	0.157	-	0.074	-
-18	2.293	-	2.293	-	1.733	-	1.267	-	0.147	-	0.069	-
-19	2.129	-	2.128	-	1.609	-	1.176	-	0.136	-	0.064	-
-20	2.005	-	2.005	-	1.515	-	1.107	-	0.128	-	0.060	-

施設区分		補償区分	集団割引	補強割引
90	プラスチックハウスⅦ類(多目的ネット)	内作事故除外	無	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	2.945	-	2.944	-	2.226	-	1.626	-	0.193	-	0.090	-
20	6.275	-	6.273	-	4.743	-	3.465	-	0.411	-	0.192	-
19	6.154	-	6.152	-	4.652	-	3.398	-	0.403	-	0.188	-
18	6.033	-	6.031	-	4.560	-	3.331	-	0.395	-	0.184	-
17	5.912	-	5.910	-	4.469	-	3.264	-	0.387	-	0.181	-
16	5.792	-	5.790	-	4.378	-	3.198	-	0.380	-	0.177	-
15	5.671	-	5.669	-	4.286	-	3.131	-	0.372	-	0.173	-
14	5.550	-	5.548	-	4.195	-	3.064	-	0.364	-	0.170	-
13	5.429	-	5.427	-	4.104	-	2.998	-	0.356	-	0.166	-
12	5.308	-	5.307	-	4.012	-	2.931	-	0.348	-	0.162	-
11	5.188	-	5.186	-	3.921	-	2.864	-	0.340	-	0.159	-
10	5.067	-	5.065	-	3.830	-	2.797	-	0.332	-	0.155	-
9	4.946	-	4.944	-	3.738	-	2.731	-	0.324	-	0.151	-
8	4.825	-	4.823	-	3.647	-	2.664	-	0.316	-	0.147	-
7	4.704	-	4.703	-	3.556	-	2.597	-	0.308	-	0.144	-
6	4.583	-	4.582	-	3.464	-	2.531	-	0.300	-	0.140	-
5	4.463	-	4.461	-	3.373	-	2.464	-	0.292	-	0.136	-
4	4.342	-	4.340	-	3.282	-	2.397	-	0.285	-	0.133	-
3	4.221	-	4.220	-	3.191	-	2.331	-	0.277	-	0.129	-
2	4.100	-	4.099	-	3.099	-	2.264	-	0.269	-	0.125	-
1	3.979	-	3.978	-	3.008	-	2.197	-	0.261	-	0.122	-
0	3.859	-	3.857	-	2.917	-	2.130	-	0.253	-	0.118	-
-1	3.738	-	3.737	-	2.825	-	2.064	-	0.245	-	0.114	-
-2	3.617	-	3.616	-	2.734	-	1.997	-	0.237	-	0.111	-
-3	3.496	-	3.495	-	2.643	-	1.930	-	0.229	-	0.107	-
-4	3.375	-	3.374	-	2.551	-	1.864	-	0.221	-	0.103	-
-5	3.255	-	3.253	-	2.460	-	1.797	-	0.213	-	0.099	-
-6	3.134	-	3.133	-	2.369	-	1.730	-	0.205	-	0.096	-
-7	3.013	-	3.012	-	2.277	-	1.663	-	0.197	-	0.092	-
-8	2.892	-	2.891	-	2.186	-	1.597	-	0.190	-	0.088	-
-9	2.771	-	2.770	-	2.095	-	1.530	-	0.182	-	0.085	-
-10	2.650	-	2.650	-	2.003	-	1.463	-	0.174	-	0.081	-
-11	2.530	-	2.529	-	1.912	-	1.397	-	0.166	-	0.077	-
-12	2.409	-	2.408	-	1.821	-	1.330	-	0.158	-	0.074	-
-13	2.288	-	2.287	-	1.729	-	1.263	-	0.150	-	0.070	-
-14	2.167	-	2.166	-	1.638	-	1.197	-	0.142	-	0.066	-
-15	2.046	-	2.046	-	1.547	-	1.130	-	0.134	-	0.063	-
-16	1.926	-	1.925	-	1.455	-	1.063	-	0.126	-	0.059	-
-17	1.805	-	1.804	-	1.364	-	0.996	-	0.118	-	0.055	-
-18	1.684	-	1.683	-	1.273	-	0.930	-	0.110	-	0.051	-
-19	1.563	-	1.563	-	1.181	-	0.863	-	0.102	-	0.048	-
-20	1.472	-	1.472	-	1.113	-	0.813	-	0.096	-	0.045	-

施設区分		補償区分	集団割引	補強割引
90	プラスチックハウスⅦ類(多目的ネット)	内作事故除外	有	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	2.798	-	2.797	-	2.115	-	1.545	-	0.183	-	0.086	-
20	5.962	-	5.960	-	4.506	-	3.292	-	0.390	-	0.183	-
19	5.847	-	5.845	-	4.420	-	3.229	-	0.382	-	0.180	-
18	5.732	-	5.730	-	4.333	-	3.165	-	0.375	-	0.176	-
17	5.617	-	5.615	-	4.246	-	3.102	-	0.367	-	0.173	-
16	5.503	-	5.501	-	4.159	-	3.038	-	0.360	-	0.169	-
15	5.388	-	5.386	-	4.073	-	2.975	-	0.352	-	0.166	-
14	5.273	-	5.271	-	3.986	-	2.912	-	0.345	-	0.162	-
13	5.158	-	5.156	-	3.899	-	2.848	-	0.337	-	0.159	-
12	5.043	-	5.042	-	3.812	-	2.785	-	0.330	-	0.155	-
11	4.929	-	4.927	-	3.726	-	2.721	-	0.322	-	0.151	-
10	4.814	-	4.812	-	3.639	-	2.658	-	0.315	-	0.148	-
9	4.699	-	4.697	-	3.552	-	2.595	-	0.307	-	0.144	-
8	4.584	-	4.583	-	3.465	-	2.531	-	0.300	-	0.141	-
7	4.469	-	4.468	-	3.378	-	2.468	-	0.292	-	0.137	-
6	4.355	-	4.353	-	3.292	-	2.405	-	0.285	-	0.134	-
5	4.240	-	4.238	-	3.205	-	2.341	-	0.277	-	0.130	-
4	4.125	-	4.124	-	3.118	-	2.278	-	0.270	-	0.127	-
3	4.010	-	4.009	-	3.031	-	2.214	-	0.262	-	0.123	-
2	3.896	-	3.894	-	2.945	-	2.151	-	0.255	-	0.120	-
1	3.781	-	3.779	-	2.858	-	2.088	-	0.247	-	0.116	-
0	3.666	-	3.665	-	2.771	-	2.024	-	0.240	-	0.113	-
-1	3.551	-	3.550	-	2.684	-	1.961	-	0.232	-	0.109	-
-2	3.436	-	3.435	-	2.598	-	1.898	-	0.225	-	0.106	-
-3	3.322	-	3.320	-	2.511	-	1.834	-	0.217	-	0.102	-
-4	3.207	-	3.206	-	2.424	-	1.771	-	0.210	-	0.099	-
-5	3.092	-	3.091	-	2.337	-	1.707	-	0.202	-	0.095	-
-6	2.977	-	2.976	-	2.251	-	1.644	-	0.195	-	0.092	-
-7	2.863	-	2.861	-	2.164	-	1.581	-	0.187	-	0.088	-
-8	2.748	-	2.747	-	2.077	-	1.517	-	0.180	-	0.084	-
-9	2.633	-	2.632	-	1.990	-	1.454	-	0.172	-	0.081	-
-10	2.518	-	2.517	-	1.903	-	1.390	-	0.165	-	0.077	-
-11	2.403	-	2.403	-	1.817	-	1.327	-	0.157	-	0.074	-
-12	2.289	-	2.288	-	1.730	-	1.264	-	0.150	-	0.070	-
-13	2.174	-	2.173	-	1.643	-	1.200	-	0.142	-	0.067	-
-14	2.059	-	2.058	-	1.556	-	1.137	-	0.135	-	0.063	-
-15	1.944	-	1.944	-	1.470	-	1.074	-	0.127	-	0.060	-
-16	1.829	-	1.829	-	1.383	-	1.010	-	0.120	-	0.056	-
-17	1.715	-	1.714	-	1.296	-	0.947	-	0.112	-	0.053	-
-18	1.600	-	1.599	-	1.209	-	0.883	-	0.105	-	0.049	-
-19	1.485	-	1.485	-	1.123	-	0.820	-	0.097	-	0.046	-
-20	1.399	-	1.398	-	1.057	-	0.772	-	0.091	-	0.043	-

施設区分		補償区分	集団割引	補強割引
90	プラスチックハウスⅦ類(多目的ネット)	撤去費用	無	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.146	0.008	0.145	0.007	0.144	0.006	0.143	0.005	0.142	0.004	0.141	0.003
20	0.311	0.017	0.309	0.015	0.307	0.013	0.305	0.011	0.303	0.009	0.300	0.006
19	0.305	0.017	0.303	0.015	0.301	0.013	0.299	0.010	0.297	0.008	0.295	0.006
18	0.299	0.016	0.297	0.014	0.295	0.012	0.293	0.010	0.291	0.008	0.289	0.006
17	0.293	0.016	0.291	0.014	0.289	0.012	0.287	0.010	0.285	0.008	0.283	0.006
16	0.287	0.016	0.285	0.014	0.283	0.012	0.281	0.010	0.279	0.008	0.277	0.006
15	0.281	0.015	0.279	0.013	0.277	0.012	0.275	0.010	0.273	0.008	0.272	0.006
14	0.275	0.015	0.273	0.013	0.271	0.011	0.269	0.009	0.268	0.008	0.266	0.006
13	0.269	0.015	0.267	0.013	0.265	0.011	0.264	0.009	0.262	0.007	0.260	0.006
12	0.263	0.014	0.261	0.013	0.260	0.011	0.258	0.009	0.256	0.007	0.254	0.005
11	0.257	0.014	0.255	0.012	0.254	0.011	0.252	0.009	0.250	0.007	0.248	0.005
10	0.251	0.014	0.249	0.012	0.248	0.010	0.246	0.009	0.244	0.007	0.243	0.005
9	0.245	0.013	0.244	0.012	0.242	0.010	0.240	0.008	0.238	0.007	0.237	0.005
8	0.239	0.013	0.238	0.011	0.236	0.010	0.234	0.008	0.233	0.007	0.231	0.005
7	0.233	0.013	0.232	0.011	0.230	0.010	0.228	0.008	0.227	0.006	0.225	0.005
6	0.227	0.012	0.226	0.011	0.224	0.009	0.223	0.008	0.221	0.006	0.219	0.005
5	0.221	0.012	0.220	0.011	0.218	0.009	0.217	0.008	0.215	0.006	0.214	0.005
4	0.215	0.012	0.214	0.010	0.212	0.009	0.211	0.007	0.209	0.006	0.208	0.004
3	0.209	0.011	0.208	0.010	0.206	0.009	0.205	0.007	0.204	0.006	0.202	0.004
2	0.203	0.011	0.202	0.010	0.200	0.008	0.199	0.007	0.198	0.006	0.196	0.004
1	0.197	0.011	0.196	0.009	0.195	0.008	0.193	0.007	0.192	0.005	0.191	0.004
0	0.191	0.010	0.190	0.009	0.189	0.008	0.187	0.007	0.186	0.005	0.185	0.004
-1	0.185	0.010	0.184	0.009	0.183	0.008	0.181	0.006	0.180	0.005	0.179	0.004
-2	0.179	0.010	0.178	0.009	0.177	0.007	0.176	0.006	0.174	0.005	0.173	0.004
-3	0.173	0.009	0.172	0.008	0.171	0.007	0.170	0.006	0.169	0.005	0.167	0.004
-4	0.167	0.009	0.166	0.008	0.165	0.007	0.164	0.006	0.163	0.005	0.162	0.003
-5	0.161	0.009	0.160	0.008	0.159	0.007	0.158	0.006	0.157	0.004	0.156	0.003
-6	0.155	0.009	0.154	0.007	0.153	0.006	0.152	0.005	0.151	0.004	0.150	0.003
-7	0.149	0.008	0.148	0.007	0.147	0.006	0.146	0.005	0.145	0.004	0.144	0.003
-8	0.143	0.008	0.142	0.007	0.141	0.006	0.140	0.005	0.139	0.004	0.138	0.003
-9	0.137	0.008	0.136	0.007	0.136	0.006	0.135	0.005	0.134	0.004	0.133	0.003
-10	0.131	0.007	0.130	0.006	0.130	0.005	0.129	0.004	0.128	0.004	0.127	0.003
-11	0.125	0.007	0.125	0.006	0.124	0.005	0.123	0.004	0.122	0.003	0.121	0.003
-12	0.119	0.007	0.119	0.006	0.118	0.005	0.117	0.004	0.116	0.003	0.115	0.002
-13	0.113	0.006	0.113	0.005	0.112	0.005	0.111	0.004	0.110	0.003	0.110	0.002
-14	0.107	0.006	0.107	0.005	0.106	0.004	0.105	0.004	0.104	0.003	0.104	0.002
-15	0.101	0.006	0.101	0.005	0.100	0.004	0.099	0.003	0.099	0.003	0.098	0.002
-16	0.095	0.005	0.095	0.005	0.094	0.004	0.093	0.003	0.093	0.003	0.092	0.002
-17	0.089	0.005	0.089	0.004	0.088	0.004	0.088	0.003	0.087	0.002	0.086	0.002
-18	0.083	0.005	0.083	0.004	0.082	0.003	0.082	0.003	0.081	0.002	0.081	0.002
-19	0.077	0.004	0.077	0.004	0.076	0.003	0.076	0.003	0.075	0.002	0.075	0.002
-20	0.073	0.004	0.072	0.003	0.072	0.003	0.071	0.002	0.071	0.002	0.070	0.001

施設区分		補償区分	集団割引	補強割引
90	プラスチックハウスⅦ類(多目的ネット)	撤去費用	有	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.139	0.008	0.138	0.007	0.137	0.006	0.136	0.005	0.135	0.004	0.134	0.003
20	0.296	0.017	0.294	0.015	0.292	0.013	0.290	0.011	0.288	0.009	0.286	0.006
19	0.290	0.017	0.288	0.015	0.286	0.013	0.284	0.010	0.282	0.008	0.280	0.006
18	0.285	0.016	0.283	0.014	0.281	0.012	0.279	0.010	0.277	0.008	0.275	0.006
17	0.279	0.016	0.277	0.014	0.275	0.012	0.273	0.010	0.271	0.008	0.269	0.006
16	0.273	0.016	0.271	0.014	0.269	0.012	0.267	0.010	0.265	0.008	0.264	0.006
15	0.268	0.015	0.266	0.013	0.264	0.012	0.262	0.010	0.260	0.008	0.258	0.006
14	0.262	0.015	0.260	0.013	0.258	0.011	0.256	0.009	0.254	0.008	0.253	0.006
13	0.256	0.015	0.254	0.013	0.253	0.011	0.251	0.009	0.249	0.007	0.247	0.006
12	0.251	0.014	0.249	0.013	0.247	0.011	0.245	0.009	0.243	0.007	0.242	0.005
11	0.245	0.014	0.243	0.012	0.241	0.011	0.240	0.009	0.238	0.007	0.236	0.005
10	0.239	0.014	0.237	0.012	0.236	0.010	0.234	0.009	0.232	0.007	0.231	0.005
9	0.233	0.013	0.232	0.012	0.230	0.010	0.228	0.008	0.227	0.007	0.225	0.005
8	0.228	0.013	0.226	0.011	0.224	0.010	0.223	0.008	0.221	0.007	0.220	0.005
7	0.222	0.013	0.220	0.011	0.219	0.010	0.217	0.008	0.216	0.006	0.214	0.005
6	0.216	0.012	0.215	0.011	0.213	0.009	0.212	0.008	0.210	0.006	0.209	0.005
5	0.211	0.012	0.209	0.011	0.208	0.009	0.206	0.008	0.205	0.006	0.203	0.005
4	0.205	0.012	0.203	0.010	0.202	0.009	0.201	0.007	0.199	0.006	0.198	0.004
3	0.199	0.011	0.198	0.010	0.196	0.009	0.195	0.007	0.193	0.006	0.192	0.004
2	0.194	0.011	0.192	0.010	0.191	0.008	0.189	0.007	0.188	0.006	0.187	0.004
1	0.188	0.011	0.186	0.009	0.185	0.008	0.184	0.007	0.182	0.005	0.181	0.004
0	0.182	0.010	0.181	0.009	0.180	0.008	0.178	0.007	0.177	0.005	0.176	0.004
-1	0.176	0.010	0.175	0.009	0.174	0.008	0.173	0.006	0.171	0.005	0.170	0.004
-2	0.171	0.010	0.169	0.009	0.168	0.007	0.167	0.006	0.166	0.005	0.165	0.004
-3	0.165	0.009	0.164	0.008	0.163	0.007	0.161	0.006	0.160	0.005	0.159	0.004
-4	0.159	0.009	0.158	0.008	0.157	0.007	0.156	0.006	0.155	0.005	0.154	0.003
-5	0.154	0.009	0.153	0.008	0.151	0.007	0.150	0.006	0.149	0.004	0.148	0.003
-6	0.148	0.009	0.147	0.007	0.146	0.006	0.145	0.005	0.144	0.004	0.143	0.003
-7	0.142	0.008	0.141	0.007	0.140	0.006	0.139	0.005	0.138	0.004	0.137	0.003
-8	0.137	0.008	0.136	0.007	0.135	0.006	0.134	0.005	0.133	0.004	0.132	0.003
-9	0.131	0.008	0.130	0.007	0.129	0.006	0.128	0.005	0.127	0.004	0.126	0.003
-10	0.125	0.007	0.124	0.006	0.123	0.005	0.122	0.004	0.121	0.004	0.121	0.003
-11	0.119	0.007	0.119	0.006	0.118	0.005	0.117	0.004	0.116	0.003	0.115	0.003
-12	0.114	0.007	0.113	0.006	0.112	0.005	0.111	0.004	0.110	0.003	0.110	0.002
-13	0.108	0.006	0.107	0.005	0.106	0.005	0.106	0.004	0.105	0.003	0.104	0.002
-14	0.102	0.006	0.102	0.005	0.101	0.004	0.100	0.004	0.099	0.003	0.099	0.002
-15	0.097	0.006	0.096	0.005	0.095	0.004	0.095	0.003	0.094	0.003	0.093	0.002
-16	0.091	0.005	0.090	0.005	0.090	0.004	0.089	0.003	0.088	0.003	0.088	0.002
-17	0.085	0.005	0.085	0.004	0.084	0.004	0.083	0.003	0.083	0.002	0.082	0.002
-18	0.079	0.005	0.079	0.004	0.078	0.003	0.078	0.003	0.077	0.002	0.077	0.002
-19	0.074	0.004	0.073	0.004	0.073	0.003	0.072	0.003	0.072	0.002	0.071	0.002
-20	0.069	0.004	0.069	0.003	0.068	0.003	0.068	0.002	0.067	0.002	0.067	0.001

施設区分		補償区分	集団割引	補強割引
90	プラスチックハウスⅦ類(多目的ネット)	復旧費用	無	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.356	0.010	0.354	0.009	0.255	0.006	0.175	0.005	0.077	0.004	0.039	0.003
20	0.759	0.021	0.754	0.019	0.543	0.013	0.373	0.011	0.164	0.009	0.083	0.006
19	0.744	0.021	0.740	0.019	0.533	0.013	0.366	0.010	0.161	0.008	0.081	0.006
18	0.729	0.020	0.725	0.018	0.522	0.012	0.359	0.010	0.158	0.008	0.080	0.006
17	0.715	0.020	0.711	0.018	0.512	0.012	0.351	0.010	0.155	0.008	0.078	0.006
16	0.700	0.020	0.696	0.018	0.501	0.012	0.344	0.010	0.151	0.008	0.077	0.006
15	0.686	0.019	0.682	0.017	0.491	0.012	0.337	0.010	0.148	0.008	0.075	0.006
14	0.671	0.019	0.667	0.017	0.481	0.011	0.330	0.009	0.145	0.008	0.073	0.006
13	0.656	0.018	0.653	0.017	0.470	0.011	0.323	0.009	0.142	0.007	0.072	0.006
12	0.642	0.018	0.638	0.016	0.460	0.011	0.315	0.009	0.139	0.007	0.070	0.005
11	0.627	0.018	0.624	0.016	0.449	0.011	0.308	0.009	0.136	0.007	0.069	0.005
10	0.612	0.017	0.609	0.015	0.439	0.010	0.301	0.009	0.132	0.007	0.067	0.005
9	0.598	0.017	0.595	0.015	0.428	0.010	0.294	0.008	0.129	0.007	0.065	0.005
8	0.583	0.016	0.580	0.015	0.418	0.010	0.287	0.008	0.126	0.007	0.064	0.005
7	0.569	0.016	0.565	0.014	0.407	0.010	0.280	0.008	0.123	0.006	0.062	0.005
6	0.554	0.016	0.551	0.014	0.397	0.009	0.272	0.008	0.120	0.006	0.061	0.005
5	0.539	0.015	0.536	0.014	0.386	0.009	0.265	0.008	0.117	0.006	0.059	0.005
4	0.525	0.015	0.522	0.013	0.376	0.009	0.258	0.007	0.114	0.006	0.057	0.004
3	0.510	0.014	0.507	0.013	0.365	0.009	0.251	0.007	0.110	0.006	0.056	0.004
2	0.496	0.014	0.493	0.013	0.355	0.008	0.244	0.007	0.107	0.006	0.054	0.004
1	0.481	0.014	0.478	0.012	0.345	0.008	0.236	0.007	0.104	0.005	0.053	0.004
0	0.466	0.013	0.464	0.012	0.334	0.008	0.229	0.007	0.101	0.005	0.051	0.004
-1	0.452	0.013	0.449	0.011	0.324	0.008	0.222	0.006	0.098	0.005	0.049	0.004
-2	0.437	0.012	0.435	0.011	0.313	0.007	0.215	0.006	0.095	0.005	0.048	0.004
-3	0.423	0.012	0.420	0.011	0.303	0.007	0.208	0.006	0.091	0.005	0.046	0.004
-4	0.408	0.011	0.406	0.010	0.292	0.007	0.201	0.006	0.088	0.005	0.045	0.003
-5	0.393	0.011	0.391	0.010	0.282	0.007	0.193	0.006	0.085	0.004	0.043	0.003
-6	0.379	0.011	0.377	0.010	0.271	0.006	0.186	0.005	0.082	0.004	0.041	0.003
-7	0.364	0.010	0.362	0.009	0.261	0.006	0.179	0.005	0.079	0.004	0.040	0.003
-8	0.350	0.010	0.348	0.009	0.250	0.006	0.172	0.005	0.076	0.004	0.038	0.003
-9	0.335	0.009	0.333	0.008	0.240	0.006	0.165	0.005	0.072	0.004	0.037	0.003
-10	0.320	0.009	0.319	0.008	0.229	0.005	0.157	0.004	0.069	0.004	0.035	0.003
-11	0.306	0.009	0.304	0.008	0.219	0.005	0.150	0.004	0.066	0.003	0.033	0.003
-12	0.291	0.008	0.290	0.007	0.209	0.005	0.143	0.004	0.063	0.003	0.032	0.002
-13	0.277	0.008	0.275	0.007	0.198	0.005	0.136	0.004	0.060	0.003	0.030	0.002
-14	0.262	0.007	0.261	0.007	0.188	0.004	0.129	0.004	0.057	0.003	0.029	0.002
-15	0.247	0.007	0.246	0.006	0.177	0.004	0.122	0.003	0.054	0.003	0.027	0.002
-16	0.233	0.007	0.231	0.006	0.167	0.004	0.114	0.003	0.050	0.003	0.025	0.002
-17	0.218	0.006	0.217	0.006	0.156	0.004	0.107	0.003	0.047	0.002	0.024	0.002
-18	0.204	0.006	0.202	0.005	0.146	0.003	0.100	0.003	0.044	0.002	0.022	0.002
-19	0.189	0.005	0.188	0.005	0.135	0.003	0.093	0.003	0.041	0.002	0.021	0.002
-20	0.178	0.005	0.177	0.004	0.127	0.003	0.087	0.002	0.038	0.002	0.019	0.001

施設区分		補償区分	集団割引	補強割引
90	プラスチックハウスⅦ類(多目的ネット)	復旧費用	有	無

危険段階区分	小損害不填補											
	1万円		3万円		10万円		20万円		50万円		100万円	
	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
標準率	0.338	0.010	0.336	0.009	0.242	0.006	0.166	0.005	0.073	0.004	0.037	0.003
20	0.720	0.021	0.716	0.019	0.516	0.013	0.354	0.011	0.156	0.009	0.079	0.006
19	0.706	0.021	0.702	0.019	0.506	0.013	0.347	0.010	0.153	0.008	0.077	0.006
18	0.692	0.020	0.688	0.018	0.496	0.012	0.340	0.010	0.150	0.008	0.076	0.006
17	0.679	0.020	0.675	0.018	0.486	0.012	0.333	0.010	0.147	0.008	0.074	0.006
16	0.665	0.020	0.661	0.018	0.476	0.012	0.326	0.010	0.144	0.008	0.073	0.006
15	0.651	0.019	0.647	0.017	0.466	0.012	0.320	0.010	0.141	0.008	0.071	0.006
14	0.637	0.019	0.633	0.017	0.456	0.011	0.313	0.009	0.138	0.008	0.070	0.006
13	0.623	0.018	0.619	0.017	0.446	0.011	0.306	0.009	0.135	0.007	0.068	0.006
12	0.609	0.018	0.606	0.016	0.436	0.011	0.299	0.009	0.132	0.007	0.067	0.005
11	0.595	0.018	0.592	0.016	0.426	0.011	0.292	0.009	0.129	0.007	0.065	0.005
10	0.582	0.017	0.578	0.015	0.416	0.010	0.286	0.009	0.126	0.007	0.064	0.005
9	0.568	0.017	0.564	0.015	0.406	0.010	0.279	0.008	0.123	0.007	0.062	0.005
8	0.554	0.016	0.551	0.015	0.396	0.010	0.272	0.008	0.120	0.007	0.061	0.005
7	0.540	0.016	0.537	0.014	0.387	0.010	0.265	0.008	0.117	0.006	0.059	0.005
6	0.526	0.016	0.523	0.014	0.377	0.009	0.258	0.008	0.114	0.006	0.058	0.005
5	0.512	0.015	0.509	0.014	0.367	0.009	0.252	0.008	0.111	0.006	0.056	0.005
4	0.498	0.015	0.495	0.013	0.357	0.009	0.245	0.007	0.108	0.006	0.055	0.004
3	0.484	0.014	0.482	0.013	0.347	0.009	0.238	0.007	0.105	0.006	0.053	0.004
2	0.471	0.014	0.468	0.013	0.337	0.008	0.231	0.007	0.102	0.006	0.052	0.004
1	0.457	0.014	0.454	0.012	0.327	0.008	0.224	0.007	0.099	0.005	0.050	0.004
0	0.443	0.013	0.440	0.012	0.317	0.008	0.217	0.007	0.096	0.005	0.048	0.004
-1	0.429	0.013	0.426	0.011	0.307	0.008	0.211	0.006	0.093	0.005	0.047	0.004
-2	0.415	0.012	0.413	0.011	0.297	0.007	0.204	0.006	0.090	0.005	0.045	0.004
-3	0.401	0.012	0.399	0.011	0.287	0.007	0.197	0.006	0.087	0.005	0.044	0.004
-4	0.387	0.011	0.385	0.010	0.277	0.007	0.190	0.006	0.084	0.005	0.042	0.003
-5	0.374	0.011	0.371	0.010	0.267	0.007	0.183	0.006	0.081	0.004	0.041	0.003
-6	0.360	0.011	0.358	0.010	0.258	0.006	0.177	0.005	0.078	0.004	0.039	0.003
-7	0.346	0.010	0.344	0.009	0.248	0.006	0.170	0.005	0.075	0.004	0.038	0.003
-8	0.332	0.010	0.330	0.009	0.238	0.006	0.163	0.005	0.072	0.004	0.036	0.003
-9	0.318	0.009	0.316	0.008	0.228	0.006	0.156	0.005	0.069	0.004	0.035	0.003
-10	0.304	0.009	0.302	0.008	0.218	0.005	0.149	0.004	0.066	0.004	0.033	0.003
-11	0.290	0.009	0.289	0.008	0.208	0.005	0.143	0.004	0.063	0.003	0.032	0.003
-12	0.276	0.008	0.275	0.007	0.198	0.005	0.136	0.004	0.060	0.003	0.030	0.002
-13	0.263	0.008	0.261	0.007	0.188	0.005	0.129	0.004	0.057	0.003	0.029	0.002
-14	0.249	0.007	0.247	0.007	0.178	0.004	0.122	0.004	0.054	0.003	0.027	0.002
-15	0.235	0.007	0.233	0.006	0.168	0.004	0.115	0.003	0.051	0.003	0.026	0.002
-16	0.221	0.007	0.220	0.006	0.158	0.004	0.109	0.003	0.048	0.003	0.024	0.002
-17	0.207	0.006	0.206	0.006	0.148	0.004	0.102	0.003	0.045	0.002	0.023	0.002
-18	0.193	0.006	0.192	0.005	0.138	0.003	0.095	0.003	0.042	0.002	0.021	0.002
-19	0.179	0.005	0.178	0.005	0.128	0.003	0.088	0.003	0.039	0.002	0.020	0.002
-20	0.169	0.005	0.168	0.004	0.121	0.003	0.083	0.002	0.036	0.002	0.018	0.001

